CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

LENGTH OF STAY BY OPERATION



UNITED STATES

NORTH CENTRAL REGION

1984



Length of Stay by Operation, North Central Region, 1984

A Companion Volume To Length of Stay by Diagnosis, North Central Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

- . . . by Diagnosis, United States, 1984
- . . . by Diagnosis, United States, North Central Region, 1984
- . . . by Diagnosis, United States, Northeastern Region, 1984
- . . . by Diagnosis, United States, Southern Region, 1984
- . . . by Diagnosis, United States, Western Region, 1984
- . . . by Diagnosis, Canada, 1984

- . . . by Operation, United States, 1984
- . . . by Operation, United States, North Central Region, 1984
- . . . by Operation, United States, Northeastern Region, 1984
- . . . by Operation, United States, Southern Region, 1984
- . . . by Operation, United States, Western Region, 1984
- . . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764. 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP > 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever > 102°, chills*			
2. *Abscess formation*			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138189	3.3	18	1	1	2	4	6	8	21
20-34	291615	3.5	9	1	1	3	4	6	8	15
35-49	109009	4.6	19	1	1	3	6	9	12	22
50-64	91100	5.2	23	1	1	4	7	11	14	23
65+	81653	5.5	29	1	1	4	7	12	16	24
2. MULTIPLE DX										
0-19 YRS	139776	5.5	65	1	1	3	6	10	18	48
20-34	291465	5.5	35	1	2	4	6	10	14	32
35-49	228959	7.0	47	1	2	5	8	13	18	36
50-64	321150	8.3	63	2	2	6	10	16	22	42
65+	562306	9.8	74	2	2	8	12	19	25	44
TOT. SINGLE DX	711566	4.1	17	1	1	3	5	8	11	20
" MULTIPLE DX	1543656	7.9	63	1	2	6	10	16	22	41
TOTAL 0-19 YRS	277965	4.4	43	1	1	3	5	8	12	37
20-34	583080	4.5	23	1	1	3	5	8	11	25
35-49	337968	6.3	39	1	2	5	8	12	16	32
50-64	412250	7.6	56	1	2	6	10	15	21	39
65+	643959	9.2	70	2	2	7	12	18	24	43
GRAND TOTAL	**2255222**	**6.7**	**51**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	8.8	46	1	2	8	11	16	20	33
20-34	149	11.2	69	3	4	10	14	19	23	35
35-49	190	11.7	49	4	5	10	14	19	27	41
50-64	219	13.4	75	4	6	12	16	22	28	51
65+	154	14.5	96	5	6	13	17	24	30	62
2. MULTIPLE DX										
0-19 YRS	225	18.6	306	3	4	13	25	45	65	99+
20-34	210	20.8	338	5	7	14	25	50	70	97
35-49	320	20.7	282	6	7	15	24	45	57	96
50-64	608	21.5	256	6	8	17	26	45	60	99+
65+	825	23.0	223	6	8	19	30	46	57	81
TOT. SINGLE DX	833	12.2	71	3	5	11	15	20	25	47
" MULTIPLE DX	2188	21.6	262	5	7	17	28	46	60	99+
TOTAL 0-19 YRS	346	15.2	237	2	3	11	18	34	57	99+
20-34	359	16.8	249	4	5	12	19	33	56	92
35-49	510	17.4	214	5	6	13	20	35	51	88
50-64	827	19.3	221	5	7	15	24	41	57	99+
65+	979	21.7	213	6	8	18	28	43	55	79
GRAND TOTAL	3021	19.0	227	4	6	14	24	39	55	91

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	7.7	39	2	3	6	9	15	22	32
20-34	59	10.6	37	2	4	10	15	19	22	29
35-49	48	15.2	242	6	6	10	15	21	63	78
50-64	65	12.9	109	4	4	9	15	28	33	58
65+	45	13.8	94	4	5	10	18	24	38	48
2. MULTIPLE DX										
0-19 YRS	151	17.1	197	4	5	12	25	43	53	99+
20-34	135	18.9	232	4	7	14	27	57	99+	99+
35-49	111	20.5	267	5	6	15	31	51	92	99+
50-64	188	23.0	266	5	7	20	30	52	76	99+
65+	267	23.7	284	7	9	18	31	49	64	96
TOT. SINGLE DX	336	11.1	96	3	4	8	14	20	28	61
" MULTIPLE DX	852	21.2	260	5	6	17	30	49	68	99+
TOTAL 0-19 YRS	270	12.9	150	3	4	9	16	32	43	99+
20-34	194	16.4	187	3	5	13	21	46	67	99+
35-49	159	18.9	264	5	6	13	27	47	78	99+
50-64	253	20.4	245	4	6	17	27	45	68	99+
65+	312	22.3	269	6	8	17	29	47	60	94
GRAND TOTAL	1188	18.3	234	4	5	14	25	43	61	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	5.1	6	1	2	5	6	8	10	14
20-34	57	5.9	19	2	2	5	8	9	12	30
35-49	26	6.3	25	2	2	4	7	14	18	22
50-64	22	8.5	15	3	4	8	10	15	17	18
65+	8	6.3	15	2	2	6	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	160	9.2	85	2	3	7	10	16	27	56
20-34	99	11.0	111	2	3	8	14	27	44	99+
35-49	52	8.8	62	2	3	6	13	19	29	98
50-64	31	11.4	127	2	3	8	16	32	49	99+
65+	25	13.5	224	3	3	10	15	31	82	99+
TOT. SINGLE DX	290	5.6	12	2	2	5	7	9	13	18
" MULTIPLE DX	367	10.1	102	2	3	7	12	21	36	99+
TOTAL 0-19 YRS	337	7.0	48	2	3	5	8	12	16	43
20-34	156	9.2	83	2	2	7	11	20	34	99+
35-49	78	8.0	51	2	2	5	11	17	22	84
50-64	53	10.2	82	3	3	8	12	19	34	98
65+	33	11.8	182	3	3	9	13	23	69	99+
GRAND TOTAL	657	8.1	68	2	3	6	9	16	23	77

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	5.5	16	2	2	5	7	9	13	23
20-34	27	9.9	54	2	3	8	12	19	23	37
35-49	23	8.2	13	4	5	7	11	13	16	17
50-64	27	9.5	19	3	3	10	12	16	18	19
65+	40	13.0	52	3	5	11	19	23	25	31
2. MULTIPLE DX										
0-19 YRS	312	13.7	287	2	3	8	16	33	66	99+
20-34	57	17.5	244	5	6	12	21	54	68	99+
35-49	41	18.5	214	3	5	15	31	63	99+	99+
50-64	110	23.9	315	6	8	19	39	65	99+	99+
65+	215	23.8	252	7	9	20	30	44	53	99+
TOT. SINGLE DX	276	7.6	33	2	2	6	10	16	20	29
" MULTIPLE DX	735	18.8	295	3	4	14	26	47	72	99+
TOTAL 0-19 YRS	471	10.9	211	2	2	6	11	24	47	99+
20-34	84	15.1	195	3	4	11	17	37	64	99+
35-49	64	14.8	166	3	5	11	22	49	99+	99+
50-64	137	21.1	289	5	6	15	30	54	92	99+
65+	255	22.1	237	6	8	19	28	40	52	99+
GRAND TOTAL	1011	15.7	248	2	3	11	21	40	61	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	4.9	15	1	2	4	6	9	14	22
20-34	51	8.6	50	2	2	7	11	19	26	36
35-49	26	6.8	19	2	2	6	9	13	15	21
50-64	24	13.5	254	2	3	8	13	45	53	61
65+	22	8.2	99	1	2	6	8	18	32	46
2. MULTIPLE DX										
0-19 YRS	627	9.2	132	1	2	5	11	22	31	73
20-34	146	17.2	316	3	4	11	23	41	71	99+
35-49	84	12.8	111	2	3	10	21	35	55	99+
50-64	99	21.1	266	3	4	18	27	51	65	99+
65+	127	20.0	224	3	4	17	28	44	53	75
TOT. SINGLE DX	413	6.2	43	1	2	4	7	12	17	45
" MULTIPLE DX	1083	12.9	200	2	2	8	18	32	47	99+
TOTAL 0-19 YRS	917	7.8	99	1	2	4	8	18	27	68
20-34	197	15.0	261	2	3	9	18	34	52	98
35-49	110	11.4	96	2	3	9	14	30	42	99+
50-64	123	19.6	271	3	4	15	26	50	61	99+
65+	149	18.3	222	2	3	15	27	43	52	68
GRAND TOTAL	1496	11.0	166	2	2	6	14	28	41	92

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	12.4	132	4	5	10	15	19	32	62
20-34	198	8.7	30	3	4	7	10	17	20	32
35-49	466	9.6	44	4	4	8	11	16	21	34
50-64	468	10.0	36	4	5	9	12	17	20	35
65+	275	10.9	38	4	5	9	13	18	21	37
2. MULTIPLE DX										
0-19 YRS	38	14.9	103	6	7	13	17	25	35	59
20-34	236	13.8	146	4	5	10	16	25	37	78
35-49	544	12.4	77	4	5	10	15	23	29	57
50-64	1085	14.3	112	5	6	11	17	26	35	65
65+	1132	17.7	134	6	7	14	22	31	41	63
TOT. SINGLE DX	1431	9.9	41	4	4	8	12	17	21	35
" MULTIPLE DX	3035	15.2	121	5	6	12	18	28	37	64
TOTAL 0-19 YRS	62	14.0	114	5	6	11	16	21	35	62
20-34	434	11.5	100	4	4	9	13	21	29	64
35-49	1010	11.1	64	4	5	9	13	20	27	44
50-64	1553	13.0	94	4	5	10	16	23	31	61
65+	1407	16.4	123	6	7	13	20	30	38	60
GRAND TOTAL	4466	13.5	101	4	5	10	16	25	32	59

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	8.2	44	2	2	6	11	19	23	32
20-34	226	6.0	30	1	1	4	8	13	17	26
35-49	309	6.0	29	1	1	4	8	14	17	26
50-64	154	6.0	31	1	1	4	8	12	15	21
65+	34	6.9	35	1	1	6	10	16	19	23
2. MULTIPLE DX										
0-19 YRS	123	13.8	157	3	3	10	17	31	36	87
20-34	227	11.0	143	1	2	7	14	26	39	99+
35-49	350	10.7	152	1	2	6	14	24	35	74
50-64	318	13.5	142	1	2	11	17	31	37	59
65+	222	18.9	266	2	4	15	26	38	59	95
TOT. SINGLE DX	780	6.2	32	1	1	4	8	13	17	26
" MULTIPLE DX	1240	13.3	177	2	2	9	17	31	40	77
TOTAL 0-19 YRS	180	12.0	128	2	3	9	14	24	35	79
20-34	453	8.5	93	1	2	5	11	20	27	71
35-49	659	8.5	100	1	2	5	10	19	25	50
50-64	472	11.1	119	1	2	8	15	25	33	51
65+	256	17.3	252	2	3	13	23	36	53	93
GRAND TOTAL	2020	10.5	133	1	2	7	14	24	33	68

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.9	6	<1	<1	2	3	8	8	10
20-34	179	3.5	11	<1	1	2	4	9	11	16
35-49	283	3.5	11	1	1	2	4	8	11	15
50-64	328	3.0	6	1	1	2	3	6	9	13
65+	176	4.1	17	1	1	3	4	9	14	21
2. MULTIPLE DX										
0-19 YRS	44	6.8	127	1	1	3	6	17	31	62
20-34	124	4.1	18	1	1	3	5	9	11	25
35-49	243	5.2	28	1	1	3	6	12	17	26
50-64	327	5.8	63	1	1	3	6	11	19	56
65+	265	7.1	60	1	2	4	10	16	20	42
TOT. SINGLE DX	1005	3.4	11	1	1	2	4	8	10	17
" MULTIPLE DX	1003	5.8	52	1	1	3	7	13	19	35
TOTAL 0-19 YRS	83	5.0	74	<1	1	2	5	9	20	52
20-34	303	3.7	14	1	1	2	4	9	11	20
35-49	526	4.[illegible]	20	1	1	3	5	10	13	21
50-64	655	4.4	37	1	1	3	5	9	12	26
65+	441	5.9	46	1	1	3	8	14	18	31
GRAND TOTAL	2008	4.6	33	1	1	3	5	10	14	27

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	2.2	3	1	1	2	2	4	6	11
20-34	926	2.1	2	<1	1	2	3	4	5	8
35-49	1244	2.3	3	<1	1	2	3	4	5	10
50-64	1031	2.3	2	<1	1	2	3	4	5	9
65+	443	2.5	6	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	233	3.2	25	<1	1	2	3	6	11	40
20-34	701	3.2	22	1	1	2	3	6	9	20
35-49	1103	4.3	25	1	1	3	5	10	13	27
50-64	1315	4.4	28	1	1	3	5	10	13	23
65+	1071	4.8	40	1	1	3	5	11	14	33
TOT. SINGLE DX	3778	2.3	4	<1	1	2	3	4	5	10
" MULTIPLE DX	4423	4.2	30	1	1	3	5	9	13	27
TOTAL 0-19 YRS	367	2.9	18	<1	1	2	3	5	9	27
20-34	1627	2.6	12	<1	1	2	3	5	7	14
35-49	2347	3.3	15	<1	1	2	3	6	10	19
50-64	2346	3.5	18	1	1	2	4	7	10	21
65+	1514	4.1	31	1	1	2	4	10	13	30
GRAND TOTAL	8201	3.3	19	1	1	2	3	7	10	20

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	5	2	2	5	6	9	9	9
20-34	59	6.3	22	1	2	5	7	14	18	23
35-49	32	7.0	44	2	3	5	7	11	15	40
50-64	19	6.5	12	2	2	6	8	12	14	15
65+	25	8.9	20	2	3	9	12	15	16	19
2. MULTIPLE DX										
0-19 YRS	7	8.1	36	2	2	6	12	18	19	19
20-34	71	6.9	16	3	4	6	7	12	14	27
35-49	51	11.9	111	2	3	8	14	28	36	48
50-64	87	12.0	88	4	5	10	14	21	28	59
65+	191	14.4	79	5	6	12	18	25	31	49
TOT. SINGLE DX	141	6.9	25	2	2	6	8	13	15	25
" MULTIPLE DX	407	12.2	81	4	5	10	15	23	29	48
TOTAL 0-19 YRS	13	6.8	23	2	2	6	7	15	18	19
20-34	130	6.6	19	2	3	6	7	12	15	24
35-49	83	10.0	91	2	3	7	11	23	33	46
50-64	106	11.0	79	3	4	9	13	19	25	53
65+	216	13.8	75	5	6	12	17	24	29	48
GRAND TOTAL	548	10.8	72	3	4	9	14	20	27	46

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	5.6	26	1	1	3	9	13	17	17
20-34	41	6.5	28	1	1	5	9	11	21	23
35-49	51	6.4	16	1	2	5	9	12	12	21
50-64	25	5.3	19	1	1	3	7	11	16	17
65+	16	5.5	21	1	1	4	9	12	15	16
2. MULTIPLE DX										
0-19 YRS	7	5.4	14	1	1	6	7	11	12	12
20-34	81	9.2	66	2	2	7	12	17	27	43
35-49	118	8.1	38	2	2	6	11	16	24	55
50-64	102	9.6	84	2	2	7	12	19	25	51
65+	109	11.4	114	2	3	9	14	20	35	58
TOT. SINGLE DX	143	6.1	21	1	1	5	9	12	16	22
" MULTIPLE DX	417	9.5	76	2	2	7	12	19	26	50
TOTAL 0-19 YRS	17	5.5	20	1	1	4	8	11	15	17
20-34	122	8.3	55	1	2	6	10	16	22	40
35-49	169	7.6	33	2	2	6	10	14	22	33
50-64	127	8.7	74	1	2	6	11	18	23	42
65+	125	10.6	106	1	2	8	13	20	33	57
GRAND TOTAL	560	8.6	64	1	2	7	11	17	23	46

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	3.6	3	1	2	3	4	6	7	12
20-34	727	3.7	3	1	2	3	4	5	6	10
35-49	844	3.7	2	2	2	4	4	5	6	10
50-64	619	4.0	2	2	2	4	5	6	7	9
65+	249	4.6	8	2	2	4	5	7	9	22
2. MULTIPLE DX										
0-19 YRS	65	4.5	3	2	3	4	5	7	8	12
20-34	409	4.8	9	2	2	4	5	8	10	15
35-49	625	5.5	17	2	3	4	6	9	13	20
50-64	687	5.7	22	2	3	4	6	10	14	28
65+	560	7.4	49	3	3	5	8	13	21	41
TOT. SINGLE DX	2571	3.9	3	2	2	4	4	5	7	11
" MULTIPLE DX	2346	5.9	26	2	3	4	6	10	14	30
TOTAL 0-19 YRS	197	3.9	4	1	2	4	5	6	8	12
20-34	1136	4.1	6	2	2	4	5	6	8	12
35-49	1469	4.5	10	2	2	4	5	7	9	17
50-64	1306	4.9	14	2	2	4	5	7	11	19
65+	809	6.5	38	2	3	5	7	12	18	40
GRAND TOTAL	4917	4.8	15	2	2	4	5	8	11	21

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	1.9	1	<1	1	2	2	3	4	6
20-34	136	2.7	3	1	1	2	3	5	6	12
35-49	126	3.5	4	1	1	3	4	5	7	13
50-64	94	4.4	24	1	2	4	5	6	9	33
65+	45	4.5	6	2	2	4	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	54	4.0	16	1	1	2	5	9	11	21
20-34	113	6.3	62	1	2	4	7	12	14	46
35-49	158	6.2	22	2	2	5	8	12	14	28
50-64	243	6.7	23	2	3	5	8	12	16	33
65+	260	9.9	82	2	3	6	12	22	27	45
TOT. SINGLE DX	680	2.9	7	1	1	2	4	5	6	13
" MULTIPLE DX	828	7.4	50	2	2	5	9	14	21	35
TOTAL 0-19 YRS	333	2.3	5	<1	1	2	3	4	5	12
20-34	249	4.3	33	1	1	3	5	8	12	26
35-49	284	5.0	16	1	2	4	6	10	13	22
50-64	337	6.0	25	2	2	5	7	10	15	33
65+	305	9.1	74	2	3	6	11	20	26	44
GRAND TOTAL	1508	5.4	35	1	1	4	6	11	15	31

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.0	43	2	3	8	10	18	24	32
20-34	64	9.0	21	5	5	8	11	14	18	28
35-49	43	9.2	14	5	6	8	11	14	18	21
50-64	38	11.3	80	5	5	8	13	19	33	48
65+	19	13.4	119	6	7	12	15	17	38	56
2. MULTIPLE DX										
0-19 YRS	16	9.8	16	3	4	9	13	15	16	17
20-34	82	12.3	79	6	6	10	15	20	23	60
35-49	93	12.7	46	4	6	10	16	23	26	33
50-64	133	14.6	154	3	5	11	17	28	33	71
65+	96	16.5	100	4	6	15	22	31	42	99+
TOT. SINGLE DX	190	10.0	45	5	5	8	12	16	20	43
" MULTIPLE DX	420	14.0	101	4	6	11	17	25	31	70
TOTAL 0-19 YRS	42	9.3	33	3	4	8	11	16	20	32
20-34	146	10.9	56	5	5	9	12	18	21	31
35-49	136	11.6	39	5	6	10	15	21	25	33
50-64	171	13.9	140	4	5	10	16	26	33	65
65+	115	16.0	104	5	6	14	20	30	43	99+
GRAND TOTAL	610	12.7	87	4	5	10	15	23	31	58

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	1.3		<1	<1	1	2	2	2	4
20-34	22	1.9	1	<1	1	2	2	3	5	6
35-49	22	3.8	75	<1	<1	2	2	5	22	42
50-64	31	2.4	1	1	1	2	3	4	6	6
65+	45	2.6	4	<1	1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	32	4.3	79	<1	<1	2	2	8	34	37
20-34	20	5.6	51	1	1	2	9	15	24	28
35-49	50	6.8	59	<1	1	4	8	14	29	35
50-64	82	7.1	77	1	1	3	9	18	27	44
65+	213	6.2	44	1	1	3	8	14	21	31
TOT. SINGLE DX	220	2.0	9	<1	<1	1	2	3	6	9
" MULTIPLE DX	397	6.3	56	1	1	3	8	15	22	36
TOTAL 0-19 YRS	132	2.0	21	<1	<1	1	2	2	3	36
20-34	42	3.6	28	1	1	2	3	9	14	28
35-49	72	5.9	66	<1	1	2	7	13	28	40
50-64	113	5.8	61	1	1	3	6	15	24	40
65+	258	5.6	39	1	1	3	7	13	20	30
GRAND TOTAL	**617**	**4.8**	**44**	**<1**	**1**	**2**	**5**	**12**	**19**	**34**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	1.7	2	<1	1	1	2	3	3	7
20-34	92	2.0	1	<1	<1	2	2	4	4	7
35-49	119	1.8		<1	1	2	2	3	3	4
50-64	165	1.8		<1	1	2	2	3	4	5
65+	235	1.8		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	372	2.9	12	<1	1	2	3	5	8	21
20-34	434	3.2	16	<1	1	2	4	6	9	21
35-49	364	3.3	14	1	1	2	4	7	9	21
50-64	439	4.0	50	1	1	2	4	7	11	50
65+	704	4.8	46	1	1	2	5	11	17	32
TOT. SINGLE DX	889	1.8	1	<1	1	2	2	3	3	6
" MULTIPLE DX	2313	3.8	32	1	1	2	4	8	12	27
TOTAL 0-19 YRS	650	2.4	8	<1	1	2	2	4	6	18
20-34	526	3.0	14	<1	1	2	3	6	8	21
35-49	483	3.0	12	1	1	2	3	6	8	21
50-64	604	3.4	38	1	1	2	3	5	9	37
65+	939	4.1	37	1	1	2	4	10	14	27
GRAND TOTAL	**3202**	**3.3**	**24**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	1.7		<1	1	2	2	3	3	6
20-34	61	2.1	3	1	1	2	2	3	4	13
35-49	52	1.9	1	1	1	2	2	3	3	7
50-64	48	2.0		1	1	2	2	3	3	4
65+	81	2.3	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	44	2.3	20	<1	<1	2	2	3	3	31
20-34	44	2.1	1	1	1	2	2	3	5	6
35-49	37	2.4	1	1	1	2	3	5	6	6
50-64	67	2.4	2	1	1	2	3	4	4	11
65+	145	2.9	4	1	1	2	3	5	8	13
TOT. SINGLE DX	296	2.0	2	1	1	2	2	3	4	8
" MULTIPLE DX	337	2.6	5	1	1	2	3	4	6	12
TOTAL 0-19 YRS	98	2.0	9	<1	1	2	2	3	3	19
20-34	105	2.1	2	1	1	2	2	3	4	10
35-49	89	2.1	1	1	1	2	2	3	5	7
50-64	115	2.3	2	1	1	2	3	3	4	9
65+	226	2.6	4	1	1	2	3	4	7	11
GRAND TOTAL	**633**	**2.3**	**4**	**1**	**1**	**2**	**2**	**3**	**5**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.5	1	<1	<1	1	2	2	4	7
20-34	16	2.2		<1	<1	2	3	4	4	4
35-49	4	2.5	5	1	1	2	4	6	6	6
50-64	7	1.9		1	1	2	2	3	3	3
65+	7	2.4	4	1	1	2	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	22	2.9	6	<1	<1	2	4	6	8	10
20-34	14	2.5	3	1	1	2	3	6	7	7
35-49	11	5.3	39	1	1	3	6	14	22	23
50-64	15	3.9	16	<1	1	3	4	8	15	17
65+	27	3.6	13	<1	1	2	5	8	10	17
TOT. SINGLE DX	56	1.9	2	<1	<1	2	2	3	5	7
" MULTIPLE DX	89	3.5	14	1	1	2	4	7	9	21
TOTAL 0-19 YRS	44	2.2	4	<1	<1	1	2	6	7	10
20-34	30	2.3	2	<1	<1	2	3	4	6	7
35-49	15	4.5	31	1	1	2	6	8	19	23
50-64	22	3.3	12	<1	1	2	3	6	12	17
65+	34	3.4	12	1	1	2	4	8	9	17
GRAND TOTAL	**145**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.4		1	1	2	3	4	4	4
20-34	101	3.1	3	1	2	3	4	5	5	13
35-49	80	2.7	1	1	1	3	3	4	5	7
50-64	80	3.1	3	1	1	3	4	5	6	11
65+	276	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	23	3.4	4	1	2	3	4	6	8	11
20-34	42	4.8	13	2	2	3	5	9	13	19
35-49	62	3.8	8	1	2	3	4	6	10	17
50-64	154	4.2	7	2	2	3	5	7	10	18
65+	845	3.9	9	1	2	3	4	6	8	15
TOT. SINGLE DX	554	3.0	3	1	1	3	4	5	6	8
" MULTIPLE DX	1126	4.0	9	1	2	3	4	7	9	15
TOTAL 0-19 YRS	40	3.0	3	1	1	3	3	5	6	11
20-34	143	3.6	7	1	2	3	4	6	8	17
35-49	142	3.2	5	1	1	3	4	5	6	13
50-64	234	3.8	6	1	2	3	4	6	8	15
65+	1121	3.7	8	1	2	3	4	6	7	14
GRAND TOTAL	1680	3.7	7	1	2	3	4	6	8	14

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	3.0	3	1	1	3	4	6	6	10
20-34	106	2.5	2	1	1	2	3	5	6	9
35-49	59	2.0	1	<1	1	2	3	3	5	6
50-64	44	2.3	4	<1	1	2	3	5	7	11
65+	51	2.5	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	87	3.6	5	1	1	3	4	7	9	13
20-34	89	4.5	10	1	1	4	6	9	11	17
35-49	64	4.3	14	1	1	3	5	8	12	20
50-64	52	4.4	20	1	1	3	5	10	11	27
65+	134	4.3	20	1	1	3	4	9	13	25
TOT. SINGLE DX	373	2.6	3	1	1	2	3	5	6	9
" MULTIPLE DX	426	4.2	14	1	1	3	5	9	11	20
TOTAL 0-19 YRS	200	3.3	5	1	1	3	4	6	8	11
20-34	195	3.5	7	1	1	3	5	6	9	13
35-49	123	3.2	9	1	1	2	4	7	9	17
50-64	96	3.4	14	1	1	2	4	8	11	22
65+	185	3.8	16	1	1	2	4	8	11	22
GRAND TOTAL	799	3.4	10	1	1	2	4	7	9	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.7	14	1	1	2	2	4	8	24
20-34	29	3.5	7	1	1	3	4	7	9	12
35-49	56	2.6	2	1	1	2	4	4	5	8
50-64	181	2.7	2	1	1	2	3	4	6	10
65+	291	2.8	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	30	2.7	3	1	1	2	3	6	8	99+
20-34	49	4.4	22	1	1	3	5	8	11	29
35-49	55	4.9	45	1	1	3	6	9	12	47
50-64	210	4.5	25	1	1	3	5	8	12	32
65+	630	3.7	8	1	2	3	4	7	9	15
TOT. SINGLE DX	597	2.8	4	1	1	2	3	4	6	11
" MULTIPLE DX	974	4.0	15	1	1	3	4	7	10	18
TOTAL 0-19 YRS	70	2.7	10	1	1	2	3	6	8	84
20-34	78	4.1	17	1	1	3	5	7	10	26
35-49	111	3.8	25	1	1	3	4	6	9	28
50-64	391	3.7	16	1	1	3	4	7	9	20
65+	921	3.4	7	1	1	3	4	6	9	14
GRAND TOTAL	1571	3.5	11	1	1	3	4	6	9	16

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.5	7	<1	1	3	4	8	10	12
20-34	41	3.4	8	1	1	3	4	7	10	15
35-49	27	2.4	2	<1	1	2	3	5	6	7
50-64	57	2.6	2	1	1	2	4	5	6	7
65+	133	2.5	3	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	43	5.0	51	<1	1	3	6	9	13	47
20-34	60	4.2	10	1	1	3	5	9	12	15
35-49	45	4.2	4	1	2	4	5	7	8	10
50-64	100	5.3	33	1	1	4	7	11	14	36
65+	290	4.8	36	1	1	3	5	10	14	34
TOT. SINGLE DX	304	2.8	5	1	1	2	3	5	7	12
" MULTIPLE DX	538	4.8	31	1	1	3	5	10	13	32
TOTAL 0-19 YRS	89	4.2	29	<1	1	3	5	8	11	34
20-34	101	3.9	10	1	1	3	5	8	12	15
35-49	72	3.5	4	1	1	3	5	7	7	10
50-64	157	4.3	24	1	1	3	5	10	12	26
65+	423	4.1	27	1	1	2	4	9	12	31
GRAND TOTAL	842	4.1	23	1	1	3	4	8	12	27

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.1		1	1	2	2	4	4	5
20-34	13	2.8	3	1	1	2	3	6	8	8
35-49	149	2.1		1	1	2	2	3	3	4
50-64	1138	2.1	1	1	1	2	2	3	3	5
65+	4740	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	20	2.7	2	1	1	2	4	5	6	6
20-34	20	[illegible]	7	2	2	3	5	9	11	11
35-49	141	2.9	4	1	2	2	3	4	6	14
50-64	1108	2.9	6	1	2	2	3	4	6	15
65+	6110	2.7	5	1	2	2	3	4	6	13
TOT. SINGLE DX	6067	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	7399	2.8	6	1	2	2	3	4	6	13
TOTAL 0-19 YRS	47	2.4	1	1	1	2	3	4	5	6
20-34	33	3.4	6	1	2	2	4	7	10	11
35-49	290	2.5	3	1	1	2	3	4	4	12
50-64	2246	2.5	4	1	1	2	3	3	5	11
65+	10850	2.5	4	1	2	2	3	3	4	11
GRAND TOTAL	**13466**	**2.5**	**4**	**1**	**2**	**2**	**3**	**3**	**4**	**11**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.1	1	1	1	2	2	3	4	8
20-34	59	1.9		<1	1	2	2	3	3	5
35-49	585	1.9		1	1	2	2	2	3	5
50-64	3139	1.9		1	1	2	2	2	3	4
65+	12893	2.0		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	72	2.5	3	1	1	2	3	4	6	13
20-34	52	2.2	1	1	1	2	2	3	5	9
35-49	432	2.4	3	1	1	2	2	4	5	11
50-64	3149	2.4	3	1	1	2	2	3	5	11
65+	16284	2.4	4	1	1	2	2	3	4	11
TOT. SINGLE DX	16783	1.9		1	1	2	2	2	3	4
" MULTIPLE DX	19989	2.4	4	1	1	2	2	3	5	11
TOTAL 0-19 YRS	179	2.3	2	1	1	2	2	4	5	8
20-34	111	2.1	1	1	1	2	2	3	4	7
35-49	1017	2.1	2	1	1	2	2	3	4	9
50-64	6288	2.1	2	1	1	2	2	3	4	8
65+	29177	2.2	3	1	1	2	2	3	4	9
GRAND TOTAL	**36772**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	15	2.1	1	1	1	2	2	3	5	5
35-49	67	1.9		1	1	2	2	2	3	6
50-64	334	1.9	2	1	1	2	2	2	3	3
65+	1018	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	10	1.9		1	1	2	2	3	4	4
20-34	15	2.5	3	1	1	2	2	3	8	9
35-49	46	2.9	11	1	1	2	3	5	7	21
50-64	337	2.3	1	1	1	2	2	3	4	9
65+	1173	2.5	4	1	1	2	2	3	5	13
TOT. SINGLE DX	1437	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1581	2.5	4	1	1	2	2	3	5	12
TOTAL 0-19 YRS	13	1.9	1	1	1	2	2	3	4	4
20-34	30	2.3	2	1	1	2	2	3	5	9
35-49	113	2.3	5	1	1	2	2	3	5	16
50-64	671	2.1	2	1	1	2	2	3	3	8
65+	2191	2.3	3	1	1	2	2	3	4	11
GRAND TOTAL	**3018**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.4	3	1	1	3	4	6	7	10
20-34	159	3.7	8	1	1	3	5	6	7	16
35-49	182	3.2	2	1	1	3	4	5	6	9
50-64	533	3.3	3	1	1	3	4	6	7	10
65+	452	3.6	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	78	4.0	4	1	2	4	5	8	9	99+
20-34	195	4.4	7	1	2	4	5	8	10	15
35-49	189	4.2	7	2	2	4	5	7	9	17
50-64	613	4.2	12	1	2	3	5	7	9	15
65+	976	4.3	9	1	2	4	5	7	9	16
TOT. SINGLE DX	1414	3.4	4	1	1	3	4	6	7	10
" MULTIPLE DX	2051	4.3	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	166	3.7	4	1	1	3	5	7	8	84
20-34	354	4.1	8	1	1	4	5	7	9	16
35-49	371	3.7	5	1	2	3	4	6	8	13
50-64	1146	3.8	9	1	1	3	5	7	8	13
65+	1428	4.1	8	1	2	3	5	7	8	15
GRAND TOTAL	**3465**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.9	11	1	1	2	3	5	7	20
20-34	34	3.9	8	1	2	3	4	8	11	14
35-49	24	3.6	3	1	2	3	5	7	7	7
50-64	51	3.0	2	1	1	2	4	6	6	7
65+	164	2.8	3	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	52	5.0	147	1	1	3	4	6	8	87
20-34	167	4.9	31	1	2	4	5	9	12	28
35-49	130	5.3	42	1	2	4	5	10	14	30
50-64	268	4.3	19	1	1	3	5	7	11	24
65+	580	3.8	11	1	2	3	4	7	10	17
TOT. SINGLE DX	307	3.0	5	1	1	2	3	6	7	12
" MULTIPLE DX	1197	4.3	26	1	2	3	5	8	11	20
TOTAL 0-19 YRS	86	4.2	94	1	1	2	4	6	7	64
20-34	201	4.8	28	1	2	3	5	9	12	25
35-49	154	5.0	37	1	2	4	5	9	13	21
50-64	319	4.1	17	1	1	3	5	7	9	20
65+	744	3.6	10	1	1	3	4	7	9	17
GRAND TOTAL	1504	4.0	22	1	1	3	4	7	10	19

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1381	1.4		<1	<1	1	2	2	2	3
20-34	230	1.5		<1	<1	1	2	2	2	3
35-49	142	1.6		<1	1	2	2	2	3	4
50-64	68	1.7		<1	1	2	2	2	3	4
65+	42	1.6		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	347	1.6		<1	<1	2	2	2	2	5
20-34	106	1.7		1	1	2	2	2	3	4
35-49	86	2.3	30	1	1	2	2	2	3	35
50-64	70	2.0		1	1	2	2	3	3	6
65+	59	2.1	3	1	1	2	2	3	4	15
TOT. SINGLE DX	1863	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	668	1.8	5	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	1728	1.5	1	<1	<1	1	2	2	2	3
20-34	336	1.6		<1	1	2	2	2	2	3
35-49	228	1.9	12	<1	1	2	2	2	3	4
50-64	138	1.8	1	<1	1	2	2	3	3	5
65+	101	1.9	2	<1	1	2	2	2	3	10
GRAND TOTAL	2531	1.5	2	<1	<1	1	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	5	3.0	5	1	1	2	4	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	7.8	36	2	2	6	12	16	16	16
TOT. SINGLE DX	5	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	17	3.6	14	1	1	2	4	8	13	16
TOTAL 0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	6	2.7	5	1	1	2	3	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.3		2	2	2	3	3	3	3
65+	4	7.8	36	2	2	6	12	16	16	16
GRAND TOTAL	22	3.1	12	<1	1	2	3	7	11	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.4	3	<1	1	2	3	5	7	10
20-34	112	3.3	6	1	1	2	4	7	8	13
35-49	68	2.9	3	1	1	3	3	5	6	11
50-64	73	2.9	6	1	1	2	4	5	6	17
65+	111	3.0	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	102	5.8	57	1	2	4	6	12	15	47
20-34	145	4.6	14	1	2	3	6	10	12	20
35-49	110	5.1	38	1	1	3	6	11	14	37
50-64	132	5.4	50	1	2	3	5	10	19	46
65+	301	4.7	26	1	2	3	6	9	13	29
TOT. SINGLE DX	459	2.9	5	1	1	2	3	6	7	11
" MULTIPLE DX	790	5.0	34	1	2	3	6	10	14	31
TOTAL 0-19 YRS	197	4.2	34	1	1	2	5	9	12	26
20-34	257	4.0	11	1	1	3	5	8	11	19
35-49	178	4.3	26	1	1	3	5	7	13	25
50-64	205	4.5	36	1	1	3	4	9	13	37
65+	412	4.3	21	1	1	3	5	8	12	24
GRAND TOTAL	1249	4.2	24	1	1	3	5	8	12	22

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	2.0	2	<1	<1	1	2	4	5	8
20-34	95	2.5	3	<1	1	2	3	5	7	10
35-49	43	2.2	2	<1	1	2	3	4	6	7
50-64	61	2.8	11	<1	1	2	3	5	8	21
65+	78	3.1	7	1	1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	306	3.3	20	<1	1	2	4	6	7	26
20-34	206	5.0	43	<1	1	3	5	11	17	34
35-49	104	6.5	50	1	1	3	9	16	25	30
50-64	106	7.0	85	1	1	4	8	17	23	52
65+	264	7.1	45	1	2	5	10	15	18	32
TOT. SINGLE DX	622	2.3	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	986	5.4	45	1	1	3	7	13	17	32
TOTAL 0-19 YRS	651	2.6	12	<1	<1	2	3	5	6	15
20-34	301	4.2	32	<1	1	2	5	8	15	31
35-49	147	5.3	40	1	1	2	7	15	16	30
50-64	167	5.4	62	1	1	3	6	13	19	35
65+	342	6.2	40	1	1	4	8	14	17	27
GRAND TOTAL	1608	4.2	31	<1	1	2	5	9	15	28

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.9		1	1	2	3	3	3	4
20-34	317	2.1		1	1	2	3	3	3	4
35-49	455	2.0		1	1	2	3	3	3	4
50-64	415	2.2		1	1	2	3	3	4	5
65+	133	2.2		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-19 YRS	53	1.9		1	1	2	2	3	3	4
20-34	154	1.9		1	1	2	2	3	3	5
35-49	172	2.3	2	1	1	2	3	4	4	11
50-64	255	2.6	10	1	1	2	3	4	5	9
65+	120	2.6	1	1	1	3	3	4	4	7
TOT. SINGLE DX	1399	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	754	2.3	5	1	1	2	3	3	4	8
TOTAL 0-19 YRS	132	1.9	1	1	1	2	3	3	3	4
20-34	471	2.0	1	1	1	2	3	3	3	4
35-49	627	2.1	1	1	1	2	3	3	4	6
50-64	670	2.4	5	1	1	2	3	3	4	6
65+	253	2.4	1	1	1	2	3	3	4	6
GRAND TOTAL	2153	2.2	2	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	681	1.6		1	1	2	2	2	3	4
20-34	498	1.8		1	1	2	2	3	3	5
35-49	400	1.8		1	1	2	2	3	3	4
50-64	295	1.9		1	1	2	2	3	3	4
65+	107	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	751	1.7		1	1	2	2	2	3	4
20-34	469	2.0	1	1	1	2	2	3	4	7
35-49	388	2.1	3	1	1	2	2	3	4	10
50-64	487	2.3	4	1	1	2	3	3	5	10
65+	187	2.4	2	1	1	2	3	4	5	10
TOT. SINGLE DX	1981	1.8	1	1	1	2	2	2	3	4
" MULTIPLE DX	2282	2.0	2	1	1	2	2	3	4	8
TOTAL 0-19 YRS	1432	1.7	1	1	1	2	2	2	3	4
20-34	967	1.9	1	1	1	2	2	3	3	6
35-49	788	2.0	2	1	1	2	2	3	3	8
50-64	782	2.1	3	1	1	2	2	3	4	9
65+	294	2.2	2	1	1	2	2	3	4	9
GRAND TOTAL	4263	1.9	1	1	1	2	2	3	3	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1290	1.2		<1	<1	<1	1	1	2	5
20-34	58	1.8	4	<1	<1	1	2	3	4	15
35-49	68	1.8	1	<1	<1	1	2	4	5	8
50-64	39	1.8	4	<1	<1	1	2	3	4	14
65+	28	2.4	21	<1	<1	1	1	2	17	20
2. MULTIPLE DX										
0-19 YRS	2180	2.2	10	<1	<1	1	2	5	8	15
20-34	106	3.8	23	<1	1	2	4	8	14	28
35-49	90	5.4	56	<1	1	2	6	13	25	33
50-64	103	5.6	69	1	1	2	5	17	24	44
65+	88	11.1	245	1	1	7	14	22	59	98
TOT. SINGLE DX	1483	1.3	1	<1	<1	<1	1	2	2	6
" MULTIPLE DX	2567	2.8	26	<1	<1	1	2	6	10	26
TOTAL 0-19 YRS	3470	1.8	7	<1	<1	1	2	3	6	12
20-34	164	3.1	18	<1	1	2	3	6	10	25
35-49	158	3.8	36	<1	1	2	3	9	14	33
50-64	142	4.5	54	<1	<1	2	4	14	18	41
65+	116	9.0	205	<1	1	3	12	20	38	96
GRAND TOTAL	4050	2.3	18	<1	<1	1	2	4	8	20

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	2.0	1	1	1	2	2	3	4	7
20-34	160	2.4	2	1	1	2	3	4	4	11
35-49	118	2.4	4	1	1	2	3	4	5	12
50-64	121	2.3	1	1	1	2	3	4	5	8
65+	46	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	449	2.5	13	1	1	2	3	4	5	13
20-34	317	2.6	3	1	1	2	3	4	7	13
35-49	269	3.1	18	1	1	2	3	5	8	26
50-64	273	2.9	6	1	1	2	3	5	7	15
65+	162	4.5	50	1	1	2	4	8	16	43
TOT. SINGLE DX	668	2.2	2	1	1	2	3	4	4	8
" MULTIPLE DX	1470	2.9	15	1	1	2	3	4	7	17
TOTAL 0-19 YRS	672	2.3	9	1	1	2	2	3	5	13
20-34	477	2.5	3	1	1	2	3	4	6	11
35-49	387	2.9	14	1	1	2	3	4	7	23
50-64	394	2.7	5	1	1	2	3	4	7	14
65+	208	4.1	40	1	1	2	4	7	13	41
GRAND TOTAL	2138	2.7	11	1	1	2	3	4	6	15

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (1
1. SINGLE DX										
0-19 YRS	179	1.8	2	<1	<1	2	2	3	3	14
20-34	162	2.2	1	1	1	2	3	3	5	9
35-49	171	2.5	7	1	1	2	3	4	5	11
50-64	172	2.6	2	1	1	2	3	4	6	9
65+	75	3.0	7	1	1	2	3	5	7	16
2. MULTIPLE DX										
0-19 YRS	242	2.4	8	<1	<1	1	2	5	7	18
20-34	161	3.0	8	1	1	2	3	7	10	15
35-49	154	3.7	39	1	1	2	3	7	11	33
50-64	172	3.8	31	1	1	2	4	7	12	30
65+	111	6.1	78	1	1	3	6	14	16	58
TOT. SINGLE DX	759	2.3	4	<1	1	2	2	4	5	10
" MULTIPLE DX	840	3.5	29	<1	1	2	3	7	12	25
TOTAL 0-19 YRS	421	2.2	6	<1	<1	2	2	4	6	17
20-34	323	2.6	5	1	1	2	3	5	8	12
35-49	325	3.1	23	1	1	2	3	5	8	27
50-64	344	3.2	17	1	1	2	3	6	8	19
65+	186	4.8	52	1	1	3	5	12	15	46
GRAND TOTAL	1599	3.0	18	<1	1	2	3	5	9	18

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.1		1	1	2	2	3	4	5
20-34	324	2.1		1	1	2	3	3	4	5
35-49	187	2.1		1	1	2	3	3	4	6
50-64	82	2.2	1	1	1	2	3	4	4	6
65+	30	2.9	14	1	1	2	3	4	5	22
2. MULTIPLE DX										
0-19 YRS	555	2.2	3	1	1	2	3	3	4	7
20-34	1168	2.7	6	1	1	2	3	4	5	13
35-49	778	2.7	10	1	1	2	3	4	5	12
50-64	425	2.9	7	1	1	2	3	5	7	15
65+	158	3.7	19	1	1	3	4	6	9	33
TOT. SINGLE DX	756	2.1	2	1	1	2	3	3	4	5
" MULTIPLE DX	3084	2.7	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	688	2.2	3	1	1	2	3	3	4	6
20-34	1492	2.5	5	1	1	2	3	4	5	11
35-49	965	2.6	9	1	1	2	3	4	5	10
50-64	507	2.8	7	1	1	2	3	4	6	13
65+	188	3.5	18	1	1	3	4	6	9	29
GRAND TOTAL	3840	2.6	7	1	1	2	3	4	5	11

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	648	1.8	2	1	1	2	2	3	4	6
20-34	1131	1.9	1	1	1	2	2	3	4	5
35-49	557	1.9	1	1	1	2	2	3	4	5
50-64	248	2.0	1	1	1	2	2	3	4	6
65+	92	2.6	4	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	1325	2.3	4	1	1	2	3	4	5	8
20-34	2907	2.3	5	1	1	2	3	4	4	9
35-49	1903	2.4	3	1	1	2	3	4	5	10
50-64	1044	2.8	8	1	1	2	3	4	6	17
65+	458	3.5	12	1	1	2	4	7	10	20
TOT. SINGLE DX	2676	1.9	2	1	1	2	2	3	4	6
" MULTIPLE DX	7637	2.5	6	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1973	2.2	4	1	1	2	3	4	4	7
20-34	4038	2.1	4	1	1	2	3	4	4	8
35-49	2460	2.3	3	1	1	2	3	4	4	9
50-64	1292	2.7	7	1	1	2	3	4	6	16
65+	550	3.4	12	1	1	2	4	7	9	19
GRAND TOTAL	10313	2.3	5	1	1	2	3	4	5	10

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	2.2	2	<1	1	2	2	4	5	8
20-34	96	1.9		1	1	2	2	3	4	5
35-49	103	2.3	3	1	1	2	3	4	5	12
50-64	150	2.3	3	<1	1	2	3	4	5	8
65+	136	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	199	2.5	4	1	1	2	3	5	7	13
20-34	343	3.2	35	1	1	2	3	5	6	22
35-49	373	3.2	18	1	1	2	3	6	8	23
50-64	513	3.5	11	1	1	2	4	7	10	19
65+	523	4.8	28	1	1	3	6	11	14	28
TOT. SINGLE DX	587	2.3	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1951	3.6	21	1	1	2	4	7	11	21
TOTAL 0-19 YRS	301	2.4	4	1	1	2	3	4	6	11
20-34	439	2.9	29	1	1	2	3	4	6	18
35-49	476	3.0	15	1	1	2	3	5	8	21
50-64	663	3.2	10	1	1	2	4	6	9	18
65+	659	4.4	24	1	1	3	5	10	14	27
GRAND TOTAL	2538	3.3	18	1	1	2	4	6	10	20

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	357	1.5	1	<1	<1	1	2	3	4	7
20-34	307	2.1	3	<1	1	2	2	4	6	9
35-49	149	3.0	6	1	1	2	4	6	7	9
50-64	144	3.7	5	1	1	3	5	7	8	13
65+	123	3.8	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	428	3.6	40	<1	1	2	4	6	7	37
20-34	716	3.4	18	1	1	3	4	6	8	12
35-49	369	4.2	17	1	1	3	5	8	11	24
50-64	430	5.4	19	1	2	4	6	10	14	23
65+	584	5.9	26	1	2	5	7	11	15	30
TOT. SINGLE DX	1080	2.5	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	2527	4.5	25	1	1	3	5	9	11	24
TOTAL 0-19 YRS	785	2.7	23	<1	<1	2	3	5	6	31
20-34	1023	3.0	14	<1	1	2	4	6	7	11
35-49	518	3.9	15	1	1	3	5	7	9	22
50-64	574	4.9	17	1	1	4	6	9	12	20
65+	707	5.6	24	1	2	4	7	10	14	25
GRAND TOTAL	3607	3.9	20	<1	1	3	5	7	10	20

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.3	3	1	1	2	3	4	6	10
20-34	170	2.3	3	1	1	2	3	4	6	12
35-49	138	2.5	2	1	1	2	3	5	6	9
50-64	108	2.5	4	1	1	2	3	5	5	13
65+	62	3.1	5	1	1	3	4	5	7	14
2. MULTIPLE DX										
0-19 YRS	78	3.2	24	1	1	2	3	4	6	34
20-34	248	3.9	19	1	1	3	4	8	12	22
35-49	289	4.1	20	1	1	3	4	9	12	22
50-64	283	4.1	20	1	1	3	4	9	13	17
65+	173	6.0	41	1	2	3	6	14	23	31
TOT. SINGLE DX	520	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	1071	4.3	24	1	1	3	4	9	14	25
TOTAL 0-19 YRS	120	2.9	17	1	1	2	3	4	6	23
20-34	418	3.3	13	1	1	2	4	7	10	18
35-49	427	3.6	15	1	1	3	4	7	10	18
50-64	391	3.7	16	1	1	3	4	7	12	17
65+	235	5.2	34	1	1	3	5	13	17	29
GRAND TOTAL	**1591**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**11**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.4	4	<1	1	2	3	6	7	9
20-34	133	2.8	5	<1	1	2	4	5	8	13
35-49	140	3.0	15	<1	1	2	4	5	8	23
50-64	126	3.4	9	1	1	2	4	7	9	16
65+	55	2.8	7	1	1	2	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	177	6.1	58	1	1	3	7	14	19	44
20-34	306	4.3	39	1	1	3	5	9	13	25
35-49	302	4.8	33	1	1	3	5	11	15	31
50-64	336	4.9	37	1	1	3	6	10	13	29
65+	229	6.2	46	1	1	4	8	13	18	33
TOT. SINGLE DX	528	2.9	9	1	1	2	4	6	8	16
" MULTIPLE DX	1350	5.1	42	1	1	3	6	12	15	33
TOTAL 0-19 YRS	251	5.0	45	1	1	3	6	11	17	37
20-34	439	3.9	30	1	1	3	4	8	11	22
35-49	442	4.2	28	1	1	3	4	9	14	30
50-64	462	4.5	30	1	1	3	5	9	13	27
65+	284	5.6	40	1	1	3	7	13	16	27
GRAND TOTAL	**1878**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	461	1.3		<1	<1	1	2	2	2	3
20-34	324	1.7	7	<1	1	1	2	2	3	8
35-49	115	1.9	4	1	1	2	2	2	3	13
50-64	86	1.8		<1	1	2	2	2	3	6
65+	39	3.2	46	<1	1	2	3	4	6	44
2. MULTIPLE DX										
0-19 YRS	564	2.3	10	1	1	1	2	4	6	16
20-34	846	4.6	54	1	1	2	4	11	18	36
35-49	728	4.2	39	1	1	2	4	9	14	30
50-64	857	4.5	38	1	1	2	4	10	16	37
65+	822	6.5	63	1	1	3	8	16	23	43
TOT. SINGLE DX	1025	1.6	5	<1	1	1	2	2	3	7
" MULTIPLE DX	3817	4.5	45	1	1	2	4	11	17	36
TOTAL 0-19 YRS	1025	1.9	6	<1	1	1	2	3	5	13
20-34	1170	3.8	43	1	1	2	3	9	15	34
35-49	843	3.8	35	1	1	2	3	8	13	30
50-64	943	4.2	36	1	1	2	4	9	15	36
65+	861	6.3	63	1	1	3	7	16	23	44
GRAND TOTAL	**4842**	**3.9**	**38**	**1**	**1**	**2**	**3**	**9**	**15**	**33**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	1.3		<1	<1	1	1	2	3	4
20-34	13	1.8	1	<1	<1	1	2	4	5	5
35-49	8	1.8	1	1	1	1	3	3	3	3
50-64	6	2.5	5	1	1	2	3	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	175	2.2	14	<1	<1	1	2	4	5	20
20-34	53	2.8	6	1	1	2	3	6	8	15
35-49	23	4.7	53	1	1	2	4	12	25	31
50-64	14	3.0	3	1	2	2	4	5	7	8
65+	13	4.1	15	1	1	3	4	10	14	15
TOT. SINGLE DX	120	1.4	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	278	2.6	16	<1	1	2	2	5	8	23
TOTAL 0-19 YRS	266	1.9	10	<1	<1	1	2	3	4	11
20-34	66	2.6	6	<1	1	2	3	5	7	14
35-49	31	4.0	41	1	1	2	3	7	21	31
50-64	20	2.9	4	1	1	2	4	6	7	8
65+	15	3.7	14	1	1	2	4	9	13	15
GRAND TOTAL	**398**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**6**	**19**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.8	8	<1	1	2	3	5	5	21
20-34	61	2.1	1	<1	<1	2	3	4	5	5
35-49	105	2.3	4	<1	1	2	3	3	5	13
50-64	116	2.7	4	1	1	2	3	4	6	13
65+	27	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	132	2.8	5	1	1	2	3	5	7	15
20-34	123	3.9	53	1	1	2	4	8	10	41
35-49	168	3.9	45	<1	1	2	3	6	15	41
50-64	203	4.3	40	1	1	2	4	9	15	33
65+	164	5.1	29	1	2	3	6	11	17	25
TOT. SINGLE DX	360	2.5	4	<1	1	2	3	4	5	12
" MULTIPLE DX	790	4.1	35	1	1	2	4	8	13	29
TOTAL 0-19 YRS	183	2.8	7	1	1	2	3	5	7	16
20-34	184	3.3	37	<1	1	2	3	6	9	26
35-49	273	3.3	30	<1	1	2	3	5	9	28
50-64	319	3.7	28	1	1	2	4	7	11	29
65+	191	4.8	26	1	2	3	5	10	16	24
GRAND TOTAL	1150	3.6	26	1	1	2	3	6	10	28

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	2.8	5	1	1	2	3	6	8	12
20-34	349	2.7	2	1	1	3	3	4	5	8
35-49	409	2.9	2	1	1	3	3	5	5	9
50-64	380	3.4	3	1	1	3	4	5	7	10
65+	284	3.7	3	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	62	4.0	8	1	1	3	5	7	10	16
20-34	161	4.0	19	1	1	3	4	6	10	28
35-49	276	4.3	12	1	2	3	5	8	10	19
50-64	439	4.8	16	1	2	4	5	9	12	22
65+	527	5.9	30	2	2	4	7	12	15	29
TOT. SINGLE DX	1550	3.1	3	1	1	3	4	5	6	10
" MULTIPLE DX	1465	5.0	21	1	2	4	6	9	13	24
TOTAL 0-19 YRS	190	3.2	6	1	1	3	4	6	8	14
20-34	510	3.1	8	1	1	3	4	5	6	12
35-49	685	3.5	7	1	1	3	4	6	7	16
50-64	819	4.2	11	1	2	3	5	7	10	18
65+	811	5.1	22	1	2	4	6	10	14	23
GRAND TOTAL	3015	4.0	13	1	1	3	5	7	10	18

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	354	3.4	3	1	1	3	4	6	7	8
20-34	20	2.5	1	1	1	2	3	4	4	4
35-49	15	2.9	1	2	2	3	4	4	6	6
50-64	18	3.6	4	1	1	3	4	7	8	8
65+	7	3.0	6	1	1	2	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	431	4.0	5	2	2	3	5	7	8	11
20-34	26	4.2	30	1	1	2	4	9	17	27
35-49	28	4.8	49	1	1	3	4	8	12	39
50-64	27	4.9	34	1	1	3	5	12	22	24
65+	8	5.0	9	2	2	4	6	10	11	11
TOT. SINGLE DX	414	3.3	3	1	1	3	4	6	7	8
" MULTIPLE DX	520	4.1	10	2	2	3	5	7	8	17
TOTAL 0-19 YRS	785	3.7	4	1	2	3	5	7	7	10
20-34	46	3.4	18	1	1	2	4	5	10	27
35-49	43	4.2	33	1	2	3	4	7	9	39
50-64	45	4.3	22	1	1	3	5	8	16	24
65+	15	4.1	8	1	1	3	5	8	10	11
GRAND TOTAL	934	3.8	7	1	2	3	5	7	8	11

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	541	2.9	5	<1	1	2	4	6	7	10
20-34	125	3.0	4	1	1	2	4	5	7	11
35-49	140	3.1	4	1	1	2	4	6	8	11
50-64	251	4.1	17	1	1	3	5	9	12	19
65+	209	3.8	13	1	1	2	4	9	11	19
2. MULTIPLE DX										
0-19 YRS	674	4.2	36	1	1	3	5	7	11	31
20-34	429	4.5	24	1	1	3	6	10	14	26
35-49	344	6.5	64	1	1	4	8	13	22	40
50-64	598	8.4	102	1	1	5	10	19	28	56
65+	821	8.7	96	1	2	5	11	19	27	53
TOT. SINGLE DX	1266	3.3	9	1	1	2	4	7	9	14
" MULTIPLE DX	2866	6.7	73	1	1	4	8	15	22	45
TOTAL 0-19 YRS	1215	3.6	23	<1	1	2	4	7	8	26
20-34	554	4.2	21	1	1	3	5	9	13	24
35-49	484	5.5	49	1	1	3	6	11	17	37
50-64	849	7.1	81	1	1	4	9	17	23	48
65+	1030	7.7	84	1	1	4	10	18	24	51
GRAND TOTAL	4132	5.6	56	1	1	3	7	12	19	39

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6273	1.5		1	1	1	2	2	3	4
20-34	3371	1.7	1	1	1	2	2	3	3	5
35-49	349	2.0	1	1	1	2	2	3	4	6
50-64	58	2.1	1	1	1	2	3	4	5	6
65+	17	2.7	4	1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	1950	1.7	2	1	1	1	2	3	3	7
20-34	1006	2.3	4	1	1	2	3	4	5	10
35-49	200	3.1	9	1	1	2	4	6	9	17
50-64	58	4.5	35	1	1	3	5	11	16	34
65+	24	5.9	25	<1	1	4	9	12	16	22
TOT. SINGLE DX	10068	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	3238	2.1	5	1	1	2	2	3	5	10
TOTAL 0-19 YRS	8223	1.6	1	1	1	1	2	2	3	5
20-34	4377	1.8	2	1	1	2	2	3	4	6
35-49	549	2.4	5	1	1	2	3	4	6	10
50-64	116	3.3	20	1	1	2	3	6	11	28
65+	41	4.6	19	1	1	3	7	10	12	22
GRAND TOTAL	13306	1.7	2	1	1	1	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10842	1.4		<1	1	1	2	2	2	3
20-34	206	1.8		1	1	2	2	3	3	5
35-49	15	1.7		<1	1	1	3	3	3	3
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9232	1.5	1	<1	1	1	2	2	3	5
20-34	103	2.0	1	1	1	2	2	3	4	6
35-49	14	2.5	2	1	1	2	3	5	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	11071	1.4	1	<1	1	1	2	2	2	3
" MULTIPLE DX	9351	1.5	1	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	20074	1.5	1	<1	1	1	2	2	2	4
20-34	309	1.9	1	1	1	2	2	3	3	6
35-49	29	2.1	2	1	1	2	3	4	5	6
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	6	1.7		<1	<1	2	2	2	2	2
GRAND TOTAL	20422	1.5	1	<1	1	1	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	1.2		<1	<1	1	1	2	2	2
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1459	1.5	7	<1	<1	1	2	2	2	8
20-34	15	2.1	3	<1	<1	2	2	4	7	8
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	487	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	1478	1.5	7	<1	<1	1	2	2	2	8
TOTAL 0-19 YRS	1939	1.4	6	<1	<1	1	2	2	2	6
20-34	21	2.0	3	<1	<1	1	2	4	6	8
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	1965	1.4	6	<1	<1	1	2	2	2	7

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	620	2.1	2	<1	1	2	3	4	5	9
20-34	390	2.5	2	1	1	2	3	5	6	8
35-49	143	2.7	13	1	1	2	3	4	5	22
50-64	114	3.4	16	1	1	2	3	6	13	22
65+	99	3.7	10	1	1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	237	4.1	32	1	1	3	4	7	10	34
20-34	174	4.5	36	1	1	3	5	8	10	18
35-49	155	5.4	33	1	1	4	6	11	17	28
50-64	263	8.1	80	1	1	5	10	19	26	43
65+	246	9.0	100	1	2	6	12	21	27	48
TOT. SINGLE DX	1366	2.5	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1075	6.4	65	1	1	4	8	14	21	39
TOTAL 0-19 YRS	857	2.7	12	<1	1	2	3	5	6	15
20-34	564	3.1	14	1	1	3	4	6	7	11
35-49	298	4.1	26	1	1	3	4	8	13	28
50-64	377	6.7	66	1	1	4	8	16	22	41
65+	345	7.5	80	1	1	4	10	18	23	40
GRAND TOTAL	2441	4.3	35	1	1	2	4	9	14	31

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	2.2	2	<1	<1	2	3	5	6	7
20-34	43	3.2	4	1	1	3	4	6	7	12
35-49	49	3.3	7	1	1	3	4	6	8	14
50-64	48	4.5	31	1	1	3	5	7	10	39
65+	62	3.4	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	185	3.5	3	1	2	3	4	6	8	11
20-34	31	7.4	217	1	1	4	5	11	30	81
35-49	67	4.4	13	1	1	3	6	8	12	19
50-64	172	5.3	38	1	2	4	6	9	11	17
65+	338	4.8	14	1	1	4	6	9	14	17
TOT. SINGLE DX	250	3.3	11	<1	1	3	4	6	8	12
" MULTIPLE DX	793	4.7	25	1	2	4	5	8	11	17
TOTAL 0-19 YRS	233	3.2	4	<1	1	3	4	6	7	10
20-34	74	5.0	96	1	1	3	5	7	12	69
35-49	116	3.9	11	1	1	3	5	7	11	17
50-64	220	5.1	37	1	2	4	6	9	11	24
65+	400	4.6	14	1	1	4	6	9	13	17
GRAND TOTAL	**1043**	**4.3**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	1.9	3	<1	<1	1	2	4	6	11
20-34	118	1.5		<1	1	1	2	2	3	4
35-49	273	1.9	3	<1	1	2	2	2	3	13
50-64	408	2.0	2	<1	1	2	2	3	4	9
65+	253	2.0	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	72	2.8	6	<1	1	2	3	8	9	12
20-34	105	2.9	22	<1	1	2	2	6	13	62
35-49	262	4.1	25	1	1	2	4	10	14	27
50-64	623	4.9	40	1	1	2	6	11	17	35
65+	564	6.0	76	1	1	3	7	15	20	44
TOT. SINGLE DX	1181	1.9	3	<1	1	2	2	3	4	10
" MULTIPLE DX	1626	4.9	49	1	1	2	5	12	17	36
TOTAL 0-19 YRS	201	2.2	5	<1	<1	2	2	5	8	11
20-34	223	2.2	11	<1	1	1	2	3	6	28
35-49	535	3.0	16	<1	1	2	2	6	11	22
50-64	1031	3.7	27	<1	1	2	3	9	13	27
65+	817	4.7	57	1	1	2	5	10	17	39
GRAND TOTAL	**2807**	**3.6**	**31**	**<1**	**1**	**2**	**3**	**8**	**13**	**27**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.5	27	<1	<1	2	8	12	16	17
20-34	12	4.4	33	1	1	3	4	11	20	22
35-49	13	7.3	32	1	1	9	11	15	17	17
50-64	50	8.4	90	1	1	5	11	18	28	49
65+	24	9.3	68	1	2	9	12	18	27	37
2. MULTIPLE DX										
0-19 YRS	17	10.4	161	1	1	6	14	26	40	47
20-34	16	6.1	12	2	2	5	9	11	12	12
35-49	18	13.4	126	1	2	12	20	21	37	48
50-64	78	13.1	76	2	3	12	18	24	29	41
65+	81	13.9	159	2	2	11	19	28	47	99+
TOT. SINGLE DX	111	7.6	67	1	1	4	11	17	23	42
" MULTIPLE DX	210	12.7	117	2	2	10	18	26	32	87
TOTAL 0-19 YRS	29	8.0	112	1	1	2	10	24	27	47
20-34	28	5.4	21	1	2	4	8	11	13	22
35-49	31	10.8	94	1	1	10	17	20	21	48
50-64	128	11.3	87	1	2	10	16	24	29	45
65+	105	12.9	142	2	2	11	18	27	37	99+
GRAND TOTAL	**321**	**10.9**	**106**	**1**	**2**	**9**	**16**	**23**	**29**	**68**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.0	72	6	6	12	18	18	18	18
35-49	16	14.9	31	6	10	15	20	22	24	25
50-64	56	15.6	28	10	10	14	17	25	27	32
65+	32	16.8	56	10	11	14	19	27	35	42
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	29	20.9	237	9	10	17	23	29	42	92
50-64	169	20.2	121	10	11	17	25	37	48	99+
65+	167	21.0	140	10	10	17	26	38	47	95
TOT. SINGLE DX	106	15.8	38	10	10	14	18	25	27	39
" MULTIPLE DX	366	20.6	138	10	11	17	25	37	47	99+
TOTAL 0-19 YRS										
20-34	3	12.3	36	6	6	13	17	18	18	18
35-49	45	18.8	171	9	10	16	21	27	32	92
50-64	225	19.0	102	10	11	16	23	33	45	99+
65+	199	20.3	129	10	10	16	25	37	46	87
GRAND TOTAL	**472**	**19.5**	**120**	**10**	**10**	**16**	**24**	**33**	**44**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	12	28.4	880	2	3	10	53	73	82	84
65+	5	6.2	28	2	2	5	9	15	15	15
2. MULTIPLE DX										
0-19 YRS	15	14.3	258	1	1	10	34	91	99+	99+
20-34	14	35.4	835	2	3	36	90	99+	99+	99+
35-49	28	29.8	615	3	5	31	49	94	99+	99+
50-64	94	30.3	514	4	6	27	44	70	95	99+
65+	120	36.0	519	6	9	37	54	84	99+	99+
TOT. SINGLE DX	22	18.4	596	2	2	7	15	60	75	84
" MULTIPLE DX	271	32.2	548	4	6	31	50	87	99+	99+
TOTAL 0-19 YRS	15	14.3	258	1	1	10	34	91	99+	99+
20-34	16	32.1	803	2	4	30	81	99+	99+	99+
35-49	31	27.3	613	3	4	27	48	91	99+	99+
50-64	106	30.1	548	3	5	26	45	70	89	99+
65+	125	34.8	534	5	7	36	54	83	99+	99+
GRAND TOTAL	**293**	**31.1**	**563**	**3**	**5**	**30**	**50**	**85**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	5.1	30	1	1	3	7	13	15	30
20-34	20	4.0	19	<1	1	2	5	9	14	19
35-49	26	5.9	128	<1	1	3	6	9	20	60
50-64	38	7.0	116	1	1	2	8	17	29	56
65+	29	4.0	16	1	1	3	4	13	14	14
2. MULTIPLE DX										
0-19 YRS	154	17.9	382	1	1	12	35	65	99+	99+
20-34	96	24.0	521	2	3	17	39	77	99+	99+
35-49	103	27.5	652	2	2	21	43	87	95	99+
50-64	322	22.2	481	2	2	16	41	62	92	99+
65+	428	31.6	616	2	2	30	51	76	94	99+
TOT. SINGLE DX	164	5.3	62	1	1	3	6	13	16	53
" MULTIPLE DX	1103	25.9	563	2	2	21	46	73	98	99+
TOTAL 0-19 YRS	205	14.7	325	1	1	9	23	57	99+	99+
20-34	116	20.5	491	1	2	12	36	69	99+	99+
35-49	129	23.1	621	1	2	12	36	74	94	99+
50-64	360	20.6	464	1	2	13	38	61	84	99+
65+	457	29.9	623	2	2	27	49	75	92	99+
GRAND TOTAL	**1267**	**23.2**	**546**	**1**	**2**	**16**	**41**	**67**	**93**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	5.6	22	1	1	4	7	14	17	17
20-34	117	5.5	20	1	1	4	8	12	13	22
35-49	187	6.9	39	1	2	5	9	14	18	42
50-64	402	6.6	28	1	2	5	9	14	17	26
65+	362	6.4	28	1	2	5	8	12	17	28
2. MULTIPLE DX										
0-19 YRS	51	9.4	83	1	2	6	13	19	32	45
20-34	289	9.6	68	2	2	8	13	19	27	41
35-49	753	9.5	71	2	2	8	12	18	25	45
50-64	2704	11.1	76	2	3	9	14	22	28	44
65+	4369	12.0	85	2	3	10	16	23	29	46
TOT. SINGLE DX	1087	6.4	29	1	2	5	8	13	17	28
" MULTIPLE DX	8166	11.4	81	2	3	9	15	22	28	45
TOTAL 0-19 YRS	70	8.4	69	1	1	6	11	18	23	43
20-34	406	8.4	58	1	2	7	11	17	22	36
35-49	940	9.0	66	2	2	7	11	18	24	45
50-64	3106	10.6	73	2	2	9	14	21	27	43
65+	4731	11.5	83	2	3	9	15	23	28	45
GRAND TOTAL	**9253**	**10.8**	**78**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49										
50-64	1	22.0		22	22	22	22	22	22	22
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	13.5	5	12	12	13	15	15	15	15
65+	3	10.0	13	6	6	11	12	13	13	13
TOT. SINGLE DX	2	17.5	41	13	13	17	22	22	22	22
" MULTIPLE DX	6	13.2	28	6	6	12	15	21	22	22
TOTAL 0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	22.0		22	22	22	22	22	22	22
50-64	3	16.3	26	12	12	15	20	22	22	22
65+	3	10.0	13	6	6	11	12	13	13	13
GRAND TOTAL	**8**	**14.3**	**30**	**6**	**7**	**13**	**18**	**22**	**22**	**22**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	10.2	34	3	4	8	13	20	22	27
20-34	111	8.8	24	1	2	8	11	15	17	25
35-49	183	8.6	33	1	2	8	11	15	19	28
50-64	275	8.9	37	1	2	8	11	16	20	35
65+	231	8.6	55	1	1	8	11	17	21	37
2. MULTIPLE DX										
0-19 YRS	75	14.5	184	4	4	11	18	27	56	95
20-34	251	14.6	164	2	5	10	18	29	39	71
35-49	440	12.4	80	2	4	10	16	23	29	52
50-64	1456	13.7	113	2	4	11	17	25	33	59
65+	1883	13.5	100	2	3	11	18	25	33	49
TOT. SINGLE DX	840	8.8	40	1	2	8	11	16	20	29
" MULTIPLE DX	4105	13.5	108	2	4	11	17	25	33	54
TOTAL 0-19 YRS	115	13.0	136	4	4	10	17	23	32	86
20-34	362	12.8	129	2	4	10	15	24	33	63
35-49	623	11.3	70	2	3	9	14	22	26	44
50-64	1731	12.9	105	2	4	10	16	24	31	54
65+	2114	13.0	98	2	3	11	17	25	32	47
GRAND TOTAL	**4945**	**12.7**	**100**	**2**	**3**	**10**	**16**	**24**	**31**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	11.0	48	5	5	8	13	23	25	25
20-34	13	9.7	10	4	6	10	11	13	16	17
35-49	43	11.9	16	7	8	11	15	18	19	25
50-64	146	12.2	28	7	7	10	15	20	24	30
65+	106	12.6	25	8	8	12	15	18	23	32
2. MULTIPLE DX										
0-19 YRS	15	13.3	84	7	7	10	14	21	38	44
20-34	32	15.0	143	8	8	10	16	24	41	67
35-49	160	14.4	64	7	8	12	17	22	30	41
50-64	710	16.8	113	7	8	14	20	28	33	75
65+	726	18.1	80	8	9	16	22	30	36	47
TOT. SINGLE DX	317	12.2	26	7	8	11	15	19	23	29
" MULTIPLE DX	1643	17.1	96	8	8	15	21	28	35	56
TOTAL 0-19 YRS	24	12.5	70	6	6	10	13	21	31	44
20-34	45	13.4	109	7	8	10	14	21	32	67
35-49	203	13.9	56	7	8	12	16	21	28	39
50-64	856	16.0	102	7	8	14	19	26	32	69
65+	832	17.4	77	8	9	15	22	29	35	47
GRAND TOTAL	**1960**	**16.3**	**88**	**7**	**8**	**14**	**20**	**27**	**33**	**52**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	277	3.2	13	<1	1	2	4	7	10	20
20-34	104	5.7	27	<1	1	4	8	14	17	25
35-49	176	5.8	26	1	1	4	8	11	18	26
50-64	259	6.6	35	1	2	5	9	14	17	30
65+	218	6.9	42	1	1	5	9	16	20	33
2. MULTIPLE DX										
0-19 YRS	568	7.7	92	1	1	5	10	18	23	54
20-34	399	9.9	67	2	2	8	13	21	27	45
35-49	749	10.2	83	2	2	8	13	21	27	50
50-64	1909	10.4	81	2	2	8	13	21	28	46
65+	2780	12.7	100	2	3	10	16	24	32	54
TOT. SINGLE DX	1034	5.5	31	1	1	4	7	12	17	28
" MULTIPLE DX	6405	11.1	93	2	2	9	15	22	30	50
TOTAL 0-19 YRS	845	6.2	71	1	1	3	8	15	20	43
20-34	503	9.0	62	1	2	7	12	20	25	43
35-49	925	9.4	76	1	2	7	12	20	26	48
50-64	2168	10.0	77	2	2	8	13	20	27	43
65+	2998	12.3	99	2	3	10	16	24	31	52
GRAND TOTAL	**7439**	**10.3**	**88**	**1**	**2**	**8**	**14**	**22**	**28**	**47**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.3	4	2	3	5	7	8	9	10
20-34	51	5.7	11	2	2	5	7	10	14	17
35-49	19	6.2	15	<1	1	6	10	12	13	14
50-64	16	6.5	15	1	1	7	10	11	12	13
65+	15	6.1	28	1	1	4	9	17	18	18
2. MULTIPLE DX										
0-19 YRS	30	9.4	81	1	3	7	10	20	23	47
20-34	76	10.2	39	3	4	8	13	18	27	82
35-49	53	11.0	72	3	3	7	15	25	29	36
50-64	88	12.9	126	1	2	9	17	28	37	56
65+	131	12.6	77	2	3	11	18	24	29	60
TOT. SINGLE DX	116	5.9	14	1	2	5	8	11	14	18
" MULTIPLE DX	378	11.7	82	2	3	9	16	24	30	50
TOTAL 0-19 YRS	45	8.0	59	2	3	6	9	17	23	47
20-34	127	8.4	33	3	3	7	11	16	20	49
35-49	72	9.7	61	2	3	7	12	23	29	35
50-64	104	11.9	114	1	2	9	14	27	35	53
65+	146	11.9	76	2	3	10	18	23	28	52
GRAND TOTAL	**494**	**10.3**	**72**	**2**	**3**	**8**	**13**	**22**	**28**	**46**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	5.2	9	1	2	5	7	9	12	18
20-34	699	5.5	11	2	2	5	7	10	13	17
35-49	220	6.2	16	2	2	5	8	10	15	23
50-64	125	7.9	24	3	3	7	10	14	18	24
65+	87	8.4	40	2	3	7	10	15	21	35
2. MULTIPLE DX										
0-19 YRS	353	13.6	263	2	3	8	14	37	57	99+
20-34	759	8.9	62	2	3	6	11	17	24	48
35-49	528	11.2	86	3	4	8	14	22	28	47
50-64	983	12.7	107	3	4	10	16	25	34	57
65+	1410	14.8	114	4	5	12	19	28	35	55
TOT. SINGLE DX	1327	6.0	16	2	3	5	7	11	14	22
" MULTIPLE DX	4033	12.6	117	3	4	9	16	25	35	60
TOTAL 0-19 YRS	549	10.6	189	2	3	6	11	21	45	99
20-34	1458	7.3	41	2	3	5	8	14	19	37
35-49	748	9.8	71	3	3	7	12	20	25	45
50-64	1108	12.2	100	3	4	9	15	24	32	56
65+	1497	14.5	113	4	5	12	19	28	35	55
GRAND TOTAL	**5360**	**11.0**	**100**	**3**	**3**	**8**	**14**	**22**	**30**	**55**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	5.4	13	1	2	5	6	9	11	20
20-34	170	6.1	23	1	1	5	8	12	15	25
35-49	139	6.9	21	1	2	6	10	14	16	19
50-64	128	6.3	24	1	1	5	9	13	16	22
65+	98	7.9	61	1	1	5	10	18	24	41
2. MULTIPLE DX										
0-19 YRS	135	9.8	70	1	2	7	12	21	26	50
20-34	226	12.4	120	2	2	9	17	25	30	70
35-49	307	12.0	100	1	2	9	16	26	33	48
50-64	707	12.6	109	2	3	10	16	25	31	56
65+	1065	13.3	119	2	3	10	17	26	35	61
TOT. SINGLE DX	729	6.4	26	1	2	5	8	13	17	25
" MULTIPLE DX	2440	12.7	112	2	3	10	17	25	33	55
TOTAL 0-19 YRS	329	7.2	41	1	2	5	8	15	21	28
20-34	396	9.7	89	1	2	7	13	21	28	43
35-49	446	10.4	81	1	2	8	14	21	28	44
50-64	835	11.7	102	2	3	9	15	23	30	53
65+	1163	12.8	117	2	3	10	17	25	34	59
GRAND TOTAL	**3169**	**11.2**	**99**	**2**	**2**	**9**	**15**	**23**	**30**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	8.9	17	5	5	8	10	13	16	25
20-34	46	9.1	5	6	7	8	10	13	14	15
35-49	56	11.9	26	6	7	11	13	19	22	33
50-64	87	12.6	29	7	8	12	14	19	22	34
65+	46	14.8	170	8	9	12	15	20	26	96
2. MULTIPLE DX										
0-19 YRS	587	12.8	102	5	6	9	14	25	35	66
20-34	151	17.4	186	7	7	12	20	38	47	66
35-49	298	15.8	106	8	8	12	18	28	37	65
50-64	722	16.9	91	8	9	14	20	27	35	57
65+	766	20.0	146	9	10	16	23	36	45	84
TOT. SINGLE DX	464	10.6	39	5	6	9	12	16	20	33
" MULTIPLE DX	2524	16.8	125	7	8	13	20	30	40	69
TOTAL 0-19 YRS	816	11.7	82	5	6	9	12	21	30	52
20-34	197	15.5	157	6	7	11	16	32	44	65
35-49	354	15.2	95	7	8	12	17	25	34	65
50-64	809	16.5	86	8	9	14	19	27	34	56
65+	812	19.7	149	9	10	16	23	35	45	86
GRAND TOTAL	**2988**	**15.8**	**116**	**6**	**7**	**13**	**18**	**28**	**38**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	9.9	1	8	8	10	11	11	11	11
35-49	202	10.7	13	7	8	10	12	15	18	25
50-64	637	11.2	16	7	8	10	12	16	19	27
65+	236	12.3	21	7	8	11	15	18	20	31
2. MULTIPLE DX										
0-19 YRS	7	12.6	25	6	7	11	16	20	21	21
20-34	51	11.7	15	7	8	11	14	18	18	27
35-49	1453	12.2	26	7	8	11	14	18	21	33
50-64	5668	13.6	47	8	8	12	15	21	26	46
65+	3739	16.6	86	8	9	14	19	27	34	59
TOT. SINGLE DX	1082	11.4	17	7	8	10	13	16	19	28
" MULTIPLE DX	10918	14.4	60	8	8	12	16	23	29	50
TOTAL 0-19 YRS	7	12.6	26	6	7	11	16	20	21	21
20-34	58	11.5	14	7	8	11	14	17	18	26
35-49	1655	12.0	25	7	8	11	14	18	21	32
50-64	6305	13.4	45	8	8	12	15	20	25	44
65+	3975	16.3	84	8	9	14	19	26	33	59
GRAND TOTAL	**12000**	**14.1**	**57**	**8**	**8**	**12**	**16**	**22**	**28**	**48**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	587	1.9	1	1	1	2	2	2	3	9
20-34	316	2.9	5	1	1	2	3	6	8	11
35-49	2012	3.1	7	1	1	2	3	7	10	14
50-64	3277	3.0	8	1	1	2	3	7	10	14
65+	961	3.3	11	1	1	2	3	8	10	16
2. MULTIPLE DX										
0-19 YRS	1172	2.6	14	1	1	2	2	4	7	18
20-34	717	4.9	27	1	1	3	6	11	14	23
35-49	6498	4.4	19	1	1	2	6	10	13	20
50-64	16927	4.8	24	1	2	2	6	11	14	23
65+	9048	6.1	36	1	2	4	8	14	18	28
TOT. SINGLE DX	7153	3.0	8	1	1	2	3	7	9	14
" MULTIPLE DX	34362	5.0	27	1	2	3	7	11	15	24
TOTAL 0-19 YRS	1759	2.3	11	1	1	2	2	3	6	15
20-34	1033	4.3	21	1	1	2	6	10	13	22
35-49	8510	4.1	17	1	1	2	5	9	12	19
50-64	20204	4.5	22	1	1	2	6	10	13	22
65+	10009	5.8	35	1	2	3	8	13	17	27
GRAND TOTAL	**41515**	**4.6**	**24**	**1**	**1**	**2**	**6**	**11**	**14**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	5.0	6	<1	2	5	7	8	10	11
20-34	30	4.7	15	1	1	4	6	10	15	16
35-49	43	6.1	22	1	2	5	9	11	13	27
50-64	173	6.0	20	1	2	4	8	12	15	22
65+	659	5.2	16	1	2	4	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	46	9.7	95	2	3	5	11	27	33	42
20-34	67	6.9	28	1	2	5	8	14	17	28
35-49	260	10.2	46	2	2	9	14	20	24	30
50-64	1546	10.9	58	3	3	9	14	20	25	39
65+	7936	11.0	63	2	3	9	14	21	26	40
TOT. SINGLE DX	935	5.4	17	1	2	4	7	11	13	20
" MULTIPLE DX	9855	10.9	62	2	3	9	14	20	26	40
TOTAL 0-19 YRS	76	7.8	65	2	2	5	9	14	29	41
20-34	97	6.2	25	1	1	5	8	14	16	25
35-49	303	9.6	45	2	2	8	13	19	23	29
50-64	1719	10.4	57	2	3	9	14	19	25	38
65+	8595	10.5	62	2	3	9	14	20	25	39
GRAND TOTAL	**10790**	**10.4**	**61**	**2**	**3**	**9**	**14**	**20**	**25**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	5.8	8	1	2	6	8	9	11	13
20-34	41	5.2	7	1	2	5	7	9	10	11
35-49	223	5.0	15	1	2	3	7	11	12	17
50-64	364	4.9	14	2	2	3	6	11	12	20
65+	131	4.7	14	2	2	3	6	10	14	20
2. MULTIPLE DX										
0-19 YRS	87	12.4	211	1	2	8	14	30	38	82
20-34	135	9.5	64	2	3	8	11	18	26	53
35-49	888	6.6	31	2	2	5	9	13	15	27
50-64	2238	7.5	47	2	2	5	10	15	20	33
65+	1197	9.6	84	2	2	7	12	19	26	48
TOT. SINGLE DX	803	5.0	14	2	2	3	7	10	12	18
" MULTIPLE DX	4545	8.0	59	2	2	6	10	16	21	38
TOTAL 0-19 YRS	131	10.2	152	1	2	7	11	21	33	65
20-34	176	8.5	54	2	3	7	10	17	23	45
35-49	1111	6.2	29	2	2	4	8	12	15	26
50-64	2602	7.1	43	2	2	5	9	14	18	32
65+	1328	9.1	80	2	2	7	12	19	25	47
GRAND TOTAL	**5348**	**7.6**	**54**	**2**	**2**	**5**	**10**	**15**	**20**	**36**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	302	3.0	8	<1	1	2	3	6	9	15
20-34	129	3.5	12	1	1	2	4	9	12	35
35-49	170	3.9	28	<1	1	2	4	9	14	26
50-64	219	4.3	21	1	1	2	6	11	14	20
65+	191	5.2	45	1	1	3	6	12	21	32
2. MULTIPLE DX										
0-19 YRS	1203	5.5	54	1	2	3	5	11	17	44
20-34	365	8.9	60	1	2	7	12	18	23	44
35-49	648	8.7	64	1	2	7	11	18	23	43
50-64	1556	9.8	79	1	2	8	13	21	27	41
65+	3761	11.9	87	2	3	10	16	23	29	46
TOT. SINGLE DX	1011	3.9	23	<1	1	2	5	9	14	23
" MULTIPLE DX	7533	10.0	82	1	2	8	13	21	27	45
TOTAL 0-19 YRS	1505	5.0	46	1	1	3	5	10	15	39
20-34	494	7.5	53	1	1	5	11	17	21	43
35-49	818	7.7	61	1	1	5	10	16	22	42
50-64	1775	9.1	75	1	2	7	12	20	26	40
65+	3952	11.5	87	2	2	9	15	23	29	46
GRAND TOTAL	**8544**	**9.3**	**79**	**1**	**2**	**7**	**12**	**20**	**26**	**44**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.7	2	<1	1	2	4	5	5	6
20-34	724	3.4	5	1	1	3	4	5	7	9
35-49	1044	3.6	4	1	1	3	4	6	7	11
50-64	677	4.2	6	1	2	4	5	7	8	15
65+	165	4.9	12	1	2	4	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	5	7.4	57	1	1	3	13	19	19	19
20-34	227	4.2	10	1	1	4	5	7	10	17
35-49	544	5.4	17	2	2	4	6	10	14	25
50-64	579	6.6	38	2	2	5	7	13	18	31
65+	295	8.5	59	2	3	6	10	17	23	43
TOT. SINGLE DX	2631	3.7	6	1	2	3	4	6	7	13
" MULTIPLE DX	1650	6.2	33	2	2	5	7	12	17	29
TOTAL 0-19 YRS	26	3.6	14	<1	1	3	4	6	13	19
20-34	951	3.6	6	1	1	3	4	6	7	10
35-49	1588	4.2	9	1	2	4	5	7	9	17
50-64	1256	5.3	23	2	2	4	6	9	13	27
65+	460	7.2	46	2	2	5	9	14	19	33
GRAND TOTAL	4281	4.7	18	1	2	4	5	8	11	22

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	6.7	6	2	4	6	8	11	12	12
20-34	34	7.9	36	1	2	6	10	17	21	25
35-49	112	8.5	20	2	3	8	10	13	17	27
50-64	393	10.7	34	4	5	10	12	16	20	33
65+	281	10.8	33	4	6	9	13	17	24	32
2. MULTIPLE DX										
0-19 YRS	116	11.3	50	4	5	9	14	22	28	59
20-34	200	12.5	148	2	2	9	16	28	36	78
35-49	640	13.5	131	3	4	10	16	26	33	75
50-64	2631	14.9	125	5	6	12	17	27	37	67
65+	3771	17.4	139	6	8	14	21	31	40	71
TOT. SINGLE DX	854	10.2	32	3	5	9	12	16	20	31
" MULTIPLE DX	7358	16.0	135	5	6	13	19	30	38	70
TOTAL 0-19 YRS	150	10.3	45	4	5	8	12	20	27	39
20-34	234	11.8	135	2	2	9	16	25	35	72
35-49	752	12.8	118	2	4	10	15	24	32	67
50-64	3024	14.4	115	5	6	11	17	25	36	65
65+	4052	17.0	135	6	7	14	20	31	39	70
GRAND TOTAL	8212	15.4	128	5	6	12	18	29	37	68

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	5	15.2	25	8	8	17	19	20	20	20
65+	5	14.0	301	1	1	8	21	44	44	44
TOT. SINGLE DX	1	9.0		9	9	9	9	9	9	9
" MULTIPLE DX	10	14.6	146	1	2	12	19	32	44	44
TOTAL 0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	5	15.2	26	8	8	17	19	20	20	20
65+	5	14.0	302	1	1	8	21	44	44	44
GRAND TOTAL	11	14.1	134	1	3	12	18	30	43	44

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.7	8	<1	<1	<1	4	8	8	8
20-34	9	4.0	18	1	1	1	9	10	10	10
35-49	13	5.3	25	<1	<1	5	8	11	17	18
50-64	7	1.7	1	<1	<1	1	3	4	4	4
65+	12	6.3	43	<1	<1	3	11	16	19	20
2. MULTIPLE DX										
0-19 YRS	51	6.1	50	<1	1	4	7	13	24	38
20-34	518	5.4	32	<1	1	4	7	11	15	27
35-49	639	6.4	64	<1	<1	4	7	13	20	40
50-64	1185	6.8	55	<1	1	5	8	13	18	41
65+	1156	8.0	59	1	2	6	10	17	23	41
TOT. SINGLE DX	47	4.4	24	<1	<1	2	8	10	15	20
" MULTIPLE DX	3549	6.9	56	<1	1	5	9	15	20	40
TOTAL 0-19 YRS	57	5.7	47	<1	<1	4	6	10	23	37
20-34	527	5.4	33	<1	1	4	7	11	14	27
35-49	652	6.4	64	<1	<1	4	7	13	20	40
50-64	1192	6.8	55	<1	1	5	8	13	18	41
65+	1168	8.0	59	1	2	6	10	17	22	41
GRAND TOTAL	3596	6.9	55	<1	1	5	9	15	20	40

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	348	6.4	26	1	2	5	8	12	15	25
20-34	253	6.3	41	1	1	4	8	15	21	32
35-49	370	7.5	61	1	1	5	10	17	19	49
50-64	1193	7.4	25	2	3	6	9	13	17	25
65+	1369	7.4	21	2	3	6	9	13	16	21
2. MULTIPLE DX										
0-19 YRS	2490	19.8	402	2	4	12	28	54	75	99+
20-34	956	10.1	136	1	1	7	13	23	33	56
35-49	1722	11.1	128	1	2	8	14	24	35	63
50-64	6701	11.4	97	2	3	9	14	22	30	52
65+	12244	12.6	98	3	4	10	16	24	31	54
TOT. SINGLE DX	3533	7.2	29	1	2	6	9	13	17	25
" MULTIPLE DX	24113	12.8	140	2	3	10	16	26	36	70
TOTAL 0-19 YRS	2838	18.2	376	2	3	11	25	51	72	99+
20-34	1209	9.3	119	1	1	6	12	21	31	54
35-49	2092	10.4	119	1	2	7	13	23	32	59
50-64	7894	10.8	89	2	3	8	13	21	28	50
65+	13613	12.1	93	3	4	10	15	23	30	53
GRAND TOTAL	**27646**	**12.1**	**129**	**2**	**3**	**9**	**15**	**24**	**34**	**66**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	452	3.2	9	<1	<1	2	4	7	8	16
20-34	432	4.2	22	1	1	3	5	9	12	23
35-49	296	4.0	11	<1	1	3	5	9	11	16
50-64	326	5.4	21	1	1	4	8	11	14	23
65+	244	5.9	34	1	1	4	8	13	17	28
2. MULTIPLE DX										
0-19 YRS	308	5.4	24	1	1	4	7	12	15	25
20-34	457	7.7	61	1	2	6	9	15	20	42
35-49	536	7.5	44	1	2	6	10	15	21	35
50-64	1155	9.6	76	2	2	7	12	21	26	42
65+	1482	10.4	79	2	3	8	13	21	27	44
TOT. SINGLE DX	1750	4.3	20	<1	1	3	6	9	13	21
" MULTIPLE DX	3938	9.0	70	1	2	7	11	19	25	42
TOTAL 0-19 YRS	760	4.1	17	<1	1	3	5	9	12	19
20-34	889	6.0	46	1	1	4	8	12	17	35
35-49	832	6.2	36	1	1	4	8	13	17	31
50-64	1481	8.7	68	1	2	6	11	18	24	41
65+	1726	9.7	76	2	2	8	13	20	26	43
GRAND TOTAL	**5688**	**7.6**	**59**	**1**	**1**	**5**	**10**	**16**	**22**	**38**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.4	9	1	1	2	4	6	11	15
20-34	37	5.7	16	1	2	4	8	10	13	20
35-49	45	6.3	9	3	3	6	8	9	13	16
50-64	59	7.0	23	2	2	6	8	12	18	29
65+	68	6.5	10	2	3	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	17	6.6	24	2	2	5	10	15	17	18
20-34	83	8.1	29	2	4	7	9	14	17	33
35-49	109	10.9	149	2	3	7	11	20	31	71
50-64	354	11.8	89	3	4	9	15	22	30	46
65+	378	12.1	102	3	5	9	15	22	29	55
TOT. SINGLE DX	228	6.2	15	2	2	6	8	10	13	20
" MULTIPLE DX	941	11.4	96	3	4	8	14	21	29	53
TOTAL 0-19 YRS	36	4.9	19	1	2	3	6	13	15	18
20-34	120	7.4	26	2	2	7	9	13	16	27
35-49	154	9.6	113	2	3	7	10	16	26	70
50-64	413	11.1	83	3	4	8	14	21	30	45
65+	446	11.3	92	3	4	8	13	20	29	54
GRAND TOTAL	**1169**	**10.4**	**85**	**2**	**3**	**8**	**12**	**19**	**28**	**50**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34	3	23.3	1302	2	2	3	49	65	65	65
35-49	3	27.7	366	10	10	25	42	48	48	48
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	2	9.5	113	2	2	9	17	17	17	17
TOT. SINGLE DX	5	5.2	28	1	1	3	8	14	14	14
" MULTIPLE DX	12	17.4	398	2	2	10	21	53	63	65
TOTAL 0-19 YRS	3	9.7	40	6	6	6	14	17	17	17
20-34	3	23.3	1302	2	2	3	49	65	65	65
35-49	4	24.3	291	10	10	19	36	48	48	48
50-64	3	5.0	28	1	1	3	9	11	11	11
65+	4	6.0	54	2	2	3	10	17	17	17
GRAND TOTAL	**17**	**13.8**	**313**	**1**	**2**	**6**	**17**	**43**	**59**	**65**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	16.5	265	5	5	16	28	28	28	28
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	36.5	75	26	27	37	53	99+	99+	99+
20-34	10	44.7	240	28	29	41	56	68	78	78
35-49	7	33.1	69	22	24	31	36	47	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+										
TOT. SINGLE DX	2	16.5	265	5	5	16	28	28	28	28
" MULTIPLE DX	29	38.9	138	26	29	38	47	67	99	99+
TOTAL 0-19 YRS	8	36.5	76	26	27	37	53	99+	99+	99+
20-34	12	40.0	341	7	21	38	50	65	76	78
35-49	7	33.1	69	22	24	31	36	47	49	49
50-64	4	39.3	49	31	31	39	44	48	48	48
65+										
GRAND TOTAL	**31**	**37.5**	**169**	**23**	**27**	**37**	**45**	**63**	**96**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	5.9	29	1	2	5	7	10	13	33
20-34	361	7.2	36	2	2	6	8	12	17	36
35-49	252	8.0	66	1	2	6	9	15	26	41
50-64	323	7.2	33	2	2	6	9	13	17	32
65+	342	7.3	37	1	2	5	9	15	20	32
2. MULTIPLE DX										
0-19 YRS	637	9.5	100	2	2	7	11	21	27	50
20-34	925	11.3	105	2	3	8	13	24	33	63
35-49	1077	11.6	110	2	3	9	14	24	34	52
50-64	2391	12.0	107	3	3	9	15	25	34	51
65+	6007	11.9	83	3	4	9	15	22	30	48
TOT. SINGLE DX	1710	7.0	39	1	2	6	8	13	17	36
" MULTIPLE DX	11037	11.7	95	3	3	9	14	23	31	50
TOTAL 0-19 YRS	1069	8.0	75	1	2	6	9	16	24	45
20-34	1286	10.1	89	2	3	7	11	21	29	54
35-49	1329	10.9	104	2	3	8	14	23	32	52
50-64	2714	11.5	101	2	3	8	14	23	32	49
65+	6349	11.6	82	3	4	9	14	22	29	47
GRAND TOTAL	**12747**	**11.1**	**90**	**2**	**3**	**8**	**14**	**22**	**30**	**48**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	9.5	105	1	2	5	12	25	31	45
20-34	109	11.3	145	1	2	9	14	23	30	73
35-49	70	8.8	106	1	1	5	12	21	29	59
50-64	108	9.8	123	<1	1	6	12	24	34	54
65+	54	10.5	84	2	2	8	15	21	24	52
2. MULTIPLE DX										
0-19 YRS	403	16.9	312	2	2	10	25	46	58	99+
20-34	503	15.2	211	2	3	10	20	34	44	70
35-49	729	12.8	168	1	2	9	17	30	42	66
50-64	1393	13.3	164	2	3	9	17	31	41	67
65+	1633	15.7	178	2	3	12	21	34	44	66
TOT. SINGLE DX	430	10.0	117	1	2	6	13	23	30	54
" MULTIPLE DX	4661	14.6	189	2	3	10	19	33	44	72
TOTAL 0-19 YRS	492	15.5	282	1	2	9	22	42	56	99+
20-34	612	14.5	202	2	3	10	19	32	42	72
35-49	799	12.5	164	1	2	8	16	29	40	65
50-64	1501	13.0	162	2	3	9	17	30	41	66
65+	1687	15.6	176	2	3	12	21	34	44	66
GRAND TOTAL	**5091**	**14.2**	**185**	**2**	**3**	**10**	**19**	**32**	**44**	**72**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	4.8	35	1	1	3	5	15	22	26
20-34	83	5.3	20	1	1	4	8	11	14	21
35-49	117	4.3	11	1	1	3	7	9	11	16
50-64	212	6.4	48	1	1	4	8	13	22	35
65+	175	5.0	21	1	1	4	7	10	15	21
2. MULTIPLE DX										
0-19 YRS	163	8.9	171	1	1	4	10	19	39	85
20-34	393	7.6	58	1	2	6	9	15	20	31
35-49	751	8.5	56	1	2	6	11	17	23	40
50-64	1549	9.5	94	1	2	7	11	19	28	57
65+	2833	10.4	100	2	2	8	13	21	28	56
TOT. SINGLE DX	640	5.4	30	1	1	4	7	11	17	27
" MULTIPLE DX	5689	9.7	93	1	2	7	12	19	27	54
TOTAL 0-19 YRS	216	7.9	141	1	1	4	9	18	33	75
20-34	476	7.2	53	1	2	5	9	15	19	28
35-49	868	7.9	52	1	2	6	10	16	22	39
50-64	1761	9.1	90	1	2	6	11	19	27	53
65+	3008	10.1	97	1	2	8	13	20	27	55
GRAND TOTAL	**6329**	**9.2**	**88**	**1**	**2**	**7**	**11**	**19**	**26**	**52**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	861	3.4	3	1	2	3	4	5	6	10
20-34	6	7.7	20	3	3	7	8	15	16	16
35-49	4	6.8	47	1	1	5	12	16	16	16
50-64	2	13.0	18	10	10	13	16	16	16	16
65+	3	12.0	52	4	4	14	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	277	5.0	7	2	2	4	6	9	11	14
20-34	12	27.7	447	6	6	18	42	61	70	72
35-49	18	15.1	167	2	3	10	21	28	45	55
50-64	24	17.0	174	6	8	16	20	69	99+	99+
65+	69	19.0	153	4	7	16	24	40	43	53
TOT. SINGLE DX	876	3.5	4	1	2	3	4	5	7	11
" MULTIPLE DX	400	9.3	105	2	3	6	10	20	30	64
TOTAL 0-19 YRS	1138	3.8	5	1	2	3	5	6	8	12
20-34	18	21.0	390	4	5	14	31	52	66	72
35-49	22	13.5	153	1	2	10	18	27	39	55
50-64	26	16.7	162	6	8	16	20	59	99+	99+
65+	72	18.8	150	4	6	16	24	40	43	53
GRAND TOTAL	1276	5.3	43	1	2	4	5	10	17	42

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	17.5	354	4	4	8	20	47	65	67
20-34	4	17.5	200	6	6	15	53	99+	99+	99+
35-49	6	5.3	5	2	2	6	7	8	8	8
50-64	15	13.1	51	3	4	13	16	21	29	32
65+	24	20.0	225	4	6	15	27	45	49	58
2. MULTIPLE DX										
0-19 YRS	107	17.3	258	4	5	13	19	42	57	93
20-34	51	20.5	427	3	5	11	27	58	80	99+
35-49	73	18.1	226	4	5	15	24	42	86	99+
50-64	241	22.3	348	5	7	17	28	48	70	90
65+	1274	20.2	186	5	6	17	27	39	49	79
TOT. SINGLE DX	60	16.2	191	3	4	12	20	39	51	96
" MULTIPLE DX	1746	20.2	223	4	6	16	27	41	52	93
TOTAL 0-19 YRS	118	17.3	265	4	5	13	20	42	58	92
20-34	55	20.3	408	3	5	11	29	64	86	99+
35-49	79	17.2	221	3	5	13	24	41	77	99+
50-64	256	21.8	335	4	7	16	27	46	68	90
65+	1298	20.2	187	5	6	17	27	40	49	79
GRAND TOTAL	1806	20.1	222	4	6	16	26	41	52	94

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	5.3	7	1	2	5	7	10	13	99+
20-34	133	5.8	16	2	2	5	7	10	11	19
35-49	215	6.0	22	2	2	5	7	10	12	22
50-64	221	6.1	23	2	2	5	7	10	14	25
65+	198	7.4	27	2	3	6	9	13	16	28
2. MULTIPLE DX										
0-19 YRS	93	6.9	33	2	3	5	8	10	18	35
20-34	709	7.2	26	2	3	6	9	13	17	27
35-49	1444	8.3	33	2	3	7	10	15	19	31
50-64	2619	8.9	45	3	3	7	11	15	21	38
65+	5278	10.3	59	3	4	8	12	19	24	42
TOT. SINGLE DX	804	6.3	23	2	2	5	8	10	14	26
" MULTIPLE DX	10143	9.4	51	3	3	8	11	17	22	39
TOTAL 0-19 YRS	130	6.4	27	2	3	5	8	10	17	48
20-34	842	7.0	26	2	3	6	8	13	16	27
35-49	1659	8.0	33	2	3	6	10	15	19	31
50-64	2840	8.7	44	2	3	7	10	15	20	37
65+	5476	10.2	59	3	4	8	12	18	24	42
GRAND TOTAL	10947	9.2	49	3	3	7	11	17	22	38

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.0	21	2	2	6	10	14	15	15
20-34	45	10.2	33	3	6	9	12	16	19	38
35-49	115	11.5	22	7	7	10	13	17	22	29
50-64	86	12.7	20	7	8	12	15	19	21	27
65+	83	14.9	77	8	9	13	17	21	27	64
2. MULTIPLE DX										
0-19 YRS	2	29.0	882	8	8	29	50	50	50	50
20-34	100	15.9	99	7	8	13	17	29	38	59
35-49	312	16.8	125	7	8	14	20	31	37	60
50-64	530	18.1	105	8	9	16	21	31	40	62
65+	895	21.6	174	9	10	18	26	38	49	78
TOT. SINGLE DX	337	12.3	40	6	7	11	14	19	22	34
" MULTIPLE DX	1839	19.5	147	8	9	16	23	34	44	71
TOTAL 0-19 YRS	10	11.4	200	2	2	7	11	32	50	50
20-34	145	14.1	86	6	7	11	16	24	37	54
35-49	427	15.4	103	7	8	12	18	27	34	56
50-64	616	17.4	97	8	9	15	20	29	39	62
65+	978	21.0	169	9	10	17	25	36	48	78
GRAND TOTAL	**2176**	**18.4**	**137**	**8**	**9**	**15**	**22**	**32**	**42**	**69**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	14.3	86	8	8	10	21	25	25	25
50-64	14	16.9	57	4	9	16	22	26	32	34
65+	13	21.2	245	10	10	15	23	45	60	63
2. MULTIPLE DX										
0-19 YRS										
20-34	10	24.1	206	9	12	17	30	47	57	57
35-49	36	24.5	154	11	12	21	29	45	50	55
50-64	103	23.8	160	10	11	20	28	41	48	70
65+	141	25.1	195	12	13	21	29	45	62	99+
TOT. SINGLE DX	31	18.4	135	8	10	15	21	34	40	63
" MULTIPLE DX	290	24.5	177	11	12	21	29	44	55	81
TOTAL 0-19 YRS										
20-34	11	23.2	195	9	12	17	29	45	56	57
35-49	39	23.7	155	10	11	21	28	45	50	55
50-64	117	23.0	152	10	11	20	27	39	47	69
65+	154	24.8	199	11	12	20	29	45	62	99
GRAND TOTAL	**321**	**23.9**	**176**	**10**	**12**	**20**	**28**	**43**	**54**	**79**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.7	4	9	9	10	12	13	13	13
20-34	45	9.9	13	6	6	9	11	16	19	19
35-49	77	9.9	18	5	6	9	10	14	22	25
50-64	68	11.4	16	7	8	10	13	17	22	23
65+	28	14.3	50	7	7	12	18	20	34	35
2. MULTIPLE DX										
0-19 YRS	3	13.3	70	8	8	9	19	23	23	23
20-34	60	12.8	32	7	7	12	16	21	25	31
35-49	163	13.7	77	6	7	11	16	20	30	55
50-64	222	15.5	92	7	8	13	18	27	36	63
65+	276	19.1	119	8	9	16	23	34	41	54
TOT. SINGLE DX	221	10.9	23	6	7	9	12	18	21	28
" MULTIPLE DX	724	16.2	100	7	8	14	19	29	37	57
TOTAL 0-19 YRS	6	12.0	32	8	8	10	13	22	23	23
20-34	105	11.6	26	6	7	10	13	19	21	30
35-49	240	12.5	61	6	7	10	15	20	24	51
50-64	290	14.5	78	7	8	12	17	23	33	60
65+	304	18.7	115	8	9	16	22	33	40	50
GRAND TOTAL	**945**	**15.0**	**87**	**7**	**7**	**12**	**18**	**26**	**34**	**51**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	6.6	25	1	2	6	8	11	14	83
20-34	322	7.4	8	4	5	7	8	10	11	14
35-49	302	8.4	11	5	5	8	10	12	15	21
50-64	140	8.9	9	5	6	8	11	13	15	19
65+	98	12.3	43	5	6	10	15	22	24	37
2. MULTIPLE DX										
0-19 YRS	218	16.6	193	4	5	12	23	35	49	95
20-34	769	10.0	58	5	6	8	10	15	21	46
35-49	1226	10.8	64	5	6	9	11	17	26	48
50-64	808	13.9	108	6	7	10	16	25	33	60
65+	1167	19.0	151	8	9	15	22	35	43	71
TOT. SINGLE DX	938	8.4	17	4	5	8	10	12	16	24
" MULTIPLE DX	4188	13.9	116	6	6	10	16	26	35	61
TOTAL 0-19 YRS	294	14.0	169	2	4	9	18	32	42	97
20-34	1091	9.3	45	5	5	8	10	13	18	42
35-49	1528	10.3	55	5	6	8	11	16	24	40
50-64	948	13.2	97	6	6	10	15	23	32	59
65+	1265	18.5	146	7	8	15	22	34	43	68
GRAND TOTAL	**5126**	**12.9**	**102**	**5**	**6**	**9**	**14**	**24**	**33**	**59**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	4.9	14	1	1	4	7	10	12	21
20-34	411	6.2	24	2	2	5	7	11	15	25
35-49	328	5.2	18	1	1	4	7	10	13	24
50-64	456	5.2	27	1	1	4	7	11	13	25
65+	355	4.9	27	1	1	3	7	11	15	24
2. MULTIPLE DX										
0-19 YRS	331	7.3	72	1	2	5	8	13	21	40
20-34	985	7.7	40	2	3	6	9	13	19	35
35-49	1405	8.2	52	2	2	6	10	15	21	34
50-64	2854	8.3	49	1	2	7	10	16	20	37
65+	5762	9.3	59	1	2	8	12	18	24	39
TOT. SINGLE DX	1757	5.3	24	1	1	4	7	11	14	24
" MULTIPLE DX	11337	8.7	55	2	2	7	11	17	22	37
TOTAL 0-19 YRS	538	6.4	52	1	1	5	8	12	16	34
20-34	1396	7.3	36	2	3	6	9	13	18	32
35-49	1733	7.6	47	1	2	6	9	14	19	33
50-64	3310	7.9	48	1	2	6	10	15	20	37
65+	6117	9.1	59	1	2	7	12	18	23	38
GRAND TOTAL	**13094**	**8.3**	**53**	**1**	**2**	**7**	**10**	**16**	**21**	**37**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	11.6	37	6	7	9	12	20	26	29
20-34	43	10.7	15	6	6	10	12	16	19	23
35-49	44	10.1	18	4	5	9	13	15	16	27
50-64	52	11.3	34	7	7	10	14	16	19	42
65+	57	12.6	28	7	8	11	15	19	26	31
2. MULTIPLE DX										
0-19 YRS	93	17.9	344	6	6	11	22	74	99+	99+
20-34	270	15.9	171	6	7	11	18	30	45	83
35-49	308	18.1	196	7	8	14	21	39	56	99+
50-64	515	20.6	247	7	8	16	24	42	58	91
65+	995	20.3	175	8	9	16	23	37	48	76
TOT. SINGLE DX	213	11.3	26	6	7	10	13	17	20	30
" MULTIPLE DX	2181	19.4	204	7	8	15	23	39	52	95
TOTAL 0-19 YRS	110	16.9	301	6	7	11	20	67	99+	99+
20-34	313	15.2	154	6	7	11	17	28	43	80
35-49	352	17.1	181	7	7	13	19	36	50	99+
50-64	567	19.7	235	7	8	15	23	39	55	88
65+	1052	19.9	171	8	9	16	23	36	48	75
GRAND TOTAL	**2394**	**18.7**	**194**	**7**	**8**	**14**	**22**	**37**	**50**	**91**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	11.4	56	5	6	10	13	18	25	51
20-34	152	11.8	57	6	6	9	13	19	27	49
35-49	258	11.7	29	6	7	10	14	17	21	36
50-64	628	11.2	15	7	7	10	13	16	19	25
65+	707	12.9	28	8	8	11	15	19	22	34
2. MULTIPLE DX										
0-19 YRS	104	14.6	155	6	7	11	17	29	54	99+
20-34	419	15.8	114	7	8	12	19	29	35	57
35-49	897	15.2	110	7	8	12	17	26	35	65
50-64	2907	15.4	79	8	9	13	18	25	32	58
65+	7369	18.0	102	9	10	15	21	30	37	60
TOT. SINGLE DX	1801	12.0	28	7	8	11	14	18	21	32
" MULTIPLE DX	11696	17.0	99	8	9	14	20	28	36	60
TOTAL 0-19 YRS	160	13.5	123	5	6	10	14	26	42	97
20-34	571	14.8	102	7	7	11	17	27	35	55
35-49	1155	14.4	94	7	8	11	16	23	32	61
50-64	3535	14.7	71	7	8	12	17	24	30	53
65+	8076	17.6	98	8	9	15	21	29	36	59
GRAND TOTAL	**13497**	**16.4**	**93**	**8**	**9**	**14**	**19**	**27**	**35**	**58**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.2	6	4	4	6	9	11	12	12
20-34	13	7.0	8	3	4	7	9	11	11	11
35-49	15	14.1	174	4	4	9	13	44	44	44
50-64	26	8.2	8	4	5	8	10	12	13	14
65+	40	14.1	92	5	7	12	17	22	27	62
2. MULTIPLE DX										
0-19 YRS	28	14.0	205	3	5	10	15	22	56	67
20-34	59	15.0	253	3	5	10	18	30	48	91
35-49	75	14.0	53	7	7	13	17	26	36	99+
50-64	156	18.3	120	7	8	16	22	35	46	61
65+	440	19.4	129	8	9	16	24	33	41	69
TOT. SINGLE DX	111	10.8	70	4	5	9	12	18	24	51
" MULTIPLE DX	758	18.1	136	7	8	15	22	32	43	72
TOTAL 0-19 YRS	45	11.4	139	4	5	9	12	17	31	67
20-34	72	13.6	218	3	4	9	13	25	42	87
35-49	90	14.0	72	6	7	12	17	26	43	99+
50-64	182	16.8	117	6	7	14	20	32	45	59
65+	480	18.9	128	8	9	16	24	32	40	68
GRAND TOTAL	**869**	**17.2**	**133**	**6**	**7**	**14**	**21**	**31**	**42**	**69**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	5.7	9	2	2	5	8	9	11	18
20-34	158	8.7	14	4	5	8	10	12	15	28
35-49	144	8.8	13	4	5	8	10	14	16	21
50-64	170	9.3	14	4	5	9	11	14	15	21
65+	205	9.8	23	4	5	9	12	15	17	28
2. MULTIPLE DX										
0-19 YRS	278	10.9	114	4	4	8	12	22	34	99+
20-34	347	12.4	115	5	5	9	13	24	34	76
35-49	452	13.4	96	5	6	10	15	26	37	72
50-64	789	14.3	124	6	6	11	16	26	38	74
65+	1580	14.7	95	5	7	12	17	25	32	61
TOT. SINGLE DX	858	8.5	18	3	4	8	10	13	16	21
" MULTIPLE DX	3446	13.9	107	5	6	11	16	25	35	69
TOTAL 0-19 YRS	459	8.9	80	2	3	7	10	16	26	99+
20-34	505	11.3	87	5	5	9	12	20	26	63
35-49	596	12.3	80	5	6	10	14	23	32	62
50-64	959	13.4	109	5	6	10	15	23	36	68
65+	1785	14.1	90	5	6	12	17	24	31	60
GRAND TOTAL	**4304**	**12.8**	**94**	**4**	**5**	**10**	**15**	**23**	**32**	**62**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	10.1	91	4	5	7	10	17	35	44
20-34	12	19.5	580	5	6	11	21	45	86	93
35-49	17	10.9	21	4	5	11	13	15	21	24
50-64	36	13.1	50	4	7	11	16	24	29	34
65+	45	13.1	36	5	6	12	15	20	25	36
2. MULTIPLE DX										
0-19 YRS	50	23.8	568	4	6	14	32	69	92	99+
20-34	60	20.9	352	4	6	13	31	50	81	99+
35-49	127	20.5	280	7	8	15	21	46	63	97
50-64	383	20.8	165	7	8	17	26	38	46	70
65+	948	21.2	139	9	10	18	26	37	45	68
TOT. SINGLE DX	127	13.0	98	5	5	11	15	22	25	55
" MULTIPLE DX	1568	21.1	178	8	9	17	26	38	49	85
TOTAL 0-19 YRS	67	20.3	481	4	5	12	23	52	91	99+
20-34	72	20.6	383	4	6	13	29	47	84	99+
35-49	144	19.3	259	5	8	14	20	43	58	96
50-64	419	20.2	160	7	8	17	25	37	45	69
65+	993	20.8	138	8	10	18	26	36	45	67
GRAND TOTAL	**1695**	**20.5**	**177**	**7**	**9**	**17**	**25**	**37**	**47**	**85**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7774	3.9	4	2	2	3	5	6	8	11
20-34	5329	3.9	3	2	2	4	5	6	8	11
35-49	1734	4.8	7	2	2	4	6	8	10	13
50-64	745	5.8	9	2	3	5	7	10	12	17
65+	223	7.0	11	3	3	7	8	11	13	18
2. MULTIPLE DX										
0-19 YRS	2723	6.1	19	2	3	5	7	11	14	22
20-34	2196	6.0	17	2	3	5	7	10	13	21
35-49	1065	7.7	28	3	3	7	9	13	16	32
50-64	846	9.5	37	3	4	8	12	16	20	33
65+	739	12.4	66	5	5	10	15	21	26	46
TOT. SINGLE DX	15805	4.2	5	2	2	4	5	7	8	12
" MULTIPLE DX	7569	7.3	31	2	3	6	9	13	17	30
TOTAL 0-19 YRS	10497	4.5	9	2	2	4	5	8	10	16
20-34	7525	4.5	9	2	2	4	5	8	9	14
35-49	2799	5.9	17	2	3	5	7	10	13	20
50-64	1591	7.8	28	3	3	7	10	14	17	27
65+	962	11.1	59	4	5	9	13	19	24	43
GRAND TOTAL	**23374**	**5.2**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.1	2	2	2	4	5	7	8	9
20-34	49	4.9	5	2	2	5	6	8	10	11
35-49	20	5.4	4	3	3	5	7	8	9	10
50-64	5	5.4	5	3	3	6	7	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	37	5.9	13	2	3	5	7	9	15	19
20-34	52	6.7	12	3	3	6	8	11	12	20
35-49	15	8.7	38	3	3	7	11	20	23	24
50-64	7	9.6	11	6	6	8	12	15	15	15
65+	9	16.9	137	4	6	12	28	34	38	38
TOT. SINGLE DX	130	4.6	4	2	2	4	6	8	8	10
" MULTIPLE DX	120	7.7	32	3	3	6	9	13	19	32
TOTAL 0-19 YRS	93	4.8	8	2	2	4	6	8	9	18
20-34	101	5.8	9	2	3	5	7	10	11	18
35-49	35	6.8	21	3	3	6	8	11	18	24
50-64	12	7.8	13	3	3	7	9	14	15	15
65+	9	16.9	138	4	6	12	28	34	38	38
GRAND TOTAL	**250**	**6.1**	**20**	**2**	**3**	**5**	**7**	**10**	**13**	**28**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.3	13	2	3	7	9	13	15	15
20-34	14	7.9	28	2	2	6	10	15	20	21
35-49	8	11.0	20	4	5	11	14	17	18	18
50-64	9	11.1	51	4	5	8	13	23	28	28
65+	3	12.7	16	9	9	12	16	17	17	17
2. MULTIPLE DX										
0-19 YRS	18	10.6	36	3	4	11	13	21	23	23
20-34	13	11.2	50	3	4	10	15	21	27	29
35-49	6	10.2	14	7	7	9	12	16	17	17
50-64	13	12.6	34	6	7	11	15	20	26	28
65+	13	17.1	35	8	8	19	21	24	25	25
TOT. SINGLE DX	58	8.8	26	2	3	8	12	15	18	27
" MULTIPLE DX	63	12.4	41	4	5	11	17	22	24	29
TOTAL 0-19 YRS	42	8.7	25	2	3	8	12	15	20	23
20-34	27	9.5	40	2	3	8	13	18	22	29
35-49	14	10.6	17	4	6	10	13	17	18	18
50-64	22	12.0	40	5	6	11	14	21	28	28
65+	16	16.3	34	8	8	17	21	23	24	25
GRAND TOTAL	**121**	**10.7**	**37**	**3**	**4**	**10**	**14**	**19**	**23**	**28**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	4.1	9	1	1	3	5	9	11	15
20-34	122	3.7	7	1	1	3	4	7	8	16
35-49	83	4.1	21	1	1	3	4	9	13	28
50-64	162	4.3	13	1	1	3	5	8	10	23
65+	242	4.1	10	1	1	3	5	9	11	17
2. MULTIPLE DX										
0-19 YRS	115	5.6	21	1	2	4	7	11	13	26
20-34	177	5.6	17	1	2	5	7	12	16	20
35-49	253	7.4	50	1	2	5	9	16	25	32
50-64	521	7.1	35	1	2	5	9	14	19	31
65+	1411	9.1	71	2	2	7	11	18	24	48
TOT. SINGLE DX	724	4.1	12	1	1	3	5	8	10	17
" MULTIPLE DX	2477	8.1	57	1	2	6	10	17	23	37
TOTAL 0-19 YRS	230	4.9	16	1	1	4	6	10	11	25
20-34	299	4.8	15	1	1	4	6	9	13	18
35-49	336	6.6	45	1	2	4	8	14	23	32
50-64	683	6.4	32	1	2	5	8	13	18	27
65+	1653	8.3	66	1	2	6	10	17	23	39
GRAND TOTAL	**3201**	**7.2**	**50**	**1**	**2**	**5**	**9**	**15**	**20**	**35**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.9	5	1	1	2	3	5	7	15
20-34	282	2.9	3	1	1	2	4	5	6	10
35-49	192	3.5	5	1	1	3	4	6	8	11
50-64	96	3.7	7	1	1	3	5	8	9	14
65+	23	5.9	36	2	2	4	6	14	21	27
2. MULTIPLE DX										
0-19 YRS	39	4.5	13	1	2	4	5	7	11	22
20-34	185	4.7	32	1	1	3	5	8	12	31
35-49	202	6.0	55	1	2	4	7	12	15	60
50-64	218	6.8	54	1	2	4	8	13	22	41
65+	154	9.7	79	2	2	6	13	23	28	41
TOT. SINGLE DX	649	3.3	6	1	1	3	4	6	8	13
" MULTIPLE DX	798	6.6	55	1	2	4	7	13	21	38
TOTAL 0-19 YRS	95	3.6	9	1	1	3	4	7	8	19
20-34	467	3.6	15	1	1	3	4	6	8	19
35-49	394	4.8	33	1	1	3	6	9	13	27
50-64	314	5.9	42	1	2	4	7	12	17	34
65+	177	9.2	75	2	2	6	13	22	27	40
GRAND TOTAL	**1447**	**5.1**	**36**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	10.8	10	7	8	10	12	14	16	25
20-34	32	12.8	34	4	7	12	17	23	24	25
35-49	65	12.2	17	6	8	11	14	18	20	26
50-64	169	12.7	20	7	8	12	15	17	19	27
65+	191	14.0	28	7	9	13	16	21	22	33
2. MULTIPLE DX										
0-19 YRS	60	13.6	146	4	5	10	14	25	34	69
20-34	81	14.3	68	4	7	12	17	24	31	45
35-49	183	15.7	76	7	8	14	18	27	35	55
50-64	649	17.5	84	9	10	15	21	28	35	53
65+	1468	19.6	95	9	11	17	24	31	38	58
TOT. SINGLE DX	499	13.0	24	7	8	12	15	19	22	27
" MULTIPLE DX	2441	18.4	94	8	10	16	22	30	38	56
TOTAL 0-19 YRS	102	12.4	92	5	7	10	13	19	26	67
20-34	113	13.9	59	4	7	12	17	23	28	44
35-49	248	14.8	63	7	8	13	17	25	32	48
50-64	818	16.5	75	8	9	14	19	26	32	50
65+	1659	19.0	91	9	10	16	23	30	37	56
GRAND TOTAL	**2940**	**17.5**	**86**	**8**	**9**	**15**	**21**	**29**	**35**	**53**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	3.7	5	1	1	3	5	7	9	11
20-34	934	4.8	12	1	2	4	6	9	11	20
35-49	831	5.0	11	1	2	4	6	9	11	17
50-64	689	5.1	14	1	1	4	7	9	11	19
65+	573	5.6	26	1	2	5	7	10	12	31
2. MULTIPLE DX										
0-19 YRS	652	5.7	23	1	2	5	7	10	13	28
20-34	3357	6.8	38	2	2	5	8	12	17	34
35-49	4952	7.4	37	2	3	6	9	14	18	33
50-64	6570	7.9	40	2	3	6	10	14	19	35
65+	11255	9.1	50	2	3	7	11	17	22	38
TOT. SINGLE DX	3307	5.0	15	1	1	4	6	9	11	20
" MULTIPLE DX	26786	8.1	45	2	3	6	10	15	20	35
TOTAL 0-19 YRS	932	5.1	19	1	1	4	7	9	11	20
20-34	4291	6.4	34	2	2	5	8	11	16	32
35-49	5783	7.0	34	2	2	6	8	13	17	32
50-64	7259	7.6	39	2	3	6	9	14	18	34
65+	11828	8.9	50	2	3	7	11	17	22	37
GRAND TOTAL	**30093**	**7.8**	**42**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	2.0	1	<1	1	2	3	4	4	5
20-34	295	3.0	6	1	1	3	4	5	7	11
35-49	364	3.1	2	1	1	3	4	5	6	9
50-64	187	3.1	3	1	1	3	4	5	6	12
65+	63	3.0	1	1	1	3	4	5	5	9
2. MULTIPLE DX										
0-19 YRS	18	3.9	17	1	1	3	5	7	15	19
20-34	293	4.0	8	1	1	4	5	7	9	17
35-49	430	4.0	8	1	1	3	5	7	9	17
50-64	377	4.7	16	1	2	4	5	8	11	20
65+	195	6.5	36	1	2	4	8	15	22	29
TOT. SINGLE DX	964	3.0	4	1	1	3	4	5	6	10
" MULTIPLE DX	1313	4.6	16	1	1	4	5	8	11	23
TOTAL 0-19 YRS	73	2.5	6	1	1	2	3	4	5	16
20-34	588	3.5	8	1	1	3	4	6	8	14
35-49	794	3.6	6	1	1	3	4	6	8	14
50-64	564	4.2	13	1	1	3	5	7	10	16
65+	258	5.7	31	1	2	4	6	12	19	26
GRAND TOTAL	**2277**	**3.9**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.2	4	<1	<1	2	3	4	4	15
20-34	263	2.6	2	1	1	2	3	4	6	9
35-49	179	3.1	6	1	1	3	4	5	6	16
50-64	92	3.4	3	1	1	3	4	6	6	10
65+	38	3.3	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	27	4.1	13	2	2	3	5	5	9	21
20-34	288	4.2	30	1	1	3	5	7	9	24
35-49	394	4.1	11	1	1	4	5	7	9	17
50-64	359	4.7	11	1	2	4	6	8	11	16
65+	311	6.4	30	2	2	5	8	13	17	31
TOT. SINGLE DX	623	2.9	4	1	1	3	4	5	6	10
" MULTIPLE DX	1379	4.8	21	1	2	4	5	8	12	23
TOTAL 0-19 YRS	78	2.9	8	<1	1	2	3	5	5	19
20-34	551	3.5	18	1	1	3	4	6	7	12
35-49	573	3.8	10	1	1	3	5	6	8	17
50-64	451	4.4	10	1	2	4	5	8	10	14
65+	349	6.1	29	2	2	4	7	12	16	29
GRAND TOTAL	**2002**	**4.2**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.4	4	1	1	3	4	6	8	9
20-34	392	3.9	3	1	2	4	5	6	7	9
35-49	508	4.2	4	1	2	4	5	7	8	11
50-64	301	4.3	4	1	2	4	5	7	9	11
65+	116	4.5	3	1	2	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	58	4.8	15	1	2	4	6	8	8	29
20-34	1821	4.6	6	2	2	4	5	7	9	13
35-49	3065	5.0	10	2	2	4	6	8	10	16
50-64	2542	5.5	11	2	3	5	6	9	11	19
65+	1318	6.7	22	2	3	5	8	12	15	25
TOT. SINGLE DX	1339	4.1	4	1	2	4	5	7	8	10
" MULTIPLE DX	8804	5.3	12	2	2	5	6	9	11	19
TOTAL 0-19 YRS	80	4.4	13	1	1	4	5	7	8	25
20-34	2213	4.5	6	2	2	4	5	7	8	13
35-49	3573	4.9	10	2	2	4	6	8	9	15
50-64	2843	5.3	11	2	3	5	6	9	11	18
65+	1434	6.5	21	2	3	5	8	12	14	24
GRAND TOTAL	**10143**	**5.1**	**11**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	3.4	8	1	1	3	4	6	9	18
20-34	307	3.2	3	1	1	3	4	6	6	11
35-49	288	3.2	4	1	1	3	4	6	7	11
50-64	136	3.6	4	1	1	3	5	6	8	11
65+	77	4.1	6	1	1	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	71	6.1	80	1	1	4	6	11	15	61
20-34	317	4.5	18	1	1	3	5	10	13	24
35-49	409	4.8	20	1	1	4	6	10	12	27
50-64	387	6.0	37	1	2	4	7	12	15	30
65+	383	7.6	52	2	2	5	9	16	21	39
TOT. SINGLE DX	903	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1567	5.8	36	1	1	4	7	11	16	32
TOTAL 0-19 YRS	166	4.6	41	1	1	3	5	8	12	30
20-34	624	3.9	12	1	1	3	5	7	10	20
35-49	697	4.2	15	1	1	3	5	8	10	18
50-64	523	5.4	30	1	2	4	6	11	14	24
65+	460	7.0	46	1	2	5	8	15	20	39
GRAND TOTAL	**2470**	**4.9**	**26**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	5	8.2	20	2	2	10	11	13	13	13
35-49	7	9.1	47	2	2	6	14	19	20	20
50-64	6	9.0	62	2	2	5	18	20	20	20
65+	3	11.0	49	3	3	14	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	11	18.0	120	6	6	17	25	34	40	41
20-34	22	21.0	279	7	9	16	25	52	87	99+
35-49	18	18.7	292	2	4	15	25	36	60	74
50-64	46	15.4	175	2	3	13	20	43	48	99+
65+	67	16.0	118	3	4	14	23	34	40	90
TOT. SINGLE DX	22	9.5	40	2	2	8	15	19	20	20
" MULTIPLE DX	164	17.0	174	2	4	14	23	39	45	99+
TOTAL 0-19 YRS	12	17.9	109	6	6	17	24	33	40	41
20-34	27	18.6	254	5	7	13	23	43	82	99+
35-49	25	16.0	238	2	3	13	21	29	48	74
50-64	52	14.7	165	2	2	13	20	41	45	99
65+	70	15.8	116	3	4	14	23	33	40	89
GRAND TOTAL	**186**	**16.1**	**164**	**2**	**4**	**13**	**22**	**36**	**45**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	5.7	30	1	1	4	7	14	19	24
20-34	221	4.5	44	1	1	2	5	9	13	37
35-49	188	5.1	36	1	1	3	6	12	16	30
50-64	198	4.5	32	1	1	2	5	12	18	27
65+	118	5.8	48	1	1	3	8	14	19	39
2. MULTIPLE DX										
0-19 YRS	154	10.4	118	1	2	7	10	23	33	56
20-34	459	11.2	136	1	2	8	14	23	33	73
35-49	775	10.5	121	1	2	8	14	22	33	63
50-64	1356	10.6	87	1	2	8	15	22	28	48
65+	1448	12.2	90	2	2	10	16	24	30	48
TOT. SINGLE DX	796	4.9	39	1	1	2	6	12	17	29
" MULTIPLE DX	4192	11.2	102	1	2	9	15	23	30	51
TOTAL 0-19 YRS	225	8.9	95	1	2	6	10	20	29	51
20-34	680	9.0	116	1	1	6	12	19	28	66
35-49	963	9.4	110	1	1	7	12	20	29	56
50-64	1554	9.8	85	1	1	8	14	21	26	46
65+	1566	11.8	90	1	2	10	16	24	30	47
GRAND TOTAL	**4988**	**10.2**	**97**	**1**	**1**	**8**	**14**	**22**	**28**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	399	6.2	6	3	4	6	7	9	11	16
20-34	4887	6.1	5	3	4	6	7	9	10	14
35-49	4304	6.4	5	3	4	6	7	9	11	14
50-64	3574	6.9	7	4	4	6	8	10	12	16
65+	1592	8.2	12	4	5	8	10	13	15	19
2. MULTIPLE DX										
0-19 YRS	350	9.7	67	4	5	8	11	16	21	50
20-34	4733	8.0	21	4	4	7	9	13	16	26
35-49	6047	8.5	22	4	5	7	10	14	16	26
50-64	8142	9.8	33	5	5	8	12	16	20	33
65+	9596	13.1	61	5	6	11	16	22	28	44
TOT. SINGLE DX	14756	6.6	7	4	4	6	8	10	11	16
" MULTIPLE DX	28868	10.3	43	4	5	8	12	17	22	36
TOTAL 0-19 YRS	749	7.9	38	4	4	6	9	13	16	33
20-34	9620	7.1	14	4	4	6	8	11	13	21
35-49	10351	7.6	17	4	4	7	9	12	15	22
50-64	11716	8.9	27	4	5	8	10	14	18	29
65+	11188	12.4	58	5	6	10	15	21	26	43
GRAND TOTAL	**43624**	**9.1**	**34**	**4**	**5**	**7**	**11**	**15**	**19**	**32**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.2	67	3	3	9	17	25	29	30
20-34	45	5.9	10	2	2	6	8	10	12	14
35-49	67	8.2	31	2	2	7	11	16	21	25
50-64	86	9.5	47	1	2	8	13	20	22	33
65+	136	11.1	47	1	2	11	14	20	22	34
2. MULTIPLE DX										
0-19 YRS	14	13.1	122	1	2	11	17	30	37	39
20-34	83	13.7	127	2	3	11	16	26	39	58
35-49	181	14.0	90	2	4	12	17	24	33	46
50-64	408	16.5	157	3	5	13	21	29	40	72
65+	1242	17.3	122	4	7	15	21	31	37	66
TOT. SINGLE DX	346	9.5	43	2	2	9	13	19	21	33
" MULTIPLE DX	1928	16.6	128	3	6	14	20	30	37	65
TOTAL 0-19 YRS	26	12.7	94	2	3	9	17	28	32	39
20-34	128	10.9	100	2	2	8	14	20	34	55
35-49	248	12.4	81	2	3	11	17	23	29	41
50-64	494	15.3	145	2	4	12	20	27	36	67
65+	1378	16.7	118	3	7	14	20	30	36	58
GRAND TOTAL	**2274**	**15.5**	**121**	**3**	**4**	**13**	**20**	**28**	**35**	**58**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.4	25	<1	<1	2	5	12	17	18
20-34	120	6.2	54	1	2	4	8	11	13	45
35-49	177	5.8	30	1	2	4	8	12	17	25
50-64	182	7.2	57	1	1	4	10	15	23	41
65+	114	6.0	32	1	1	4	8	14	19	26
2. MULTIPLE DX										
0-19 YRS	30	23.8	331	3	3	21	34	51	61	69
20-34	258	11.7	166	1	2	8	14	24	37	93
35-49	498	13.9	197	2	2	9	17	33	46	89
50-64	747	14.6	195	2	2	10	19	35	44	70
65+	981	14.4	179	2	3	11	18	31	42	75
TOT. SINGLE DX	606	6.3	44	1	1	4	9	13	18	34
" MULTIPLE DX	2514	14.2	190	2	2	10	18	32	44	76
TOTAL 0-19 YRS	43	18.0	317	1	1	11	29	45	56	69
20-34	378	9.9	137	1	2	7	11	23	32	82
35-49	675	11.8	166	1	2	8	15	28	43	75
50-64	929	13.1	177	1	2	9	17	31	43	67
65+	1095	13.5	170	2	2	10	17	29	39	72
GRAND TOTAL	**3120**	**12.7**	**171**	**1**	**2**	**9**	**16**	**29**	**41**	**70**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	298	3.9	11	1	1	3	5	7	9	21
20-34	779	4.6	17	1	2	4	5	8	10	21
35-49	722	4.9	15	1	2	4	6	9	11	20
50-64	795	5.0	18	1	1	4	6	9	13	20
65+	707	5.2	21	1	1	4	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	485	6.1	46	1	2	4	7	11	17	40
20-34	1930	6.5	32	2	2	5	8	12	16	30
35-49	3032	6.7	31	2	2	5	8	12	16	29
50-64	5372	7.0	33	2	2	5	9	13	17	30
65+	12650	8.0	41	2	3	6	10	15	19	34
TOT. SINGLE DX	3301	4.8	18	1	1	4	6	9	11	20
" MULTIPLE DX	23469	7.4	38	2	2	6	9	14	18	32
TOTAL 0-19 YRS	783	5.3	34	1	2	4	6	9	14	29
20-34	2709	5.9	29	1	2	5	7	11	15	28
35-49	3754	6.4	29	2	2	5	8	11	15	28
50-64	6167	6.7	32	2	2	5	8	13	16	29
65+	13357	7.8	41	2	3	6	10	15	19	34
GRAND TOTAL	**26770**	**7.1**	**36**	**2**	**2**	**6**	**9**	**13**	**18**	**31**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2783	1.9	1	<1	<1	2	2	3	4	6
20-34	4027	2.8	1	1	1	3	4	4	5	7
35-49	3340	3.0	2	1	1	3	4	5	5	7
50-64	4425	3.3	4	1	1	3	4	5	6	8
65+	2912	3.8	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	1932	2.4	12	<1	<1	2	3	4	6	16
20-34	1517	3.4	5	1	1	3	4	5	7	11
35-49	2161	4.0	8	1	2	3	5	7	9	16
50-64	4524	4.5	10	1	2	4	5	7	9	17
65+	6539	5.9	21	2	2	5	7	11	14	25
TOT. SINGLE DX	17487	3.0	3	1	1	3	4	5	6	8
" MULTIPLE DX	16673	4.6	16	1	1	4	5	8	11	21
TOTAL 0-19 YRS	4715	2.1	6	<1	<1	2	2	4	4	8
20-34	5544	3.0	3	1	1	3	4	5	5	8
35-49	5501	3.4	5	1	1	3	4	5	7	12
50-64	8949	3.9	8	1	2	3	5	6	8	14
65+	9451	5.2	17	2	2	4	6	9	12	22
GRAND TOTAL	**34160**	**3.8**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**16**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	499	1.6		<1	<1	1	2	3	3	5
20-34	390	3.3	1	1	2	3	4	5	5	7
35-49	459	3.7	2	1	2	4	5	6	6	8
50-64	675	3.9	2	1	2	4	5	6	7	9
65+	388	4.2	3	1	2	4	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	590	3.6	74	<1	1	2	2	5	13	66
20-34	208	4.0	4	2	2	4	5	6	7	14
35-49	372	4.4	6	2	2	4	5	7	8	15
50-64	791	5.1	8	2	3	5	6	8	10	17
65+	989	6.7	23	2	3	5	8	11	15	25
TOT. SINGLE DX	2411	3.4	3	1	1	3	4	5	6	8
" MULTIPLE DX	2950	5.2	28	1	1	4	6	9	12	25
TOTAL 0-19 YRS	1089	2.7	42	<1	<1	2	2	4	6	48
20-34	598	3.6	3	1	2	3	4	5	6	9
35-49	831	4.0	5	1	2	4	5	6	7	10
50-64	1466	4.6	6	2	2	4	5	7	9	14
65+	1377	6.0	19	2	3	5	7	10	13	21
GRAND TOTAL	**5361**	**4.4**	**18**	**1**	**1**	**4**	**5**	**8**	**9**	**18**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.5	2	<1	<1	2	3	5	7	8
20-34	97	3.1	2	1	1	3	4	5	6	9
35-49	135	3.2	3	1	1	3	4	5	6	9
50-64	152	3.8	3	1	2	4	5	6	7	10
65+	184	4.8	8	2	2	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	10	5.9	63	<1	1	3	5	19	27	27
20-34	47	3.8	6	1	1	3	4	7	8	15
35-49	69	4.0	6	1	2	4	5	6	8	17
50-64	186	6.1	20	2	2	5	7	10	14	26
65+	490	8.7	55	2	3	6	10	17	22	40
TOT. SINGLE DX	587	3.8	5	1	2	3	5	6	7	14
" MULTIPLE DX	802	7.4	43	2	2	5	9	14	20	35
TOTAL 0-19 YRS	29	3.7	25	<1	<1	2	3	7	12	27
20-34	144	3.3	4	1	1	3	4	5	7	10
35-49	204	3.5	4	1	1	3	4	5	6	13
50-64	338	5.1	14	2	2	4	6	9	11	21
65+	674	7.6	45	2	3	6	9	15	20	37
GRAND TOTAL	**1389**	**5.9**	**30**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	468	2.0	18	<1	<1	2	2	3	3	6
20-34	259	2.9	3	1	1	3	4	5	6	9
35-49	427	3.1	3	1	1	3	4	5	6	10
50-64	287	3.4	3	1	1	3	4	6	7	11
65+	150	4.3	6	1	2	4	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	170	3.5	23	<1	1	2	4	7	10	28
20-34	178	4.9	15	1	2	4	6	9	12	23
35-49	400	5.0	13	1	2	4	6	9	12	19
50-64	562	6.0	25	1	2	5	7	11	15	29
65+	518	7.8	45	2	3	6	9	15	20	42
TOT. SINGLE DX	1591	2.9	9	<1	1	2	4	5	6	10
" MULTIPLE DX	1828	5.9	29	1	2	4	7	11	16	29
TOTAL 0-19 YRS	638	2.4	21	<1	<1	2	2	4	6	15
20-34	437	3.7	9	1	1	3	4	7	9	16
35-49	827	4.0	9	1	1	3	5	7	9	16
50-64	849	5.1	20	1	2	4	6	10	12	24
65+	668	7.0	39	2	2	5	8	13	18	35
GRAND TOTAL	**3419**	**4.5**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.6	6	<1	1	2	3	4	8	14
20-34	439	3.6	5	1	1	3	5	6	8	10
35-49	684	4.4	5	1	2	4	6	7	9	11
50-64	804	5.0	7	2	2	5	6	8	10	15
65+	506	5.6	7	2	3	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	63	4.2	12	<1	1	3	6	9	13	15
20-34	378	5.7	17	1	2	5	7	10	13	21
35-49	971	6.9	26	2	3	6	8	12	15	29
50-64	1572	7.7	32	2	3	6	9	13	17	28
65+	1794	9.2	48	3	3	8	11	16	21	36
TOT. SINGLE DX	2548	4.6	7	1	2	4	6	8	9	13
" MULTIPLE DX	4778	7.9	37	2	3	7	9	14	18	31
TOTAL 0-19 YRS	178	3.1	9	<1	1	2	4	7	9	15
20-34	817	4.6	12	1	2	4	6	8	10	18
35-49	1655	5.9	19	2	2	5	7	10	13	22
50-64	2376	6.8	26	2	3	6	8	11	15	25
65+	2300	8.4	42	2	3	7	10	15	19	32
GRAND TOTAL	**7326**	**6.7**	**29**	**2**	**2**	**6**	**8**	**12**	**15**	**28**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.4	8	<1	<1	5	6	7	10	11
20-34	29	5.0	7	1	2	4	7	8	9	14
35-49	26	6.9	15	2	2	7	9	10	14	20
50-64	67	7.8	10	3	4	8	9	11	13	18
65+	36	8.5	10	3	4	9	11	12	13	19
2. MULTIPLE DX										
0-19 YRS	40	12.0	248	1	3	8	11	26	73	99+
20-34	69	8.1	17	3	4	8	9	12	16	26
35-49	156	10.4	39	4	6	9	12	16	20	41
50-64	233	12.0	58	5	6	10	13	20	27	47
65+	317	14.6	119	6	6	12	17	24	32	62
TOT. SINGLE DX	172	7.1	12	2	3	7	9	11	13	19
" MULTIPLE DX	815	12.4	88	5	6	10	14	21	29	57
TOTAL 0-19 YRS	54	10.0	197	1	1	7	10	21	55	99
20-34	98	7.2	16	2	3	7	8	10	15	25
35-49	182	9.9	37	3	5	8	12	15	20	38
50-64	300	11.1	51	4	6	9	12	18	25	45
65+	353	14.0	112	5	6	11	16	23	31	61
GRAND TOTAL	**987**	**11.5**	**79**	**3**	**5**	**9**	**13**	**19**	**26**	**52**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	4.5	25	<1	1	3	6	9	11	25
20-34	343	4.5	18	1	1	4	6	9	11	22
35-49	222	5.1	15	1	1	4	7	9	12	22
50-64	240	6.9	39	1	1	6	9	14	19	32
65+	149	7.9	49	1	2	5	10	17	22	33
2. MULTIPLE DX										
0-19 YRS	222	6.7	48	1	1	5	8	13	21	36
20-34	604	8.2	64	1	2	6	10	16	22	43
35-49	816	10.5	96	2	3	8	13	22	30	58
50-64	1536	12.0	99	2	3	10	15	24	31	51
65+	1926	13.3	111	2	3	10	17	26	34	52
TOT. SINGLE DX	1172	5.5	29	1	1	4	7	11	15	27
" MULTIPLE DX	5104	11.5	101	2	3	9	15	23	31	51
TOTAL 0-19 YRS	440	5.6	38	1	1	4	7	11	15	31
20-34	947	6.9	51	1	1	5	8	14	19	38
35-49	1038	9.3	84	1	2	7	11	19	27	52
50-64	1776	11.3	94	2	3	9	14	22	30	50
65+	2075	12.9	109	2	3	10	17	25	33	51
GRAND TOTAL	**6276**	**10.4**	**93**	**1**	**2**	**8**	**13**	**22**	**29**	**49**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	5.5	11	2	3	5	6	9	12	20
20-34	554	5.7	13	1	2	5	7	10	12	18
35-49	221	7.2	20	2	3	6	9	12	17	24
50-64	133	8.9	19	3	4	8	11	14	18	24
65+	104	10.9	30	3	5	10	14	17	20	35
2. MULTIPLE DX										
0-19 YRS	433	9.1	84	3	3	6	10	17	28	57
20-34	949	8.9	73	3	4	6	10	16	22	48
35-49	619	11.9	102	4	5	8	14	23	32	59
50-64	750	16.4	171	4	6	13	20	33	42	85
65+	1072	18.2	144	6	7	15	23	33	43	71
TOT. SINGLE DX	1299	6.7	19	2	3	6	8	12	15	22
" MULTIPLE DX	3823	13.5	134	3	4	10	17	27	38	69
TOTAL 0-19 YRS	720	7.7	59	2	3	6	8	14	19	41
20-34	1503	7.7	53	2	3	6	9	13	19	42
35-49	840	10.7	85	3	4	8	12	21	29	54
50-64	883	15.3	155	4	5	11	19	29	41	78
65+	1176	17.6	139	6	7	15	22	32	42	69
GRAND TOTAL	**5122**	**11.8**	**114**	**3**	**4**	**8**	**14**	**24**	**33**	**64**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.5	7	1	1	3	5	8	9	14
20-34	1505	2.9	8	<1	1	2	4	6	7	12
35-49	240	2.8	5	<1	1	2	3	6	8	13
50-64	47	3.9	38	1	1	2	3	8	11	40
65+	11	3.0	8	<1	<1	2	3	7	11	11
2. MULTIPLE DX										
0-19 YRS	460	4.4	11	1	1	4	6	8	10	15
20-34	2420	3.9	14	<1	1	3	5	8	10	18
35-49	529	4.6	27	<1	1	2	6	10	14	21
50-64	113	5.7	36	<1	1	3	8	14	17	31
65+	89	10.4	95	1	2	8	14	22	35	47
TOT. SINGLE DX	2213	3.0	9	<1	1	2	4	6	8	13
" MULTIPLE DX	3611	4.2	20	<1	1	3	6	9	12	21
TOTAL 0-19 YRS	870	4.0	10	1	1	3	5	8	9	15
20-34	3925	3.5	13	<1	1	2	5	7	10	16
35-49	769	4.0	21	<1	1	2	5	9	12	20
50-64	160	5.2	38	1	1	3	6	12	17	33
65+	100	9.6	91	1	1	7	14	22	30	47
GRAND TOTAL	**5824**	**3.8**	**16**	**<1**	**1**	**2**	**5**	**8**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	6.1	13	1	2	6	8	10	12	21
20-34	453	6.1	14	1	1	5	8	11	14	18
35-49	348	8.0	24	1	3	7	10	14	18	25
50-64	265	9.6	45	2	4	8	12	15	21	44
65+	180	11.0	26	4	6	10	14	17	21	31
2. MULTIPLE DX										
0-19 YRS	288	10.4	107	2	3	8	12	22	32	76
20-34	1688	7.4	42	1	2	6	9	14	20	36
35-49	1240	10.7	79	2	3	8	14	22	28	44
50-64	1163	13.8	117	3	4	11	17	26	36	63
65+	1613	17.2	157	5	7	14	21	31	42	76
TOT. SINGLE DX	1372	7.9	28	1	2	7	10	14	17	25
" MULTIPLE DX	5992	12.1	113	2	3	9	15	24	32	57
TOTAL 0-19 YRS	414	9.1	83	2	2	7	10	17	27	57
20-34	2141	7.1	37	1	2	6	8	13	18	32
35-49	1588	10.1	69	2	3	8	12	20	26	42
50-64	1428	13.0	107	3	4	10	16	24	35	57
65+	1793	16.6	148	5	7	13	20	30	39	74
GRAND TOTAL	**7364**	**11.3**	**100**	**2**	**3**	**9**	**14**	**22**	**30**	**55**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	8.0	23	3	4	7	9	14	20	26
20-34	61	8.7	11	5	5	8	10	12	17	21
35-49	84	9.4	13	5	5	9	11	14	17	21
50-64	133	10.3	13	6	7	9	12	15	18	21
65+	108	11.6	28	6	7	10	13	18	20	35
2. MULTIPLE DX										
0-19 YRS	133	9.9	47	3	4	8	12	19	25	34
20-34	172	11.6	69	5	5	9	13	20	25	55
35-49	263	14.8	138	6	7	12	17	25	34	86
50-64	556	14.4	71	7	8	12	17	23	30	56
65+	887	16.9	96	7	8	14	21	29	36	60
TOT. SINGLE DX	420	10.0	19	5	6	9	11	16	19	26
" MULTIPLE DX	2011	15.0	94	6	7	12	18	26	34	61
TOTAL 0-19 YRS	167	9.5	43	3	4	8	11	18	24	32
20-34	233	10.8	56	5	5	9	12	18	23	52
35-49	347	13.5	114	5	6	10	16	22	30	86
50-64	689	13.6	63	7	7	11	16	22	28	54
65+	995	16.3	92	7	8	14	20	28	36	58
GRAND TOTAL	**2431**	**14.1**	**85**	**6**	**7**	**12**	**17**	**24**	**31**	**57**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	5.7	18	1	2	4	8	11	15	17
20-34	334	6.7	20	1	2	6	9	12	16	23
35-49	418	7.4	21	1	2	7	10	13	17	21
50-64	338	7.2	18	1	2	7	9	12	14	21
65+	157	7.4	21	1	2	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	364	11.3	102	2	2	8	14	23	32	50
20-34	705	11.4	93	2	2	9	14	22	30	46
35-49	819	11.6	87	2	3	9	15	22	30	48
50-64	985	12.2	93	2	3	10	15	23	29	52
65+	950	13.3	101	2	3	11	17	26	32	54
TOT. SINGLE DX	1491	6.9	20	1	2	6	9	12	15	22
" MULTIPLE DX	3823	12.1	96	2	3	10	15	23	30	50
TOTAL 0-19 YRS	608	9.0	76	1	2	7	11	18	26	43
20-34	1039	9.9	75	1	2	8	12	20	25	41
35-49	1237	10.2	69	2	2	8	13	19	26	44
50-64	1323	10.9	80	2	2	9	13	20	26	50
65+	1107	12.5	94	2	3	10	16	25	31	50
GRAND TOTAL	**5314**	**10.7**	**80**	**2**	**2**	**9**	**13**	**20**	**28**	**46**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	5.9	7	1	3	6	8	9	11	12
20-34	217	7.6	13	2	3	7	10	12	13	16
35-49	345	7.8	16	2	3	8	10	12	14	20
50-64	282	8.1	16	2	3	8	10	14	15	23
65+	122	8.9	17	3	5	8	11	15	17	21
2. MULTIPLE DX										
0-19 YRS	32	5.5	13	<1	1	5	8	10	11	15
20-34	250	9.1	27	2	3	8	11	16	18	25
35-49	411	9.6	28	3	4	9	12	16	20	30
50-64	638	10.7	46	2	4	9	13	19	23	34
65+	592	12.8	62	3	5	11	16	23	30	39
TOT. SINGLE DX	993	7.9	16	2	3	8	10	13	14	21
" MULTIPLE DX	1923	10.8	47	2	4	9	14	19	24	35
TOTAL 0-19 YRS	59	5.7	11	1	1	5	8	10	11	15
20-34	467	8.4	22	2	3	8	11	14	16	24
35-49	756	8.8	24	2	4	8	11	14	18	25
50-64	920	9.9	39	2	4	9	12	17	22	31
65+	714	12.1	57	3	5	10	15	21	28	38
GRAND TOTAL	**2916**	**9.8**	**38**	**2**	**4**	**9**	**12**	**17**	**22**	**33**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	6.9	7	3	3	7	9	11	11	13
20-34	25	8.8	15	3	3	9	11	13	15	20
35-49	11	10.3	9	5	6	11	13	14	14	14
50-64	10	12.2	16	6	7	13	15	17	18	18
65+	15	12.8	38	2	7	13	14	23	24	24
2. MULTIPLE DX										
0-19 YRS	339	8.6	30	3	3	8	10	14	19	27
20-34	75	13.3	102	5	6	11	15	21	30	65
35-49	58	13.7	46	5	7	13	17	20	22	45
50-64	92	18.9	254	7	8	14	21	37	50	88
65+	126	18.9	116	6	9	16	26	34	43	75
TOT. SINGLE DX	309	7.6	12	3	3	7	9	12	13	20
" MULTIPLE DX	690	12.8	105	3	4	10	15	24	33	54
TOTAL 0-19 YRS	587	7.9	21	3	3	7	10	12	15	24
20-34	100	12.2	84	4	5	10	14	19	28	60
35-49	69	13.2	42	5	7	12	16	19	21	44
50-64	102	18.2	234	6	8	14	19	36	44	87
65+	141	18.3	112	6	8	15	24	33	42	70
GRAND TOTAL	**999**	**11.2**	**82**	**3**	**4**	**9**	**13**	**20**	**28**	**48**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	5.0	10	1	2	4	7	9	11	15
20-34	677	4.3	7	1	2	4	5	7	9	14
35-49	824	4.3	6	1	2	4	6	8	9	13
50-64	527	4.5	8	1	2	4	6	8	10	15
65+	181	5.0	10	1	1	4	7	9	12	16
2. MULTIPLE DX										
0-19 YRS	121	7.4	57	1	1	5	9	15	21	43
20-34	441	5.8	32	2	2	5	7	10	14	21
35-49	693	5.2	13	1	2	4	6	9	11	17
50-64	737	6.5	23	2	2	5	8	12	16	24
65+	657	8.4	48	2	2	6	10	17	22	38
TOT. SINGLE DX	2298	4.4	8	1	2	4	6	8	10	14
" MULTIPLE DX	2649	6.5	32	2	2	5	8	12	16	29
TOTAL 0-19 YRS	210	6.4	39	1	2	5	8	12	16	32
20-34	1118	4.9	18	1	2	4	6	9	11	17
35-49	1517	4.7	10	1	2	4	6	8	10	14
50-64	1264	5.6	18	1	2	5	7	10	14	22
65+	838	7.7	43	2	2	6	10	15	20	34
GRAND TOTAL	**4947**	**5.6**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	412	2.6	4	<1	<1	2	3	5	8	11
20-34	810	4.0	12	<1	1	3	5	8	10	18
35-49	835	4.0	11	<1	1	3	5	8	9	15
50-64	865	4.0	13	1	1	3	5	8	10	17
65+	766	4.1	16	1	1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	879	4.1	17	<1	1	3	5	8	11	22
20-34	1999	6.2	37	1	1	5	8	12	16	31
35-49	2694	7.1	54	1	1	5	9	14	20	38
50-64	4537	7.2	58	1	1	5	9	15	20	40
65+	9041	8.8	67	1	2	7	11	18	24	42
TOT. SINGLE DX	3688	3.9	13	<1	1	3	5	8	10	16
" MULTIPLE DX	19150	7.7	60	1	1	6	10	16	21	39
TOTAL 0-19 YRS	1291	3.6	14	<1	<1	2	5	8	10	18
20-34	2809	5.6	31	1	1	4	7	11	14	29
35-49	3529	6.4	46	1	1	5	8	13	18	33
50-64	5402	6.7	52	1	1	5	9	13	19	38
65+	9807	8.4	66	1	2	6	11	17	23	41
GRAND TOTAL	**22838**	**7.1**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.9	8	<1	<1	2	4	7	10	11
20-34	57	2.6	2	1	1	2	3	5	5	10
35-49	194	2.8	6	<1	1	2	3	5	7	15
50-64	738	3.5	10	1	1	3	4	6	8	13
65+	1431	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	40	5.5	34	1	1	4	7	11	17	32
20-34	180	6.1	88	<1	1	4	7	10	14	67
35-49	431	4.9	26	1	1	3	6	10	15	28
50-64	1568	5.5	31	1	1	4	7	11	15	33
65+	5572	6.6	39	1	2	5	8	14	18	31
TOT. SINGLE DX	2432	3.6	10	1	1	3	4	6	8	13
" MULTIPLE DX	7791	6.3	39	1	2	4	8	13	17	31
TOTAL 0-19 YRS	52	4.9	30	1	1	3	6	10	17	32
20-34	237	5.2	70	1	1	3	6	9	12	38
35-49	625	4.2	21	1	1	3	5	8	12	23
50-64	2306	4.9	26	1	1	4	6	9	13	30
65+	7003	6.0	35	1	2	4	7	12	17	30
GRAND TOTAL	**10223**	**5.6**	**33**	**1**	**1**	**4**	**7**	**11**	**16**	**30**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.2	13	1	1	4	7	11	12	15
20-34	109	5.1	19	1	1	4	7	10	15	22
35-49	188	6.2	38	1	1	5	7	12	16	36
50-64	286	5.4	21	1	1	4	7	13	15	21
65+	353	6.3	32	1	1	4	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	309	9.2	78	2	3	7	11	19	27	52
20-34	311	9.0	80	1	2	6	11	19	27	43
35-49	456	9.6	120	2	2	7	11	19	33	80
50-64	995	10.1	99	1	2	7	13	21	28	48
65+	2594	11.2	97	2	2	9	15	24	31	48
TOT. SINGLE DX	1008	5.8	28	1	1	4	8	13	16	23
" MULTIPLE DX	4665	10.6	98	2	2	8	14	22	30	49
TOTAL 0-19 YRS	381	8.4	69	1	2	6	10	17	24	51
20-34	420	8.0	67	1	2	6	10	18	24	42
35-49	644	8.6	99	1	2	6	10	17	28	52
50-64	1281	9.1	86	1	2	6	12	19	25	45
65+	2947	10.6	92	2	2	8	14	23	29	47
GRAND TOTAL	**5673**	**9.7**	**89**	**1**	**2**	**7**	**13**	**21**	**28**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	1.4		<1	<1	1	1	3	3	6
20-34	8	2.0	3	<1	<1	1	2	5	6	6
35-49	5	2.4	7	<1	<1	1	3	7	7	7
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	8	3.6	17	<1	<1	2	4	11	13	13
2. MULTIPLE DX										
0-19 YRS	122	2.3	2	<1	<1	2	3	5	6	7
20-34	38	5.0	57	<1	<1	2	5	11	20	41
35-49	29	4.4	14	<1	<1	3	6	11	13	15
50-64	55	5.0	23	<1	<1	3	7	12	15	22
65+	70	6.8	35	1	2	5	10	15	21	25
TOT. SINGLE DX	97	1.7	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	314	4.3	24	<1	<1	2	5	11	14	24
TOTAL 0-19 YRS	192	2.0	2	<1	<1	1	2	4	5	7
20-34	46	4.5	49	<1	<1	2	5	10	16	41
35-49	34	4.1	13	<1	<1	3	6	9	13	15
50-64	61	4.8	22	<1	<1	3	7	12	14	22
65+	78	6.5	34	1	1	4	10	15	20	25
GRAND TOTAL	**411**	**3.7**	**20**	**<1**	**<1**	**2**	**4**	**9**	**12**	**23**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	4.3	9	1	1	3	6	9	10	13
20-34	105	4.2	10	<1	1	3	5	9	11	14
35-49	118	4.8	8	1	1	5	7	9	10	12
50-64	107	4.6	9	1	1	4	6	9	10	14
65+	89	3.6	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	482	5.1	13	1	1	4	7	10	12	18
20-34	185	5.9	84	1	1	3	6	10	14	48
35-49	236	6.7	44	1	1	5	9	12	15	45
50-64	260	6.5	21	1	2	6	9	12	14	22
65+	456	6.6	35	1	2	5	9	13	17	28
TOT. SINGLE DX	1036	4.3	9	1	1	4	6	9	10	13
" MULTIPLE DX	1619	6.1	34	1	1	5	8	12	15	26
TOTAL 0-19 YRS	1099	4.6	11	1	1	4	7	9	11	15
20-34	290	5.3	58	1	1	3	6	10	13	34
35-49	354	6.0	33	1	1	5	8	11	13	29
50-64	367	6.0	19	1	1	5	8	12	14	20
65+	545	6.1	32	1	2	5	8	12	16	26
GRAND TOTAL	**2655**	**5.4**	**25**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	2.0	2	<1	<1	1	2	4	5	7
20-34	104	3.2	6	<1	<1	2	4	7	9	11
35-49	100	3.1	5	<1	<1	2	4	6	7	13
50-64	87	3.0	3	<1	1	2	4	6	6	9
65+	111	3.0	5	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	411	3.3	20	<1	1	2	4	7	8	20
20-34	570	6.3	58	<1	1	4	7	12	19	40
35-49	685	6.5	40	<1	1	5	9	14	17	32
50-64	1032	7.3	51	1	2	6	10	15	19	38
65+	2122	8.5	57	1	2	7	11	17	22	38
TOT. SINGLE DX	528	2.8	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	4820	7.3	53	1	1	5	9	15	20	38
TOTAL 0-19 YRS	537	3.0	17	<1	<1	2	4	6	8	16
20-34	674	5.8	52	<1	1	4	7	11	16	38
35-49	785	6.1	37	<1	1	4	8	13	17	31
50-64	1119	7.0	49	1	1	5	9	14	19	36
65+	2233	8.3	56	1	2	6	11	16	22	37
GRAND TOTAL	**5348**	**6.8**	**50**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.2	1	<1	<1	2	3	4	5	7
20-34	165	3.1	13	1	1	2	3	6	8	17
35-49	114	3.3	7	<1	1	2	4	7	9	14
50-64	96	3.6	11	1	1	3	4	7	10	21
65+	157	3.7	8	1	1	3	4	7	10	14
2. MULTIPLE DX										
0-19 YRS	165	3.2	13	<1	1	2	4	6	9	24
20-34	266	4.4	30	1	1	3	5	9	12	39
35-49	262	4.8	23	1	1	3	6	10	13	33
50-64	366	5.9	36	1	2	4	7	13	17	27
65+	876	6.8	41	1	2	5	9	14	19	32
TOT. SINGLE DX	625	3.2	9	1	1	2	4	6	8	15
" MULTIPLE DX	1935	5.7	36	1	1	4	7	12	17	30
TOTAL 0-19 YRS	258	2.8	9	<1	<1	2	3	5	7	20
20-34	431	3.9	25	1	1	3	4	8	11	24
35-49	376	4.3	19	1	1	3	5	9	12	22
50-64	462	5.4	32	1	1	4	7	12	16	27
65+	1033	6.4	38	1	2	4	8	13	18	30
GRAND TOTAL	**2560**	**5.1**	**30**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.3	3	7	7	8	9	11	11	11
20-34	87	6.4	4	3	4	6	8	10	10	12
35-49	327	6.9	5	3	4	7	8	10	11	15
50-64	243	7.4	6	4	5	7	8	10	12	16
65+	106	7.9	8	3	4	8	9	11	13	17
2. MULTIPLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	168	7.4	14	4	5	7	8	10	11	31
35-49	624	8.5	15	5	5	8	9	12	16	25
50-64	552	8.8	16	5	5	8	10	13	16	23
65+	444	10.0	26	5	6	9	11	16	19	28
TOT. SINGLE DX	767	7.1	6	4	4	7	8	10	11	16
" MULTIPLE DX	1790	8.9	19	5	5	8	10	13	17	26
TOTAL 0-19 YRS	6	7.3	7	3	3	7	8	11	11	11
20-34	255	7.0	11	4	5	7	8	10	11	20
35-49	951	7.9	13	4	5	7	9	11	14	21
50-64	795	8.4	14	4	5	8	9	12	15	22
65+	550	9.6	24	5	6	9	11	15	19	27
GRAND TOTAL	**2557**	**8.3**	**16**	**4**	**5**	**8**	**9**	**12**	**15**	**23**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	49	5.8	4	3	3	5	7	9	9	12
35-49	147	6.3	5	3	4	6	8	9	10	14
50-64	142	6.4	6	3	4	6	8	9	10	16
65+	78	7.1	5	4	4	7	9	10	11	13
2. MULTIPLE DX										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	52	6.6	7	3	4	6	8	9	10	17
35-49	214	7.9	29	4	4	7	9	12	14	30
50-64	289	7.7	10	4	5	7	9	12	14	19
65+	241	8.7	15	4	5	8	10	14	16	24
TOT. SINGLE DX	419	6.4	6	3	4	6	8	9	10	14
" MULTIPLE DX	800	8.0	17	4	4	7	9	12	14	23
TOTAL 0-19 YRS	7	4.3	2	3	3	4	4	6	7	7
20-34	101	6.2	6	3	4	6	8	9	10	16
35-49	361	7.2	20	3	4	7	8	11	13	25
50-64	431	7.3	9	4	4	7	9	11	13	18
65+	319	8.3	13	4	5	8	10	13	15	23
GRAND TOTAL	**1219**	**7.4**	**14**	**4**	**4**	**7**	**9**	**11**	**13**	**20**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	6	1	1	6	6	6	6	6
20-34	29	5.2	8	1	2	5	7	10	11	11
35-49	45	4.8	9	1	2	4	6	8	10	18
50-64	32	3.5	4	1	1	3	5	7	8	8
65+	14	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	13	5.9	17	1	2	6	9	11	15	16
20-34	66	6.8	22	1	2	5	9	12	14	27
35-49	74	6.8	30	1	2	5	9	14	18	26
50-64	106	8.0	57	1	2	6	9	17	25	40
65+	129	9.6	60	2	2	8	12	18	24	42
TOT. SINGLE DX	124	4.3	8	1	2	4	6	8	9	14
" MULTIPLE DX	388	8.0	47	1	2	6	10	16	22	35
TOTAL 0-19 YRS	17	5.6	14	1	1	6	7	9	14	16
20-34	95	6.3	18	1	2	5	8	11	13	25
35-49	119	6.0	23	1	2	5	8	12	17	25
50-64	138	6.9	49	1	2	5	8	15	21	35
65+	143	9.0	59	1	2	7	12	16	24	41
GRAND TOTAL	512	7.1	40	1	2	6	9	14	20	32

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.0	14	1	1	2	6	10	12	12
20-34	20	6.8	15	<1	1	7	10	12	13	14
35-49	16	8.0	59	2	2	6	9	18	28	32
50-64	14	7.0	69	1	2	4	8	14	29	34
65+	5	7.6	34	1	1	9	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	7	11.9	103	3	3	6	17	28	31	31
20-34	35	8.3	96	1	1	6	11	16	18	58
35-49	39	10.6	31	4	5	9	15	19	22	25
50-64	70	12.7	96	3	4	9	[illegible]	27	33	49
65+	107	12.2	101	2	3	10	15	24	33	52
TOT. SINGLE DX	64	6.8	39	1	1	5	9	13	15	34
" MULTIPLE DX	258	11.5	90	2	3	9	15	22	31	50
TOTAL 0-19 YRS	16	7.4	65	1	1	5	9	18	27	31
20-34	55	7.7	67	1	1	6	10	14	16	56
35-49	55	9.9	40	2	4	8	13	19	22	32
50-64	84	11.7	96	3	3	9	15	26	33	48
65+	112	12.0	99	2	3	10	15	24	33	51
GRAND TOTAL	322	10.6	83	2	3	8	13	21	30	47

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	80	5.2	6	2	3	5	6	8	10	16
50-64	1631	5.6	4	3	4	5	6	8	10	14
65+	2881	6.1	6	3	4	6	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	23	9.2	32	4	5	6	11	19	21	24
20-34	12	11.6	81	3	4	8	17	27	29	29
35-49	210	7.4	59	3	3	6	8	11	15	46
50-64	5246	7.7	28	3	4	6	9	13	16	29
65+	18448	9.2	40	4	4	7	11	16	21	34
TOT. SINGLE DX	4597	5.9	6	3	4	5	7	9	10	14
" MULTIPLE DX	23939	8.9	39	4	4	7	10	16	20	33
TOTAL 0-19 YRS	25	9.1	30	4	5	6	10	19	21	24
20-34	15	9.5	83	<1	1	5	14	26	28	29
35-49	290	6.8	46	3	3	5	8	11	14	41
50-64	6877	7.2	23	3	4	6	8	12	15	27
65+	21329	8.8	37	4	4	7	10	16	20	33
GRAND TOTAL	28536	8.4	35	4	4	7	10	15	19	32

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	158	11.4	20	5	7	10	14	18	20	25
65+	184	10.6	18	4	6	10	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	5	4.6	22	2	2	3	6	13	13	13
20-34										
35-49	10	11.4	37	2	2	11	14	20	23	23
50-64	339	13.3	40	6	7	12	16	21	24	39
65+	1150	13.9	49	5	7	13	17	21	26	38
TOT. SINGLE DX	344	11.0	19	4	6	10	14	17	19	24
" MULTIPLE DX	1504	13.7	48	5	7	12	17	21	25	38
TOTAL 0-19 YRS	5	4.6	22	2	2	3	6	13	13	13
20-34										
35-49	12	11.2	31	2	3	11	13	19	22	23
50-64	497	12.7	35	6	7	11	15	20	22	35
65+	1334	13.5	46	5	7	12	16	21	25	37
GRAND TOTAL	1848	13.2	43	5	7	12	16	21	24	36

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	4	1.5		1	1	1	2	2	2	2
35-49	50	2.1	2	1	1	2	3	3	5	11
50-64	477	2.5	6	1	1	2	3	4	6	13
65+	497	2.9	8	1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	4	5.3	12	1	1	5	8	9	9	9
20-34	20	5.3	32	<1	1	3	7	12	18	24
35-49	115	4.7	22	1	1	3	6	9	12	30
50-64	768	4.9	34	1	1	3	6	11	16	24
65+	1850	6.7	50	1	1	4	9	15	21	34
TOT. SINGLE DX	1032	2.7	7	1	1	2	3	5	7	12
" MULTIPLE DX	2757	6.1	46	1	1	4	8	14	19	32
TOTAL 0-19 YRS	8	3.9	9	1	1	3	6	8	9	9
20-34	24	4.6	29	<1	1	2	6	11	16	24
35-49	165	3.9	18	1	1	2	5	9	11	27
50-64	1245	4.0	25	1	1	2	4	9	12	23
65+	2347	5.9	44	1	1	3	7	13	19	32
GRAND TOTAL	3789	5.2	37	1	1	3	6	11	17	30

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	1.9	1	<1	1	2	2	3	4	6
20-34	119	2.7	4	1	1	2	4	5	7	11
35-49	105	3.4	16	1	1	3	4	6	8	25
50-64	82	3.0	4	1	1	3	4	5	6	13
65+	62	2.9	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	138	2.8	10	1	1	2	3	5	7	18
20-34	116	4.2	8	1	1	4	6	9	10	14
35-49	126	6.4	86	1	1	4	7	13	19	48
50-64	180	6.5	47	1	2	4	8	13	18	42
65+	186	8.5	99	1	2	5	10	18	27	47
TOT. SINGLE DX	510	2.7	6	1	1	2	3	5	6	11
" MULTIPLE DX	746	5.9	58	1	1	4	7	12	18	37
TOTAL 0-19 YRS	280	2.4	6	1	1	2	3	4	6	14
20-34	235	3.4	7	1	1	3	5	7	9	13
35-49	231	5.1	57	1	1	3	5	9	14	37
50-64	262	5.4	36	1	1	3	6	11	16	28
65+	248	7.1	82	1	1	4	8	16	22	41
GRAND TOTAL	1256	4.6	39	1	1	3	5	9	15	32

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	2.2	2	1	1	2	3	4	5	9
20-34	281	3.6	7	1	1	3	4	7	10	15
35-49	132	3.5	7	1	1	3	4	7	8	17
50-64	101	4.1	8	1	1	3	5	8	10	17
65+	190	4.4	13	1	1	3	5	11	13	18
2. MULTIPLE DX										
0-19 YRS	232	2.7	3	1	1	2	3	5	7	11
20-34	248	5.3	44	1	1	3	6	12	15	29
35-49	140	6.0	60	1	1	3	7	13	16	54
50-64	314	8.1	77	2	2	6	10	17	21	37
65+	1230	8.5	61	1	2	6	12	18	22	38
TOT. SINGLE DX	915	3.5	9	1	1	3	4	7	10	15
" MULTIPLE DX	2164	7.3	59	1	2	4	10	17	21	37
TOTAL 0-19 YRS	443	2.5	3	1	1	2	3	4	6	11
20-34	529	4.4	26	1	1	3	5	9	13	25
35-49	272	4.8	36	1	1	3	5	9	13	32
50-64	415	7.1	64	1	2	5	9	15	20	34
65+	1420	7.9	57	1	2	5	11	18	21	37
GRAND TOTAL	3079	6.1	47	1	1	4	8	14	19	33

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	950	1.9	1	<1	1	2	2	3	4	6
20-34	135	2.1	2	1	1	2	3	4	5	8
35-49	15	2.5	6	<1	1	1	3	5	9	10
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	791	2.4	3	1	1	2	3	4	6	9
20-34	53	2.7	2	1	1	2	4	5	6	8
35-49	14	2.4	1	1	1	2	3	4	5	5
50-64	7	5.3	8	2	2	4	6	10	11	11
65+	3	4.7	8	3	3	3	7	8	8	8
TOT. SINGLE DX	1102	1.9	2	<1	1	2	2	3	4	7
" MULTIPLE DX	868	2.4	4	1	1	2	3	4	6	9
TOTAL 0-19 YRS	1741	2.1	3	<1	1	2	3	4	5	8
20-34	188	2.3	2	1	1	2	3	4	5	8
35-49	29	2.4	4	1	1	2	3	4	5	10
50-64	9	4.3	10	<1	<1	4	6	9	11	11
65+	3	4.7	8	3	3	3	7	8	8	8
GRAND TOTAL	**1970**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	199	1.8	1	<1	1	1	2	3	5	8
20-34	139	2.3	3	1	1	2	3	4	5	12
35-49	57	2.3	4	<1	1	2	3	4	8	11
50-64	14	2.9	2	1	1	3	3	5	6	6
65+	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	86	3.0	9	<1	1	2	3	6	9	18
20-34	81	3.1	7	<1	1	2	4	5	8	16
35-49	41	3.1	7	1	1	2	4	6	8	16
50-64	39	5.1	27	1	2	4	5	11	20	24
65+	18	8.3	51	1	1	7	14	21	22	22
TOT. SINGLE DX	413	2.1	3	<1	1	2	3	4	5	10
" MULTIPLE DX	265	3.7	16	1	1	2	4	7	13	22
TOTAL 0-19 YRS	285	2.2	4	<1	1	2	2	4	6	11
20-34	220	2.6	5	<1	1	2	3	5	6	15
35-49	98	2.7	6	1	1	2	3	5	8	14
50-64	53	4.5	21	1	2	3	4	7	17	24
65+	22	7.3	47	1	1	4	9	20	22	22
GRAND TOTAL	**678**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**18**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	49	1.5	3	<1	<1	1	1	2	3	12
35-49	22	4.0	63	<1	<1	1	2	9	27	33
50-64	4	7.0	4	4	4	8	8	8	8	8
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	53	7.4	167	<1	<1	2	5	28	31	71
35-49	59	4.2	20	<1	<1	3	6	10	12	23
50-64	11	6.7	44	<1	<1	5	9	16	23	24
65+	14	14.5	89	4	5	12	17	30	36	38
TOT. SINGLE DX	77	2.6	22	<1	<1	1	2	6	9	30
" MULTIPLE DX	141	6.5	92	<1	<1	3	7	17	28	41
TOTAL 0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	102	4.6	96	<1	<1	1	2	13	28	51
35-49	81	4.1	31	<1	<1	2	5	10	15	30
50-64	15	6.8	32	<1	<1	6	8	11	21	24
65+	15	14.1	85	4	6	12	16	29	36	38
GRAND TOTAL	**218**	**5.2**	**70**	**<1**	**<1**	**2**	**5**	**13**	**24**	**35**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	475	1.7		<1	1	1	2	3	3	6
20-34	566	2.1	1	1	1	2	3	4	4	8
35-49	443	2.2	2	1	1	2	3	4	4	8
50-64	409	2.6	2	1	1	2	3	4	5	10
65+	175	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	344	2.1	2	<1	1	2	3	4	5	7
20-34	504	2.7	11	<1	1	2	3	5	7	14
35-49	373	3.1	7	1	1	2	4	6	9	14
50-64	515	4.1	12	1	1	3	5	8	11	18
65+	404	4.6	14	1	2	3	5	9	12	17
TOT. SINGLE DX	2068	2.2	2	1	1	2	3	4	4	8
" MULTIPLE DX	2140	3.4	11	1	1	2	4	6	9	15
TOTAL 0-19 YRS	819	1.9	2	<1	1	2	2	3	4	6
20-34	1070	2.3	6	<1	1	2	3	4	5	10
35-49	816	2.6	5	1	1	2	3	4	7	13
50-64	924	3.4	9	1	1	3	4	6	9	14
65+	579	4.0	12	1	1	3	5	8	10	16
GRAND TOTAL	**4208**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	1.5		<1	<1	1	2	2	3	6
20-34	71	2.5	45	<1	1	2	2	3	3	47
35-49	68	1.6	1	<1	<1	1	2	2	3	7
50-64	55	1.6		1	1	1	2	2	3	6
65+	25	1.9		<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	131	3.1	18	<1	<1	1	3	7	12	23
20-34	103	3.6	28	<1	1	2	3	8	11	32
35-49	190	4.3	12	1	1	3	6	10	11	14
50-64	253	4.4	40	1	1	2	5	9	12	20
65+	276	5.2	35	1	1	3	7	11	17	33
TOT. SINGLE DX	785	1.7	5	<1	<1	1	2	2	3	5
" MULTIPLE DX	1338	4.5	31	1	1	2	6	10	14	25
TOTAL 0-19 YRS	619	2.4	13	<1	<1	1	2	4	9	20
20-34	284	3.0	26	<1	1	2	3	6	9	26
35-49	369	3.5	10	<1	1	2	5	9	10	14
50-64	423	3.8	32	<1	1	2	5	8	10	19
65+	428	4.9	33	1	1	2	6	11	16	31
GRAND TOTAL	2123	3.4	23	<1	<1	2	4	8	11	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.2	7	<1	<1	2	4	7	9	15
20-34	103	3.1	17	<1	1	2	4	6	9	27
35-49	110	4.5	19	1	2	4	5	8	12	29
50-64	203	4.1	4	1	2	4	5	7	7	12
65+	90	3.8	4	1	1	4	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	105	4.0	23	<1	1	3	5	7	9	31
20-34	143	7.6	61	2	2	5	8	16	28	45
35-49	281	5.9	24	2	2	5	7	11	15	27
50-64	553	5.0	10	2	2	4	6	8	11	18
65+	318	6.3	34	2	2	5	7	13	18	33
TOT. SINGLE DX	608	3.8	10	1	1	3	5	7	8	16
" MULTIPLE DX	1400	5.7	25	1	2	4	6	10	15	28
TOTAL 0-19 YRS	207	3.6	16	<1	1	3	4	7	9	19
20-34	246	5.7	48	1	1	4	6	13	21	32
35-49	391	5.5	23	1	2	4	6	10	15	27
50-64	756	4.8	9	2	2	4	6	8	10	17
65+	408	5.8	29	1	2	4	6	11	17	30
GRAND TOTAL	2008	5.1	22	1	2	4	6	9	13	27

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	5.0	5	2	3	5	6	7	9	13
20-34	917	5.1	3	2	3	5	6	7	8	12
35-49	154	5.5	6	2	3	5	7	8	10	16
50-64	22	6.9	10	2	2	7	8	11	13	15
65+	18	8.1	12	2	4	8	10	12	15	17
2. MULTIPLE DX										
0-19 YRS	393	5.8	8	3	3	5	7	9	12	17
20-34	2412	5.9	8	2	3	5	7	9	11	17
35-49	459	6.8	16	2	3	6	8	12	14	20
50-64	80	11.3	70	3	5	8	14	21	34	39
65+	114	15.4	117	4	6	13	19	28	37	58
TOT. SINGLE DX	1442	5.2	5	2	3	5	6	7	9	13
" MULTIPLE DX	3458	6.5	18	2	3	6	7	10	13	23
TOTAL 0-19 YRS	724	5.4	7	2	3	5	6	8	10	16
20-34	3329	5.7	7	2	3	5	6	8	10	15
35-49	613	6.5	15	2	3	6	8	11	13	20
50-64	102	10.4	61	3	4	8	12	19	32	39
65+	132	14.4	109	4	6	12	18	26	33	54
GRAND TOTAL	4900	6.1	14	2	3	5	7	9	12	21

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	5.2	2	3	3	5	6	8	8	12
20-34	946	5.5	5	3	3	5	6	8	9	12
35-49	366	5.9	4	3	4	6	7	9	10	15
50-64	71	6.7	4	4	4	6	8	9	12	14
65+	32	7.3	7	4	4	7	8	10	11	18
2. MULTIPLE DX										
0-19 YRS	262	6.8	8	4	4	6	8	10	12	20
20-34	2571	6.3	8	3	4	6	7	9	11	17
35-49	1308	7.2	17	4	4	6	8	11	14	25
50-64	196	10.3	76	4	5	8	12	16	24	59
65+	172	15.8	146	5	6	13	20	28	36	68
TOT. SINGLE DX	1579	5.6	5	3	4	5	6	8	9	13
" MULTIPLE DX	4509	7.1	23	3	4	6	8	11	15	26
TOTAL 0-19 YRS	426	6.2	7	3	4	6	7	9	11	17
20-34	3517	6.1	8	3	4	6	7	9	11	16
35-49	1674	6.9	15	3	4	6	8	11	13	20
50-64	267	9.4	60	4	5	7	11	15	20	53
65+	204	14.5	134	5	6	11	18	26	33	67
GRAND TOTAL	**6088**	**6.7**	**19**	**3**	**4**	**6**	**7**	**10**	**13**	**24**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	118	6.1	4	3	4	6	7	9	9	15
35-49	131	6.3	6	4	4	6	7	8	10	18
50-64	96	7.5	7	5	5	7	8	11	13	19
65+	28	8.4	8	4	4	8	11	12	13	13
2. MULTIPLE DX										
0-19 YRS	7	6.4	4	4	4	6	8	10	10	10
20-34	553	7.0	15	4	4	6	8	11	13	18
35-49	1002	7.2	13	4	4	6	8	10	14	22
50-64	354	10.4	40	5	5	8	13	18	23	33
65+	316	13.3	52	6	6	11	16	22	28	41
TOT. SINGLE DX	375	6.7	7	4	4	6	7	9	12	16
" MULTIPLE DX	2232	8.5	29	4	5	7	9	15	19	31
TOTAL 0-19 YRS	9	6.4	4	4	4	6	7	9	10	10
20-34	671	6.8	14	4	4	6	8	10	13	18
35-49	1133	7.1	13	4	4	6	8	10	14	22
50-64	450	9.8	35	5	5	8	11	16	21	33
65+	344	12.9	51	6	6	11	16	22	27	40
GRAND TOTAL	**2607**	**8.3**	**26**	**4**	**5**	**7**	**9**	**14**	**18**	**30**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	3.2	5	<1	1	3	4	6	7	13
20-34	236	3.2	5	1	1	3	5	6	8	9
35-49	44	3.7	11	1	1	3	5	7	10	17
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	125	4.9	12	1	1	4	6	9	12	18
20-34	857	4.7	10	1	1	5	6	8	9	16
35-49	173	5.2	19	1	1	5	6	9	13	36
50-64	15	7.5	19	1	2	8	11	14	14	14
65+	5	16.8	345	3	3	8	24	49	49	49
TOT. SINGLE DX	373	3.3	6	1	1	3	5	6	8	13
" MULTIPLE DX	1175	4.9	14	1	1	5	6	8	11	18
TOTAL 0-19 YRS	211	4.2	10	1	1	4	6	8	11	15
20-34	1093	4.4	9	1	1	4	6	7	9	16
35-49	217	4.9	18	1	1	4	6	8	13	30
50-64	19	6.6	19	1	1	7	10	13	14	14
65+	8	12.3	238	3	3	7	12	39	49	49
GRAND TOTAL	**1548**	**4.5**	**12**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	748	1.4		<1	<1	1	2	2	2	4
35-49	296	1.2		<1	<1	1	1	2	2	3
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	1103	2.1	4	<1	<1	1	2	4	5	9
35-49	485	2.4	29	<1	<1	1	2	3	6	15
50-64										
65+										
TOT. SINGLE DX	1051	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	1595	2.2	12	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	10	1.6	1	<1	<1	1	2	3	4	4
20-34	1851	1.8	3	<1	<1	1	2	3	4	8
35-49	781	1.9	19	<1	<1	1	2	3	4	13
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+										
GRAND TOTAL	**2646**	**1.8**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.5	2	1	1	3	5	6	7	7
20-34	1620	2.4	2	1	1	2	3	4	5	7
35-49	457	2.2	1	1	1	2	3	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	34	3.7	7	1	1	3	5	7	9	13
20-34	3837	3.4	3	1	1	3	4	5	6	9
35-49	867	3.5	6	1	1	3	4	6	7	14
50-64	11	10.6	118	1	3	6	13	24	40	41
65+										
TOT. SINGLE DX	2094	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	4749	3.4	5	1	1	3	4	5	6	11
TOTAL 0-19 YRS	50	3.7	6	1	1	3	5	7	8	13
20-34	5457	3.1	4	1	1	3	4	5	6	9
35-49	1324	3.0	5	1	1	3	4	5	7	10
50-64	12	9.9	114	1	2	6	12	22	38	41
65+										
GRAND TOTAL	6843	3.1	4	1	1	3	4	5	6	9

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	4.6	1	3	3	5	5	6	7	9
20-34	2143	4.6	6	2	3	5	5	6	7	9
35-49	230	4.8	3	2	3	5	6	7	8	12
50-64	3	3.7	14	1	1	2	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	202	5.5	5	3	3	5	6	8	10	14
20-34	2851	5.1	5	2	3	5	6	7	8	12
35-49	429	5.5	10	2	2	5	6	8	10	15
50-64	11	9.0	80	4	4	6	9	21	34	35
65+	7	10.6	18	6	6	9	13	17	18	18
TOT. SINGLE DX	2545	4.6	6	2	3	5	5	6	7	10
" MULTIPLE DX	3500	5.2	7	2	3	5	6	7	9	13
TOTAL 0-19 YRS	371	5.1	4	3	3	5	6	7	9	13
20-34	4994	4.9	6	2	3	5	6	7	8	11
35-49	659	5.2	8	2	3	5	6	8	10	13
50-64	14	7.9	69	1	2	6	8	14	30	35
65+	7	10.6	19	6	6	9	13	17	18	18
GRAND TOTAL	6045	5.0	6	2	3	5	6	7	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.9		<1	1	2	2	3	4	4
20-34	560	1.8	2	<1	1	1	2	3	4	5
35-49	222	2.0	1	<1	1	2	2	3	4	8
50-64	74	1.9	1	<1	1	2	2	3	5	7
65+	44	2.4	4	1	1	2	2	4	8	11
2. MULTIPLE DX										
0-19 YRS	19	2.0	1	<1	<1	2	3	4	5	5
20-34	462	2.2	5	<1	1	2	3	4	6	11
35-49	281	3.1	15	<1	1	2	3	6	10	22
50-64	140	3.1	12	1	1	2	3	6	8	22
65+	68	4.8	33	1	1	3	5	12	16	34
TOT. SINGLE DX	924	1.9	2	<1	1	2	2	3	4	7
" MULTIPLE DX	970	2.8	12	<1	1	2	3	5	8	21
TOTAL 0-19 YRS	43	1.9	1	<1	<1	2	2	3	4	5
20-34	1022	2.0	4	<1	1	2	2	3	4	8
35-49	503	2.6	10	<1	1	2	3	5	7	19
50-64	214	2.7	9	1	1	2	3	5	7	21
65+	112	3.8	23	1	1	2	4	9	14	26
GRAND TOTAL	1894	2.4	8	<1	1	2	3	4	6	14

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.8		<1	<1	2	2	3	4	4
20-34	244	2.0	1	<1	1	2	2	4	4	6
35-49	188	2.1	2	<1	<1	2	2	4	5	7
50-64	131	2.7	4	<1	1	2	3	6	7	10
65+	73	3.6	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	39	2.7	4	1	1	2	3	7	8	9
20-34	623	2.9	6	<1	1	2	3	5	8	15
35-49	739	3.6	22	<1	<1	2	4	8	11	20
50-64	430	4.5	26	<1	1	3	6	10	12	28
65+	484	6.6	36	1	2	5	9	13	18	29
TOT. SINGLE DX	653	2.3	3	<1	1	2	3	4	6	8
" MULTIPLE DX	2315	4.2	23	<1	1	2	5	9	12	24
TOTAL 0-19 YRS	56	2.4	4	1	1	2	3	5	8	9
20-34	867	2.6	5	<1	1	2	3	5	7	14
35-49	927	3.3	19	<1	<1	2	3	7	10	18
50-64	561	4.1	22	<1	1	2	5	9	12	25
65+	557	6.2	33	1	2	4	8	12	17	29
GRAND TOTAL	2968	3.8	19	<1	1	2	4	8	11	22

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	2.8	1	1	1	3	3	4	6	7
20-34	1111	2.5	2	1	1	2	3	4	5	8
35-49	109	2.3	2	1	1	2	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	3.8	6	1	1	3	4	8	10	10
20-34	337	3.7	12	1	1	3	4	7	9	19
35-49	36	4.2	10	1	1	3	5	10	12	15
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	1265	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	395	3.8	12	1	1	3	4	7	10	18
TOTAL 0-19 YRS	64	3.1	3	1	1	3	4	5	7	10
20-34	1448	2.8	5	1	1	2	3	5	6	11
35-49	145	2.8	5	1	1	2	3	5	6	12
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	1660	2.8	5	1	1	2	3	5	6	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.4	20	1	1	3	5	10	16	18
20-34	294	5.0	5	1	1	5	6	7	9	12
35-49	106	4.2	7	1	1	4	6	7	8	14
50-64	21	3.3	6	<1	<1	2	4	8	9	9
65+	10	3.0	15	<1	<1	2	3	9	14	14
2. MULTIPLE DX										
0-19 YRS	26	3.7	7	<1	1	2	5	8	9	10
20-34	635	5.4	23	1	1	5	7	9	11	19
35-49	291	5.2	14	<1	1	5	7	9	12	18
50-64	72	6.3	68	<1	1	3	7	15	25	42
65+	92	9.2	94	1	2	5	12	24	30	47
TOT. SINGLE DX	444	4.6	7	1	1	5	6	7	9	13
" MULTIPLE DX	1116	5.7	31	1	1	5	7	10	14	31
TOTAL 0-19 YRS	39	3.9	11	1	1	2	5	8	9	18
20-34	929	5.3	18	1	1	5	6	8	10	17
35-49	397	4.9	12	<1	1	5	7	9	11	17
50-64	93	5.6	56	<1	<1	3	7	11	25	40
65+	102	8.6	90	1	2	5	11	23	29	45
GRAND TOTAL	1560	5.4	24	1	1	5	7	9	12	26

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.7	5	3	3	5	7	9	10	10
20-34	1307	6.3	3	4	5	6	7	8	9	12
35-49	2145	6.5	2	4	5	6	7	8	9	13
50-64	691	7.2	5	5	5	7	8	10	11	16
65+	282	8.0	8	5	6	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	64	7.7	12	4	4	7	9	13	15	20
20-34	8492	6.9	8	4	5	6	7	9	11	17
35-49	19913	7.1	7	5	5	7	8	9	11	18
50-64	5318	8.1	13	5	5	7	9	12	14	23
65+	2186	10.6	38	6	6	9	12	17	22	38
TOT. SINGLE DX	4432	6.7	4	4	5	6	7	9	10	14
" MULTIPLE DX	35973	7.4	11	5	5	7	8	10	13	21
TOTAL 0-19 YRS	71	7.5	12	3	4	6	9	13	15	20
20-34	9799	6.8	8	4	5	6	7	9	11	16
35-49	22058	7.1	7	5	5	7	8	9	11	17
50-64	6009	8.0	13	5	5	7	9	11	14	23
65+	2468	10.3	36	6	6	9	11	17	21	37
GRAND TOTAL	40405	7.3	11	5	5	7	8	10	12	20

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	640	5.4	2	3	4	5	6	7	8	11
35-49	681	5.7	2	4	4	5	7	8	9	11
50-64	384	7.1	4	4	5	7	8	10	11	14
65+	322	7.3	4	5	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	13	4.8	4	2	2	6	6	7	8	8
20-34	2643	6.0	4	4	4	6	7	8	10	14
35-49	5223	6.5	5	4	4	6	7	9	11	15
50-64	1806	7.6	13	4	5	7	8	11	12	19
65+	1513	8.6	12	5	6	8	10	12	15	22
TOT. SINGLE DX	2029	6.1	4	4	4	6	7	9	10	13
" MULTIPLE DX	11198	6.9	8	4	4	6	8	10	11	17
TOTAL 0-19 YRS	15	5.3	10	2	2	6	6	8	12	14
20-34	3283	5.9	4	4	4	6	7	8	9	13
35-49	5904	6.4	6	4	4	6	7	9	10	15
50-64	2190	7.5	12	4	5	7	8	10	12	19
65+	1835	8.4	11	5	6	8	9	12	14	21
GRAND TOTAL	13227	6.7	8	4	4	6	8	10	11	16

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	33	10.3	4	7	8	10	11	12	14	18
35-49	36	11.4	13	6	7	11	14	16	17	23
50-64	16	10.9	17	4	6	10	14	17	18	19
65+	6	13.0	19	7	7	12	17	19	19	19
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	35	10.2	17	5	6	10	11	14	17	27
35-49	68	13.8	56	7	8	12	15	21	25	47
50-64	69	17.3	96	6	8	15	23	31	44	92
65+	46	18.8	73	9	10	17	22	33	37	47
TOT. SINGLE DX	91	11.0	11	7	7	11	13	15	18	21
" MULTIPLE DX	219	15.4	74	6	8	13	18	25	36	51
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	68	10.3	11	6	7	10	11	13	16	25
35-49	104	12.9	43	6	7	12	14	20	24	46
50-64	85	16.1	88	6	8	14	18	28	38	85
65+	52	18.1	71	9	10	16	21	32	36	47
GRAND TOTAL	310	14.1	60	6	8	12	16	23	29	48

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.8		<1	1	2	2	3	4	4
20-34	148	2.0	3	<1	<1	1	2	4	5	9
35-49	30	1.8	1	1	1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	3.7	9	1	1	3	6	8	9	12
20-34	150	4.1	16	1	1	3	5	9	12	20
35-49	35	3.4	15	1	1	2	4	9	11	19
50-64										
65+										
TOT. SINGLE DX	202	1.9	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	216	3.9	15	1	1	2	5	9	12	20
TOTAL 0-19 YRS	55	2.9	6	1	1	2	3	7	9	12
20-34	298	3.0	11	<1	1	2	3	7	10	19
35-49	65	2.6	9	1	1	2	3	6	9	18
50-64										
65+										
GRAND TOTAL	418	2.9	10	<1	1	2	3	7	9	18

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2473	1.7	1	<1	<1	1	2	3	4	7
20-34	14166	1.6	1	<1	<1	1	2	3	4	6
35-49	3303	1.7	2	<1	<1	1	2	3	3	7
50-64	958	1.9	3	<1	<1	2	2	3	4	10
65+	348	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	1010	3.3	8	1	1	2	4	7	8	14
20-34	8097	3.2	11	<1	1	2	4	7	9	16
35-49	5560	3.3	17	<1	1	2	4	7	10	18
50-64	2496	3.6	19	<1	1	2	4	8	12	23
65+	1532	4.9	29	1	1	3	6	11	16	28
TOT. SINGLE DX	21248	1.6	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	18695	3.4	16	<1	1	2	4	7	10	19
TOTAL 0-19 YRS	3483	2.1	4	<1	<1	1	2	4	6	10
20-34	22263	2.2	6	<1	<1	1	2	4	6	11
35-49	8863	2.7	12	<1	<1	2	3	6	8	16
50-64	3454	3.1	16	<1	1	2	3	7	10	20
65+	1880	4.4	26	1	1	2	5	10	15	27
GRAND TOTAL	39943	2.5	9	<1	<1	2	3	5	7	15

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	1.9	2	<1	<1	1	2	4	5	8
20-34	182	1.6	1	<1	<1	1	2	3	4	7
35-49	28	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	46	4.5	102	<1	1	2	4	8	11	69
20-34	229	4.6	36	<1	1	3	6	10	13	29
35-49	70	2.6	3	<1	<1	2	3	5	6	11
50-64										
65+										
TOT. SINGLE DX	253	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	345	4.2	39	<1	1	2	5	9	11	29
TOTAL 0-19 YRS	89	3.2	55	<1	<1	1	3	6	8	47
20-34	411	3.3	23	<1	<1	2	3	7	11	20
35-49	98	2.3	3	<1	<1	2	3	5	6	10
50-64										
65+										
GRAND TOTAL	598	3.1	25	<1	<1	2	3	7	10	20

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	1.4		<1	<1	1	2	2	3	4
20-34	1776	1.3		<1	<1	1	1	2	3	5
35-49	211	1.3		<1	<1	1	1	2	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	69	3.6	28	<1	1	2	4	7	13	34
20-34	426	2.2	3	<1	1	2	3	4	6	10
35-49	90	2.2	5	<1	<1	1	2	5	6	14
50-64	6	3.2	3	1	1	3	5	5	5	5
65+	10	14.5	181	2	2	10	22	37	38	38
TOT. SINGLE DX	2275	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	601	2.6	12	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	355	1.8	7	<1	<1	1	2	3	4	13
20-34	2202	1.5	1	<1	<1	1	2	3	4	6
35-49	301	1.6	2	<1	<1	1	2	3	4	7
50-64	7	3.0	3	1	1	2	5	5	5	5
65+	11	13.4	177	2	2	7	20	37	38	38
GRAND TOTAL	2876	1.6	3	<1	<1	1	2	3	4	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	35	4.7	4	1	1	5	6	7	8	10
35-49	10	5.7	2	4	4	5	6	8	9	9
50-64	3	7.3	4	5	5	8	9	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	15	5.3	1	3	4	5	6	7	7	7
20-34	208	5.4	4	2	3	5	6	7	9	13
35-49	22	7.0	6	3	4	7	8	11	12	13
50-64	8	7.6	16	4	4	7	9	14	16	16
65+	8	7.9	6	5	5	8	9	11	12	12
TOT. SINGLE DX	49	5.1	4	1	2	5	6	8	9	99+
" MULTIPLE DX	261	5.7	5	2	3	5	7	8	10	13
TOTAL 0-19 YRS	16	5.3	2	3	4	5	6	7	7	7
20-34	243	5.3	4	2	3	5	6	7	9	13
35-49	32	6.6	5	3	4	6	7	10	12	13
50-64	11	7.5	12	4	4	8	9	12	16	16
65+	8	7.9	6	5	5	8	10	65	99+	99+
GRAND TOTAL	310	5.6	5	2	3	5	6	8	10	14

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.4	6	1	1	2	5	8	8	9
20-34	203	3.5	17	<1	1	3	4	6	7	24
35-49	49	3.6	3	<1	<1	3	5	6	8	9
50-64	39	3.8	1	2	3	4	4	6	7	7
65+	32	3.5	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	40	4.5	11	1	1	4	6	9	12	15
20-34	328	3.9	8	1	1	3	5	7	8	16
35-49	70	4.0	12	1	1	3	5	7	10	22
50-64	69	4.3	13	2	2	3	4	9	12	22
65+	84	5.0	43	2	2	4	5	6	12	45
TOT. SINGLE DX	356	3.5	11	<1	1	3	4	6	7	14
" MULTIPLE DX	591	4.1	15	1	1	3	5	7	9	19
TOTAL 0-19 YRS	73	4.0	9	1	1	3	5	8	9	15
20-34	531	3.7	12	1	1	3	5	6	8	17
35-49	119	3.8	9	<1	1	3	5	7	9	18
50-64	108	4.1	9	2	2	3	4	7	9	19
65+	116	4.6	32	2	2	3	5	6	9	34
GRAND TOTAL	947	3.9	14	1	1	3	5	6	8	18

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	76	5.4	6	2	2	5	7	8	10	14
35-49	308	5.7	5	2	3	6	7	9	9	13
50-64	533	6.3	6	3	4	6	7	9	10	14
65+	349	6.4	4	3	4	6	7	9	11	12
2. MULTIPLE DX										
0-19 YRS	5	6.8	7	3	3	6	9	10	10	10
20-34	266	6.6	9	3	3	6	8	10	12	19
35-49	758	7.1	10	3	4	7	8	10	12	21
50-64	1179	7.6	12	4	4	7	9	12	14	21
65+	1076	8.1	17	4	5	7	9	13	16	25
TOT. SINGLE DX	1267	6.1	6	3	3	6	7	9	10	13
" MULTIPLE DX	3284	7.5	14	4	4	7	9	11	14	22
TOTAL 0-19 YRS	6	6.5	7	3	3	6	9	10	10	10
20-34	342	6.3	9	2	3	6	7	10	12	18
35-49	1066	6.7	10	3	4	6	8	10	12	18
50-64	1712	7.2	11	3	4	7	8	11	13	20
65+	1425	7.7	15	4	4	7	9	11	14	24
GRAND TOTAL	4551	7.1	12	3	4	7	8	11	13	20

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.9	6	<1	1	2	4	5	8	14
20-34	208	3.4	5	1	1	3	4	6	8	13
35-49	56	3.7	7	1	1	3	5	7	10	12
50-64	60	5.5	17	1	1	5	7	9	14	23
65+	25	5.9	10	1	1	6	8	10	11	13
2. MULTIPLE DX										
0-19 YRS	60	4.3	16	1	1	3	5	11	12	19
20-34	124	4.7	14	1	1	4	6	8	10	22
35-49	97	5.9	21	1	2	5	8	11	14	26
50-64	105	10.0	91	3	4	7	11	17	25	58
65+	96	12.2	139	2	5	9	13	22	32	74
TOT. SINGLE DX	406	3.8	9	1	1	3	5	7	10	14
" MULTIPLE DX	482	7.5	67	1	1	6	9	14	20	37
TOTAL 0-19 YRS	117	3.6	12	1	1	2	5	8	11	17
20-34	332	3.9	9	1	1	3	5	7	9	18
35-49	153	5.1	17	1	1	4	7	10	12	22
50-64	165	8.3	69	1	2	6	10	16	23	40
65+	121	10.9	119	1	3	8	12	20	28	63
GRAND TOTAL	**888**	**5.9**	**44**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	4.1	17	<1	1	3	6	9	11	21
20-34	300	3.6	9	<1	1	3	5	8	10	14
35-49	118	4.0	9	1	1	3	6	9	10	13
50-64	65	4.5	14	1	1	4	5	8	14	20
65+	110	5.5	10	1	2	5	7	9	12	17
2. MULTIPLE DX										
0-19 YRS	135	4.1	35	1	1	3	5	7	9	30
20-34	444	4.8	20	1	1	4	6	10	13	25
35-49	239	6.1	30	1	1	4	8	13	17	31
50-64	306	7.6	54	2	2	6	8	14	21	44
65+	545	7.9	57	2	2	6	9	14	21	43
TOT. SINGLE DX	706	4.1	12	1	1	3	6	9	10	16
" MULTIPLE DX	1669	6.4	43	1	1	5	8	12	17	35
TOTAL 0-19 YRS	248	4.1	27	1	1	3	5	8	10	24
20-34	744	4.3	16	1	1	3	6	9	12	20
35-49	357	5.4	24	1	1	4	7	11	14	25
50-64	371	7.0	49	1	2	5	8	13	19	41
65+	655	7.5	51	2	2	6	9	13	19	40
GRAND TOTAL	**2375**	**5.8**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	2.4	3	<1	<1	2	3	5	7	8
20-34	464	2.2	3	<1	1	2	3	4	5	8
35-49	230	2.1	1	<1	1	2	3	4	5	6
50-64	99	2.8	10	<1	1	2	3	5	7	21
65+	63	3.4	4	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	102	4.4	55	1	1	3	5	7	11	47
20-34	350	3.9	18	1	1	3	4	8	10	22
35-49	243	4.8	52	<1	1	3	5	10	15	27
50-64	181	6.3	41	1	1	4	8	15	21	31
65+	244	7.8	83	1	2	5	9	16	20	49
TOT. SINGLE DX	1018	2.3	4	<1	1	2	3	4	5	9
" MULTIPLE DX	1120	5.4	49	1	1	3	6	11	17	31
TOTAL 0-19 YRS	264	3.2	24	<1	1	2	4	6	8	17
20-34	814	2.9	11	<1	1	2	3	5	8	20
35-49	473	3.5	29	<1	1	2	4	7	10	19
50-64	280	5.1	33	1	1	3	6	12	18	30
65+	307	6.9	70	1	2	4	9	14	19	44
GRAND TOTAL	**2138**	**3.9**	**30**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	9	2.6	5	<1	<1	2	3	6	8	8
35-49	20	5.2	18	1	2	4	6	13	15	16
50-64	18	9.5	82	1	3	6	13	20	31	38
65+	34	9.6	44	2	3	9	12	15	25	32
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	7.6	68	2	2	4	9	23	24	25
35-49	27	9.6	113	2	2	6	12	22	34	49
50-64	32	12.5	116	1	2	8	23	28	42	99+
65+	99	16.1	148	3	4	12	21	33	38	61
TOT. SINGLE DX	84	7.5	47	1	2	5	10	14	21	36
" MULTIPLE DX	176	13.5	137	2	3	10	19	30	37	64
TOTAL 0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	25	5.8	51	1	1	3	5	23	24	25
35-49	47	7.7	77	2	2	5	9	16	24	49
50-64	50	11.4	104	1	2	7	19	27	38	99
65+	133	14.4	129	3	4	11	18	31	36	56
GRAND TOTAL	**260**	**11.6**	**116**	**2**	**2**	**8**	**15**	**27**	**33**	**53**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.5		<1	<1	1	2	3	3	6
20-34	74	3.0	3	1	1	3	4	5	7	12
35-49	19	2.6	5	<1	1	2	3	5	9	11
50-64	13	3.2	4	1	1	3	4	6	8	8
65+	4	4.8	38	1	1	2	8	14	14	14
2. MULTIPLE DX										
0-19 YRS	35	2.7	6	<1	1	2	3	7	10	10
20-34	76	3.4	5	1	1	3	4	6	9	11
35-49	22	8.2	249	<1	1	4	8	13	39	77
50-64	9	6.9	16	1	2	8	9	12	14	14
65+	10	9.2	27	3	3	8	13	16	17	17
TOT. SINGLE DX	159	2.6	4	<1	1	2	3	5	7	13
" MULTIPLE DX	152	4.5	46	1	1	3	5	9	12	17
TOTAL 0-19 YRS	84	2.0	3	<1	<1	1	2	3	6	10
20-34	150	3.2	4	1	1	3	4	5	8	11
35-49	41	5.6	142	<1	1	3	6	10	13	77
50-64	22	4.7	12	1	1	3	8	9	12	14
65+	14	7.9	32	1	2	6	13	16	17	17
GRAND TOTAL	311	3.5	26	<1	1	2	4	7	10	15

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.6	7	<1	1	2	2	6	10	11
20-34	11	2.9	4	<1	<1	3	4	6	8	8
35-49	7	3.7	6	1	1	3	5	7	8	8
50-64	2	7.5	61	2	2	7	13	13	13	13
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	8	3.6	6	<1	<1	3	5	8	8	8
20-34	19	8.5	134	1	1	4	10	27	38	43
35-49	8	13.3	121	1	1	10	24	28	29	29
50-64	8	4.6	6	1	1	5	7	8	8	8
65+	9	9.7	115	1	1	5	18	27	31	31
TOT. SINGLE DX	36	3.1	8	<1	1	2	4	8	10	13
" MULTIPLE DX	52	8.1	94	1	1	4	9	24	31	43
TOTAL 0-19 YRS	23	3.0	7	<1	<1	2	3	7	9	11
20-34	30	6.5	93	1	1	3	7	16	33	43
35-49	15	8.8	87	1	1	5	11	25	28	29
50-64	10	5.2	14	1	1	5	7	10	13	13
65+	10	8.8	110	1	1	4	17	26	31	31
GRAND TOTAL	88	6.1	64	1	1	3	7	16	25	39

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2200	3.0	1	2	2	3	3	4	4	5
20-34	11126	3.1		2	2	3	4	4	5	6
35-49	502	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2186	3.4	2	2	2	3	4	5	6	9
20-34	11203	3.6	3	2	2	3	4	5	6	9
35-49	667	3.8	2	2	2	4	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	13828	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	14056	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4386	3.2	2	2	2	3	4	4	5	8
20-34	22329	3.3	2	2	2	3	4	4	5	7
35-49	1169	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	27884	3.3	2	2	2	3	4	4	5	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.8	1	1	1	3	3	4	5	5
20-34	254	2.9		2	2	3	3	4	4	5
35-49	14	2.9	1	1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	66	3.2	4	1	1	3	4	6	7	12
20-34	554	3.4	4	1	1	3	4	5	6	10
35-49	55	3.4	2	1	1	3	4	6	6	7
50-64										
65+										
TOT. SINGLE DX	289	2.9	1	1	2	3	3	4	4	5
" MULTIPLE DX	675	3.3	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	87	3.1	4	1	1	3	3	5	6	12
20-34	808	3.2	4	1	2	3	4	5	6	9
35-49	69	3.3	2	1	1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	964	3.2	4	1	2	3	4	5	6	9

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	346	3.0		2	2	3	4	4	4	5
20-34	2433	3.2	1	2	2	3	4	4	5	6
35-49	120	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	622	3.4	2	2	2	3	4	5	5	7
20-34	4084	3.6	3	2	2	3	4	5	6	8
35-49	278	3.9	3	2	2	4	4	6	7	12
50-64										
65+										
TOT. SINGLE DX	2899	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	4984	3.6	3	2	2	3	4	5	6	8
TOTAL 0-19 YRS	968	3.3	2	2	2	3	4	4	5	6
20-34	6517	3.5	2	2	2	3	4	5	5	8
35-49	398	3.7	3	2	2	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	7883	3.5	2	2	2	3	4	5	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15615	2.8	1	1	2	3	3	4	4	5
20-34	97645	2.9	1	1	2	3	3	4	4	5
35-49	4687	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5104	3.2	2	1	2	3	4	5	6	10
20-34	35055	3.4	4	2	2	3	4	5	6	9
35-49	2663	3.6	4	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	117947	2.9	1	1	2	3	3	4	4	5
" MULTIPLE DX	42822	3.4	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	20719	2.9	2	1	2	3	3	4	4	7
20-34	132700	3.0	2	1	2	3	3	4	5	6
35-49	7350	3.2	3	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	160769	3.0	2	1	2	3	3	4	5	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1772	5.3	1	4	4	5	6	7	7	9
20-34	16118	5.4	3	4	4	5	6	7	7	9
35-49	893	5.7	5	4	4	5	6	7	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4345	6.1	9	4	4	5	7	9	10	17
20-34	34266	5.9	10	4	4	5	6	7	9	17
35-49	3084	6.4	17	4	4	6	7	8	10	24
50-64										
65+										
TOT. SINGLE DX	18783	5.4	3	4	4	5	6	7	7	9
" MULTIPLE DX	41695	6.0	11	4	4	5	6	8	9	17
TOTAL 0-19 YRS	6117	5.8	8	4	4	5	6	8	9	15
20-34	50384	5.7	8	4	4	5	6	7	8	15
35-49	3977	6.3	15	4	4	6	7	8	10	23
50-64										
65+										
GRAND TOTAL	60478	5.8	8	4	4	5	6	7	8	15

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	5.1	2	3	4	5	6	6	8	10
20-34	966	5.4	3	4	4	5	6	7	7	11
35-49	53	6.4	16	3	4	6	7	8	9	32
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	210	6.5	17	4	4	6	7	9	12	31
20-34	1820	6.2	14	4	4	6	7	8	10	20
35-49	182	7.1	44	4	4	6	7	10	12	41
50-64										
65+										
TOT. SINGLE DX	1162	5.4	4	4	4	5	6	7	7	11
" MULTIPLE DX	2212	6.3	18	4	4	6	7	9	11	22
TOTAL 0-19 YRS	353	5.9	12	3	4	5	6	8	10	22
20-34	2786	5.9	11	4	4	5	6	8	9	17
35-49	235	6.9	38	4	4	6	7	9	11	35
50-64										
65+										
GRAND TOTAL	3374	6.0	13	4	4	5	6	8	10	19

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	4	2	2	4	6	8	8	8
20-34	94	4.6	2	3	3	4	5	7	8	11
35-49	5	5.2		4	4	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	7.0	26	4	4	5	8	16	16	16
20-34	124	6.3	34	3	3	5	7	8	12	34
35-49	11	5.4	11	3	3	4	6	10	15	15
50-64										
65+										
TOT. SINGLE DX	107	4.7	3	3	3	4	6	7	8	10
" MULTIPLE DX	140	6.2	32	3	3	5	7	9	13	28
TOTAL 0-19 YRS	13	5.6	12	2	3	5	6	10	15	16
20-34	218	5.6	21	3	3	5	6	8	10	21
35-49	16	5.3	8	3	3	5	6	6	12	15
50-64										
65+										
GRAND TOTAL	**247**	**5.6**	**20**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.7		1	1	2	2	2	3	3
20-34	37	1.5		1	1	1	2	2	3	4
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	92	1.4		1	1	1	2	2	2	3
20-34	130	1.6		1	1	1	2	3	3	5
35-49	9	1.2		1	1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	71	1.6		1	1	2	2	2	3	4
" MULTIPLE DX	231	1.5	1	1	1	1	2	2	3	4
TOTAL 0-19 YRS	122	1.5		1	1	1	2	2	2	3
20-34	167	1.6	1	1	1	1	2	2	3	4
35-49	13	1.4		1	1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	**302**	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**	**4**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	3.7	9	<1	1	3	5	7	9	18
20-34	384	4.0	21	<1	<1	3	5	9	14	25
35-49	25	3.6	8	<1	1	3	4	6	9	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	41	6.1	97	1	1	3	6	9	22	61
20-34	325	5.8	45	<1	1	4	8	12	17	39
35-49	39	5.5	14	<1	1	5	8	10	12	19
50-64										
65+										
TOT. SINGLE DX	484	3.9	19	<1	<1	3	5	8	13	24
" MULTIPLE DX	405	5.8	48	<1	1	4	7	11	17	40
TOTAL 0-19 YRS	116	4.6	42	<1	1	3	5	8	10	37
20-34	709	4.8	33	<1	<1	3	6	11	15	27
35-49	64	4.8	13	<1	1	4	6	9	12	18
50-64										
65+										
GRAND TOTAL	**889**	**4.8**	**33**	**<1**	**<1**	**3**	**5**	**10**	**15**	**27**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1645	2.2	1	<1	<1	2	3	3	4	5
20-34	8384	2.4	2	<1	<1	2	3	4	4	5
35-49	410	2.4	3	<1	<1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	647	2.8	2	<1	<1	3	3	4	5	9
20-34	3844	3.0	6	<1	<1	3	3	4	5	10
35-49	259	2.8	2	<1	<1	3	4	4	5	7
50-64										
65+										
TOT. SINGLE DX	10439	2.4	2	<1	<1	2	3	4	4	5
" MULTIPLE DX	4750	2.9	5	<1	<1	3	3	4	5	10
TOTAL 0-19 YRS	2292	2.4	2	<1	<1	2	3	4	4	7
20-34	12228	2.6	4	<1	<1	3	3	4	4	7
35-49	669	2.5	3	<1	<1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**15189**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2209	2.7		1	2	3	3	4	4	5
20-34	13320	2.7		1	2	3	3	4	4	5
35-49	824	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2185	3.1	2	2	2	3	3	4	5	8
20-34	13323	3.1	3	1	2	3	4	4	5	8
35-49	1043	3.4	10	1	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	16353	2.7	1	1	2	3	3	4	4	5
" MULTIPLE DX	16551	3.2	4	2	2	3	4	4	5	8
TOTAL 0-19 YRS	4394	2.9	2	2	2	3	3	4	4	7
20-34	26643	2.9	2	1	2	3	3	4	5	7
35-49	1867	3.1	6	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	32904	2.9	2	1	2	3	3	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.8	4	1	1	2	3	4	8	11
20-34	46	2.8	3	1	1	2	3	5	5	12
35-49	35	3.3	12	1	1	2	3	9	10	19
50-64	38	5.9	62	1	1	3	7	14	17	46
65+	26	6.0	35	1	1	4	9	13	22	24
2. MULTIPLE DX										
0-19 YRS	30	3.3	6	1	1	3	4	7	8	12
20-34	55	4.0	15	1	2	3	4	6	14	23
35-49	52	5.8	59	1	1	3	6	12	23	39
50-64	93	8.5	103	1	2	4	12	21	35	78
65+	112	11.2	96	1	2	9	16	24	30	69
TOT. SINGLE DX	181	4.0	24	1	1	3	4	9	12	23
" MULTIPLE DX	342	7.8	80	1	2	4	11	19	27	50
TOTAL 0-19 YRS	66	3.0	5	1	1	2	3	5	8	12
20-34	101	3.4	10	1	1	3	3	5	8	20
35-49	87	4.8	42	1	1	3	4	10	19	37
50-64	131	7.8	93	1	1	4	9	17	33	59
65+	138	10.2	89	1	2	7	15	23	28	56
GRAND TOTAL	523	6.5	64	1	1	3	7	17	23	48

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	557	3.3	1	1	2	3	4	5	5	8
20-34	963	3.2	2	1	1	3	4	5	5	8
35-49	395	3.1	2	1	1	3	4	5	6	8
50-64	135	3.1	2	1	1	3	4	5	6	10
65+	44	4.2	29	1	1	2	3	10	19	25
2. MULTIPLE DX										
0-19 YRS	509	3.8	3	2	2	3	4	5	6	12
20-34	645	3.9	12	2	2	3	4	5	6	12
35-49	293	4.0	6	2	2	3	4	6	8	17
50-64	188	4.2	22	1	2	3	4	7	11	33
65+	76	7.3	132	2	2	3	7	17	33	65
TOT. SINGLE DX	2094	3.3	3	1	1	3	4	5	6	9
" MULTIPLE DX	1711	4.1	16	2	2	3	4	6	8	19
TOTAL 0-19 YRS	1066	3.5	3	1	2	3	4	5	6	9
20-34	1608	3.5	7	1	2	3	4	5	6	9
35-49	688	3.5	4	1	2	3	4	5	6	10
50-64	323	3.8	14	1	2	3	4	6	9	21
65+	120	6.2	96	1	2	3	5	15	22	54
GRAND TOTAL	3805	3.6	9	1	2	3	4	5	6	12

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	2.5	2	1	1	2	3	4	5	9
20-34	274	2.8	3	1	1	2	4	5	6	10
35-49	52	2.6	2	1	1	2	3	5	6	7
50-64	13	2.9	2	2	2	2	3	5	7	7
65+	8	3.5	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	254	4.3	52	1	1	3	5	7	9	27
20-34	407	4.8	21	1	1	4	5	10	14	24
35-49	131	6.4	49	1	1	4	7	14	19	45
50-64	56	8.4	154	1	2	4	8	21	54	97
65+	43	9.0	75	1	2	6	12	17	28	44
TOT. SINGLE DX	545	2.7	3	1	1	2	3	5	6	9
" MULTIPLE DX	891	5.3	47	1	1	3	6	10	16	43
TOTAL 0-19 YRS	452	3.5	31	1	1	3	4	6	8	13
20-34	681	4.0	15	1	1	3	5	7	11	22
35-49	183	5.3	39	1	1	3	6	12	16	39
50-64	69	7.4	130	1	2	4	7	17	54	92
65+	51	8.2	68	1	2	5	11	16	26	44
GRAND TOTAL	1436	4.3	32	1	1	3	5	8	12	27

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.1	7	1	1	3	4	5	7	10
20-34	466	2.9	4	1	1	2	4	5	7	11
35-49	142	3.4	7	1	1	3	4	7	10	13
50-64	51	3.2	4	1	1	3	4	6	8	11
65+	16	3.9	4	1	2	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	342	5.7	36	1	2	4	6	11	16	40
20-34	769	6.0	54	1	2	4	7	12	15	34
35-49	306	7.5	86	1	2	5	9	15	19	41
50-64	161	8.4	89	2	2	6	10	16	19	51
65+	100	9.8	69	2	2	8	12	19	25	46
TOT. SINGLE DX	840	3.0	6	1	1	2	4	6	7	11
" MULTIPLE DX	1678	6.7	62	1	2	4	8	13	17	42
TOTAL 0-19 YRS	507	4.8	29	1	1	3	5	9	13	31
20-34	1235	4.8	38	1	1	3	5	10	13	28
35-49	448	6.2	65	1	1	4	7	13	17	33
50-64	212	7.1	74	1	2	5	9	15	17	49
65+	116	9.0	64	2	2	7	11	18	25	45
GRAND TOTAL	**2518**	**5.5**	**46**	**1**	**1**	**4**	**6**	**11**	**15**	**33**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	3.0	1	1	2	3	3	4	6	7
20-34	37	3.4	4	1	2	3	4	6	8	11
35-49	50	2.8	2	1	1	2	4	5	5	10
50-64	61	2.4	2	1	1	2	3	4	4	10
65+	15	2.4		1	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	41	3.0	2	1	1	3	3	5	7	8
20-34	55	5.8	93	1	1	4	5	9	14	56
35-49	55	4.3	25	1	1	3	5	8	14	32
50-64	60	4.7	32	1	1	3	4	12	13	36
65+	41	5.1	31	1	1	3	6	12	17	29
TOT. SINGLE DX	202	2.8	3	1	1	2	3	5	6	10
" MULTIPLE DX	252	4.7	40	1	1	3	5	9	14	38
TOTAL 0-19 YRS	80	3.0	2	1	1	3	3	5	6	8
20-34	92	4.8	59	1	1	3	5	8	10	53
35-49	105	3.6	15	1	1	2	4	6	9	24
50-64	121	3.6	18	1	1	2	3	6	12	23
65+	56	4.4	25	1	1	3	4	9	15	28
GRAND TOTAL	**454**	**3.8**	**24**	**1**	**1**	**3**	**4**	**7**	**10**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	590	4.8	22	1	2	4	5	9	13	22
20-34	349	4.2	18	1	1	3	5	8	11	23
35-49	334	4.2	8	1	1	3	6	8	9	14
50-64	377	5.4	14	1	2	5	7	9	11	16
65+	117	7.4	32	2	2	6	8	13	17	34
2. MULTIPLE DX										
0-19 YRS	552	6.5	41	1	2	5	7	13	21	34
20-34	437	6.3	76	1	2	4	6	12	20	51
35-49	488	6.6	62	1	2	4	7	12	21	44
50-64	753	6.8	36	2	2	5	8	12	18	35
65+	358	10.0	95	2	2	7	12	22	29	52
TOT. SINGLE DX	1767	4.9	18	1	2	4	6	9	12	20
" MULTIPLE DX	2588	7.1	59	1	2	5	8	14	22	43
TOTAL 0-19 YRS	1142	5.6	32	1	2	4	6	11	17	30
20-34	786	5.4	52	1	1	3	6	10	16	47
35-49	822	5.6	42	1	1	4	6	10	14	40
50-64	1130	6.3	30	2	2	5	8	11	15	34
65+	475	9.4	81	2	2	6	11	20	26	47
GRAND TOTAL	**4355**	**6.2**	**44**	**1**	**2**	**4**	**7**	**12**	**18**	**40**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	335	2.9	1	1	1	3	4	4	5	7
20-34	609	3.0	2	1	1	3	4	5	6	8
35-49	688	3.2	2	1	1	3	4	5	6	8
50-64	700	3.3	2	1	2	3	4	5	6	8
65+	274	3.4	3	1	2	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	443	3.2	2	1	2	3	4	5	6	8
20-34	1167	3.5	4	1	2	3	4	5	6	11
35-49	1652	3.8	9	1	2	3	4	6	7	12
50-64	2718	4.1	7	1	2	4	5	6	8	15
65+	1728	4.4	10	2	2	4	5	7	9	18
TOT. SINGLE DX	2606	3.2	2	1	1	3	4	5	6	8
" MULTIPLE DX	7708	4.0	8	1	2	4	5	6	7	14
TOTAL 0-19 YRS	778	3.1	2	1	1	3	4	5	6	7
20-34	1776	3.4	4	1	2	3	4	5	6	9
35-49	2340	3.6	7	1	2	3	4	5	6	11
50-64	3418	3.9	6	1	2	4	5	6	7	13
65+	2002	4.3	10	1	2	4	5	7	8	17
GRAND TOTAL	**10314**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1441	3.4	14	1	1	2	4	6	8	19
20-34	1589	3.5	16	1	1	3	4	6	8	20
35-49	1188	3.5	13	1	1	3	4	6	8	17
50-64	907	4.4	22	1	1	3	5	8	12	24
65+	379	5.6	38	1	1	4	6	11	18	33
2. MULTIPLE DX										
0-19 YRS	758	7.0	95	1	1	3	7	19	29	49
20-34	1593	6.9	115	1	1	3	7	16	28	61
35-49	1720	6.5	74	1	1	4	7	15	23	45
50-64	1964	8.3	115	1	2	4	9	19	30	60
65+	1652	11.6	146	2	2	8	15	26	36	61
TOT. SINGLE DX	5504	3.8	18	1	1	3	4	7	10	21
" MULTIPLE DX	7687	8.2	115	1	1	4	9	19	30	57
TOTAL 0-19 YRS	2199	4.6	45	1	1	3	4	9	17	36
20-34	3182	5.2	69	1	1	3	5	10	18	49
35-49	2908	5.3	52	1	1	3	5	11	17	41
50-64	2871	7.0	89	1	2	4	7	16	24	51
65+	2031	10.5	132	1	2	7	13	24	35	59
GRAND TOTAL	13191	6.3	79	1	1	3	6	15	23	49

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	695	5.8	33	1	2	4	6	11	18	32
20-34	419	4.4	11	1	1	4	5	8	11	19
35-49	208	5.4	40	1	1	4	7	10	13	27
50-64	164	7.2	28	1	2	6	9	14	18	23
65+	238	10.9	36	2	4	11	14	18	20	23
2. MULTIPLE DX										
0-19 YRS	363	9.6	170	1	2	5	10	23	41	61
20-34	343	8.4	108	1	2	5	9	20	33	99+
35-49	226	10.4	160	1	2	7	12	21	35	85
50-64	302	13.2	192	2	2	9	16	28	44	90
65+	944	15.8	118	5	6	13	18	27	38	67
TOT. SINGLE DX	1724	6.2	33	1	2	4	8	13	17	27
" MULTIPLE DX	2178	12.7	149	2	3	10	16	26	39	72
TOTAL 0-19 YRS	1058	7.1	84	1	2	4	7	15	24	51
20-34	762	6.2	59	1	1	4	6	14	19	60
35-49	434	8.0	109	1	1	5	9	15	23	73
50-64	466	11.1	143	1	2	8	13	22	38	71
65+	1182	14.8	106	4	6	13	17	25	35	63
GRAND TOTAL	3902	9.8	108	1	2	7	13	20	29	61

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	855	2.6	10	<1	<1	2	3	4	6	21
20-34	1061	2.8	12	<1	1	2	3	5	7	14
35-49	532	3.2	11	1	1	2	4	6	7	20
50-64	458	3.3	14	1	1	2	4	6	9	18
65+	372	5.5	36	1	1	3	6	11	17	30
2. MULTIPLE DX										
0-19 YRS	422	5.4	87	1	1	3	5	9	23	55
20-34	530	6.0	67	1	1	3	6	13	19	42
35-49	375	6.2	79	1	1	3	7	14	20	40
50-64	436	6.2	43	1	2	4	7	13	20	35
65+	824	10.6	117	2	2	7	15	23	29	55
TOT. SINGLE DX	3278	3.2	16	<1	1	2	3	6	8	21
" MULTIPLE DX	2587	7.4	89	1	1	4	8	18	25	46
TOTAL 0-19 YRS	1277	3.5	38	<1	1	2	3	6	9	34
20-34	1591	3.9	33	1	1	2	4	7	12	32
35-49	907	4.5	42	1	1	3	5	8	14	27
50-64	894	4.7	30	1	1	3	5	10	15	28
65+	1196	9.0	98	1	2	5	11	21	27	50
GRAND TOTAL	5865	5.1	52	1	1	3	5	11	18	37

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	17.6	156	3	3	15	25	34	44	53
20-34	31	12.1	79	3	5	10	14	19	31	49
35-49	23	14.3	154	2	3	10	18	38	41	43
50-64	64	11.0	85	4	5	9	12	19	23	66
65+	251	13.0	40	6	7	12	15	19	22	37
2. MULTIPLE DX										
0-19 YRS	111	19.7	184	4	6	16	28	36	46	65
20-34	94	18.6	164	5	6	16	22	40	47	61
35-49	49	19.3	306	5	6	12	25	47	56	88
50-64	159	15.7	108	5	7	12	19	31	42	96
65+	1232	15.5	74	7	8	14	18	24	30	52
TOT. SINGLE DX	490	13.8	87	4	6	12	16	24	32	49
" MULTIPLE DX	1645	16.1	99	6	8	14	19	27	35	59
TOTAL 0-19 YRS	232	18.6	171	3	4	16	26	35	45	58
20-34	125	17.0	151	5	6	14	20	32	46	59
35-49	72	17.7	260	3	5	12	25	41	50	84
50-64	223	14.3	106	5	6	11	17	26	37	80
65+	1483	15.1	70	7	8	13	18	23	29	49
GRAND TOTAL	2135	15.6	97	6	7	13	18	27	35	57

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	10.5	45	3	4	9	14	20	24	31
20-34	147	10.9	37	3	4	10	14	18	21	27
35-49	138	10.5	90	4	5	8	12	15	20	74
50-64	325	11.7	31	6	6	10	14	18	22	30
65+	1441	13.7	36	7	8	13	16	20	23	33
2. MULTIPLE DX										
0-19 YRS	275	16.0	143	4	6	13	19	27	41	66
20-34	457	17.8	172	6	7	14	22	33	44	81
35-49	284	18.9	189	6	7	15	23	40	48	90
50-64	880	17.3	122	6	8	14	21	30	38	74
65+	7690	16.7	74	8	9	15	19	26	33	52
TOT. SINGLE DX	2251	12.7	41	5	6	12	15	19	23	33
" MULTIPLE DX	9586	16.8	89	7	9	15	20	27	34	57
TOTAL 0-19 YRS	475	13.7	109	3	4	11	17	24	31	54
20-34	604	16.1	148	5	6	13	19	30	40	74
35-49	422	16.2	172	5	6	12	19	34	44	82
50-64	1205	15.7	104	6	7	13	19	27	35	68
65+	9131	16.2	69	7	9	15	19	25	31	50
GRAND TOTAL	11837	16.1	82	7	8	14	19	26	32	54

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	367	11.1	137	1	1	5	19	28	33	53
20-34	14	8.5	32	2	2	7	11	20	20	20
35-49	12	18.8	461	1	2	6	30	57	60	61
50-64	15	8.1	44	1	2	6	12	17	23	25
65+	40	14.1	182	2	3	10	16	29	48	65
2. MULTIPLE DX										
0-19 YRS	200	16.3	222	1	2	12	26	33	41	78
20-34	74	25.9	449	3	4	19	40	59	63	86
35-49	23	24.8	431	4	5	16	43	81	99+	99+
50-64	47	22.0	385	3	6	15	33	55	61	99+
65+	230	20.5	295	4	5	14	25	44	61	81
TOT. SINGLE DX	448	11.4	145	1	1	7	18	27	34	56
" MULTIPLE DX	574	20.0	311	2	3	15	27	46	59	88
TOTAL 0-19 YRS	567	12.9	173	1	1	8	21	30	35	56
20-34	88	23.1	423	2	4	17	32	59	63	84
35-49	35	22.7	436	3	3	15	43	60	93	99+
50-64	62	18.7	337	2	3	13	25	52	56	99+
65+	270	19.5	283	4	5	13	24	42	59	80
GRAND TOTAL	1022	16.2	256	1	2	12	23	37	52	81

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	482	4.3	30	1	1	2	4	13	18	25
20-34	309	3.1	7	<1	1	2	4	6	9	11
35-49	251	3.5	24	<1	1	2	4	7	8	22
50-64	255	4.1	31	1	1	3	5	8	12	32
65+	182	3.4	8	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	150	6.8	61	1	1	3	10	19	25	36
20-34	230	7.6	94	1	1	4	9	18	26	51
35-49	179	7.9	123	1	1	5	9	15	21	69
50-64	246	7.0	97	1	1	4	8	14	21	51
65+	349	8.6	87	1	2	5	11	19	26	46
TOT. SINGLE DX	1479	3.8	22	1	1	2	4	8	13	22
" MULTIPLE DX	1154	7.7	93	1	1	5	9	17	24	50
TOTAL 0-19 YRS	632	4.9	39	1	1	2	5	14	20	28
20-34	539	5.0	49	<1	1	3	6	10	16	35
35-49	430	5.3	70	1	1	3	6	11	15	63
50-64	501	5.5	66	1	1	3	7	11	16	44
65+	531	6.8	66	1	1	4	8	16	22	43
GRAND TOTAL	2633	5.5	57	1	1	3	6	13	18	36

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2264	3.1	7	1	1	2	4	6	7	12
20-34	2782	3.9	9	1	1	3	5	7	9	15
35-49	1774	4.5	8	1	2	4	6	8	10	15
50-64	1484	5.3	13	1	2	5	7	9	11	19
65+	828	6.6	19	2	2	5	8	12	15	22
2. MULTIPLE DX										
0-19 YRS	1079	6.4	62	1	1	4	7	14	21	44
20-34	2176	7.4	71	1	2	5	8	15	22	48
35-49	1560	8.2	91	1	2	5	10	16	22	57
50-64	1775	9.0	82	2	3	6	10	17	25	50
65+	2099	10.7	69	3	4	9	13	20	25	46
TOT. SINGLE DX	9132	4.3	11	1	1	4	5	8	10	17
" MULTIPLE DX	8689	8.5	78	1	2	6	10	17	24	49
TOTAL 0-19 YRS	3343	4.2	28	1	1	3	5	8	11	29
20-34	4958	5.4	40	1	1	4	6	10	15	34
35-49	3334	6.2	51	1	2	5	7	11	16	38
50-64	3259	7.3	54	2	2	5	8	14	19	41
65+	2927	9.5	59	2	3	8	12	18	23	42
GRAND TOTAL	17821	6.4	48	1	2	4	7	13	18	37

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4870	2.1	5	<1	1	1	2	4	6	13
20-34	1055	3.3	11	1	1	2	4	6	9	16
35-49	785	3.5	16	1	1	3	4	7	9	25
50-64	852	3.4	10	<1	1	2	4	7	10	14
65+	873	3.6	11	1	1	2	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	1420	4.5	41	1	1	2	5	10	15	33
20-34	1021	6.6	78	1	1	4	7	13	21	50
35-49	751	6.9	75	1	1	4	8	15	23	49
50-64	1026	6.8	61	1	1	4	8	14	20	45
65+	2100	7.7	67	1	2	5	9	16	22	42
TOT. SINGLE DX	8435	2.7	9	1	1	2	3	5	8	15
" MULTIPLE DX	6318	6.6	65	1	1	4	8	14	21	45
TOTAL 0-19 YRS	6290	2.6	15	1	1	1	3	5	8	20
20-34	2076	4.9	47	1	1	3	5	10	15	39
35-49	1536	5.2	48	1	1	3	6	10	16	41
50-64	1878	5.2	41	1	1	3	6	11	16	32
65+	2973	6.5	54	1	1	4	8	14	19	38
GRAND TOTAL	14753	4.3	37	1	1	2	5	10	14	30

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	3.8	25	<1	<1	1	4	10	17	22
20-34	257	2.5	13	<1	<1	1	3	5	7	12
35-49	138	2.3	5	<1	<1	1	3	5	7	13
50-64	145	4.1	47	<1	1	1	3	10	23	34
65+	204	4.7	24	1	1	3	6	11	15	25
2. MULTIPLE DX										
0-19 YRS	146	6.4	82	1	1	3	7	14	24	49
20-34	242	7.3	92	1	1	3	9	19	29	48
35-49	134	8.2	122	<1	1	4	10	24	31	58
50-64	182	6.2	53	1	1	4	8	14	18	43
65+	470	7.9	68	1	1	5	11	18	25	38
TOT. SINGLE DX	1060	3.5	24	<1	1	2	4	9	14	23
" MULTIPLE DX	1174	7.3	79	1	1	4	10	17	26	48
TOTAL 0-19 YRS	462	4.6	45	<1	1	2	5	13	17	28
20-34	499	4.8	58	<1	1	2	5	12	19	43
35-49	272	5.2	72	<1	<1	2	5	12	24	49
50-64	327	5.3	51	1	1	2	6	14	21	34
65+	674	6.9	57	1	1	4	9	16	22	35
GRAND TOTAL	2234	5.5	56	<1	1	3	6	14	21	35

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	4.4	18	1	1	3	5	10	15	23
20-34	414	2.9	6	1	1	3	4	5	6	12
35-49	169	3.7	12	1	1	3	4	7	8	15
50-64	63	3.9	4	1	2	4	5	7	8	12
65+	47	9.4	37	2	3	8	14	18	22	26
2. MULTIPLE DX										
0-19 YRS	94	6.5	53	1	2	4	7	15	22	42
20-34	143	5.2	25	1	1	4	7	11	16	28
35-49	71	9.2	111	1	1	6	10	21	31	54
50-64	81	8.5	87	1	2	6	10	16	23	89
65+	122	14.6	135	2	3	13	19	28	33	68
TOT. SINGLE DX	894	3.8	14	1	1	3	4	7	11	19
" MULTIPLE DX	511	8.8	91	1	2	6	12	20	26	50
TOTAL 0-19 YRS	295	5.1	31	1	1	3	6	12	16	27
20-34	557	3.5	12	1	1	3	4	6	9	20
35-49	240	5.4	48	1	1	3	6	9	15	42
50-64	144	6.5	56	1	2	4	8	14	17	68
65+	169	13.2	113	2	3	12	17	25	30	58
GRAND TOTAL	1405	5.6	47	1	1	3	6	13	18	36

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	778	3.5	16	1	1	2	4	6	10	25
20-34	605	3.2	8	1	1	2	4	6	8	17
35-49	360	3.9	17	1	1	3	4	8	12	22
50-64	206	5.1	53	1	1	3	5	11	17	42
65+	121	9.7	118	1	2	6	13	20	38	72
2. MULTIPLE DX										
0-19 YRS	555	5.2	40	1	1	3	5	13	20	35
20-34	684	5.5	63	1	1	3	6	12	19	49
35-49	482	6.9	76	1	1	4	8	16	26	41
50-64	495	8.8	135	1	2	5	10	21	29	72
65+	496	16.2	235	2	2	12	22	36	48	73
TOT. SINGLE DX	2070	4.0	26	1	1	3	4	8	13	27
" MULTIPLE DX	2712	8.2	121	1	1	4	10	21	31	58
TOTAL 0-19 YRS	1333	4.2	27	1	1	3	4	8	15	28
20-34	1289	4.4	39	1	1	3	4	9	14	38
35-49	842	5.6	53	1	1	3	6	13	20	36
50-64	701	7.7	114	1	1	4	8	19	26	59
65+	617	14.9	219	1	2	11	21	36	47	71
GRAND TOTAL	4782	6.4	84	1	1	3	6	15	24	49

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	6.3	19	1	2	5	8	12	16	23
20-34	3771	7.5	26	2	3	6	10	14	17	25
35-49	5672	8.0	24	3	3	7	10	14	18	25
50-64	2463	8.7	30	3	3	8	11	16	19	26
65+	461	10.1	36	3	4	9	13	18	21	32
2. MULTIPLE DX										
0-19 YRS	60	12.2	162	2	3	8	13	38	55	99+
20-34	1297	10.4	53	3	4	9	12	19	24	40
35-49	2906	10.7	43	4	4	9	13	19	23	34
50-64	2745	12.1	62	4	5	10	15	22	27	41
65+	1454	15.4	110	5	6	13	19	27	35	55
TOT. SINGLE DX	12508	8.0	27	2	3	7	10	15	18	25
" MULTIPLE DX	8462	11.9	67	4	5	10	15	22	27	43
TOTAL 0-19 YRS	201	8.0	69	2	2	6	10	16	24	78
20-34	5068	8.3	35	2	3	7	10	15	19	29
35-49	8578	8.9	33	3	4	8	11	16	20	30
50-64	5208	10.5	50	3	4	9	13	19	24	35
65+	1915	14.1	98	4	5	12	18	25	31	51
GRAND TOTAL	20970	9.6	47	3	4	8	12	18	22	34

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	539	2.2	1	<1	1	2	3	4	5	6
20-34	1363	2.4	3	<1	1	2	3	4	6	9
35-49	841	2.6	3	<1	1	2	3	5	6	10
50-64	508	3.0	5	1	1	2	4	6	7	13
65+	147	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	550	3.0	10	1	1	2	4	5	7	12
20-34	1516	3.0	8	1	1	2	4	6	7	15
35-49	1238	3.3	11	1	1	2	4	6	9	18
50-64	1521	3.5	14	1	1	2	4	7	10	17
65+	850	4.0	19	1	1	3	5	7	10	28
TOT. SINGLE DX	3398	2.5	4	<1	1	2	3	5	6	9
" MULTIPLE DX	5675	3.3	13	1	1	2	4	6	9	18
TOTAL 0-19 YRS	1089	2.6	6	<1	1	2	3	5	6	9
20-34	2879	2.7	6	<1	1	2	3	5	6	12
35-49	2079	3.0	9	<1	1	2	4	6	8	15
50-64	2029	3.4	12	1	1	2	4	6	9	17
65+	997	3.8	17	1	1	3	4	7	10	24
GRAND TOTAL	9073	3.0	9	1	1	2	4	6	8	15

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	939	2.4	8	<1	1	2	3	4	6	17
20-34	1407	2.4	7	<1	1	2	3	4	6	13
35-49	817	2.8	6	1	1	2	3	5	7	14
50-64	563	3.2	8	1	1	2	4	6	8	17
65+	211	4.8	31	1	1	3	5	11	18	31
2. MULTIPLE DX										
0-19 YRS	741	3.3	26	<1	1	2	3	6	10	24
20-34	1452	3.5	20	<1	1	2	4	7	10	25
35-49	1061	4.6	37	1	1	3	5	10	16	34
50-64	1076	5.5	56	1	1	3	5	12	19	45
65+	750	8.2	110	1	2	4	9	20	29	55
TOT. SINGLE DX	3937	2.7	9	<1	1	2	3	5	7	17
" MULTIPLE DX	5080	4.8	49	1	1	3	5	10	17	39
TOTAL 0-19 YRS	1680	2.8	16	<1	1	2	3	5	8	21
20-34	2859	3.0	15	<1	1	2	3	6	8	20
35-49	1878	3.8	25	1	1	2	4	8	11	27
50-64	1639	4.7	41	1	1	3	5	10	15	35
65+	961	7.4	95	1	2	4	8	18	26	53
GRAND TOTAL	9017	3.9	32	1	1	2	4	8	12	30

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	10.8	24	6	6	10	12	17	20	31
20-34	260	10.1	39	4	5	9	11	15	22	36
35-49	414	8.6	17	4	4	8	10	13	16	22
50-64	212	8.7	49	4	4	8	10	14	16	33
65+	35	11.2	23	5	5	10	14	19	21	22
2. MULTIPLE DX										
0-19 YRS	298	14.9	120	6	7	11	15	27	38	60
20-34	303	14.5	134	5	6	11	16	31	45	99+
35-49	482	12.8	98	4	5	10	15	24	31	66
50-64	410	13.9	138	4	5	10	16	27	34	68
65+	141	17.2	145	5	6	13	22	32	43	63
TOT. SINGLE DX	1205	9.5	31	4	5	9	11	15	18	28
" MULTIPLE DX	1634	14.1	124	5	6	11	16	27	37	66
TOTAL 0-19 YRS	582	12.9	78	6	7	10	14	21	30	55
20-34	563	12.5	95	4	5	10	14	23	36	89
35-49	896	10.9	66	4	5	9	12	18	25	59
50-64	622	12.1	114	4	5	9	13	23	32	61
65+	176	16.0	126	5	6	13	19	31	41	60
GRAND TOTAL	2839	12.2	90	4	5	10	14	22	31	60

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.9	9	1	1	3	5	7	8	16
20-34	258	3.9	6	1	1	3	5	7	9	13
35-49	254	4.1	6	1	1	4	5	7	9	12
50-64	311	4.1	9	1	1	3	5	8	10	17
65+	130	4.9	18	1	1	4	6	11	15	20
2. MULTIPLE DX										
0-19 YRS	179	5.0	11	2	2	4	5	9	11	20
20-34	28[illegible]	5.0	24	1	1	4	6	9	11	21
35-49	31[illegible]	6.0	58	1	2	4	7	11	15	27
50-64	449	5.9	31	1	2	4	7	12	17	24
65+	318	7.8	87	1	2	5	9	16	27	49
TOT. SINGLE DX	1091	4.1	9	1	1	3	5	7	10	17
" MULTIPLE DX	1547	6.0	46	1	2	4	7	11	16	31
TOTAL 0-19 YRS	317	4.5	11	1	2	4	5	8	10	19
20-34	540	4.5	16	1	1	4	5	8	10	19
35-49	573	5.2	36	1	2	4	6	9	12	22
50-64	760	5.2	23	1	1	4	6	10	15	22
65+	448	6.9	69	1	2	4	8	15	21	39
GRAND TOTAL	**2638**	**5.3**	**32**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.1	16	6	6	12	14	16	16	16
20-34	60	12.9	29	6	8	12	15	18	24	32
35-49	196	12.1	23	6	8	11	14	17	21	33
50-64	848	12.5	17	8	8	12	14	17	20	27
65+	1441	13.4	20	8	9	13	15	18	21	30
2. MULTIPLE DX										
0-19 YRS	19	14.8	137	7	8	11	14	27	47	57
20-34	118	13.7	27	7	9	12	17	20	24	55
35-49	321	14.5	53	8	9	13	16	22	31	56
50-64	1419	15.6	76	8	9	13	17	24	30	49
65+	4243	16.8	74	9	10	15	19	26	33	54
TOT. SINGLE DX	2552	13.0	20	8	9	12	15	18	21	29
" MULTIPLE DX	6120	16.3	74	8	9	14	18	25	32	53
TOTAL 0-19 YRS	26	13.8	106	6	7	11	14	16	39	57
20-34	178	13.4	28	7	8	12	16	20	24	34
35-49	517	13.6	44	7	8	12	15	21	26	42
50-64	2267	14.4	57	8	9	13	16	22	27	45
65+	5684	15.9	63	9	9	14	18	24	30	51
GRAND TOTAL	**8672**	**15.3**	**60**	**8**	**9**	**14**	**17**	**23**	**29**	**48**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	8.6	51	<1	2	5	13	21	22	22
20-34	22	10.1	23	3	4	10	13	17	19	20
35-49	56	10.2	10	5	7	10	12	14	16	20
50-64	179	12.5	37	6	7	11	15	19	22	42
65+	1032	13.5	24	7	8	13	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	12	8.0	22	3	3	6	11	15	18	18
20-34	37	12.7	53	6	6	11	14	21	31	38
35-49	91	15.1	62	7	8	14	17	25	30	50
50-64	458	16.8	95	8	9	14	20	28	37	58
65+	4897	16.9	77	8	9	15	19	26	32	55
TOT. SINGLE DX	1301	13.1	27	7	8	12	15	19	22	33
" MULTIPLE DX	5495	16.8	79	8	9	15	19	26	33	54
TOTAL 0-19 YRS	24	8.3	36	2	3	6	11	18	21	22
20-34	59	11.7	43	4	6	10	14	19	25	37
35-49	147	13.2	48	7	7	12	15	20	26	44
50-64	637	15.6	83	7	8	13	18	26	34	53
65+	5929	16.3	70	8	9	15	19	25	31	51
GRAND TOTAL	**6796**	**16.1**	**71**	**8**	**9**	**14**	**18**	**25**	**31**	**52**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	3.7	3	1	1	4	5	6	7	9
20-34	805	4.3	6	1	1	4	5	7	9	14
35-49	350	6.1	20	1	1	5	9	12	15	21
50-64	812	11.3	25	3	4	11	15	17	19	26
65+	1574	13.3	21	7	8	13	16	18	20	27
2. MULTIPLE DX										
0-19 YRS	661	4.6	13	1	2	4	5	7	9	17
20-34	1168	5.0	15	1	2	4	6	8	11	22
35-49	580	6.9	41	1	1	5	9	16	20	32
50-64	1493	12.6	57	2	4	12	16	20	25	44
65+	4109	15.3	49	8	9	14	17	23	28	42
TOT. SINGLE DX	4158	9.1	34	2	2	9	13	17	18	24
" MULTIPLE DX	8011	11.8	61	2	3	11	16	20	25	39
TOTAL 0-19 YRS	1278	4.2	9	1	2	4	5	6	8	13
20-34	1973	4.7	12	1	2	4	5	8	10	18
35-49	930	6.6	34	1	1	5	9	14	18	28
50-64	2305	12.2	47	2	4	12	15	19	22	39
65+	5683	14.7	42	7	9	14	17	21	26	39
GRAND TOTAL	**12169**	**10.9**	**54**	**2**	**3**	**11**	**15**	**19**	**23**	**35**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	759	2.9	2	1	1	3	4	4	5	8
20-34	1433	3.0	2	1	1	3	4	5	6	8
35-49	790	3.3	3	1	1	3	4	5	7	11
50-64	788	4.2	18	1	2	3	5	7	10	16
65+	267	5.3	13	2	2	4	6	10	13	17
2. MULTIPLE DX										
0-19 YRS	256	3.4	8	1	1	3	4	5	7	17
20-34	644	3.8	10	1	1	3	5	6	8	15
35-49	696	4.5	14	1	2	4	5	8	10	21
50-64	1126	5.1	20	2	2	4	6	9	12	22
65+	719	6.8	37	2	2	5	8	13	17	32
TOT. SINGLE DX	4037	3.4	7	1	1	3	4	6	7	13
" MULTIPLE DX	3441	5.0	21	1	2	4	6	9	12	23
TOTAL 0-19 YRS	1015	3.0	4	1	1	3	4	5	5	9
20-34	2077	3.3	5	1	1	3	4	5	6	10
35-49	1486	3.8	9	1	1	3	4	7	8	16
50-64	1914	4.8	20	1	2	4	5	8	11	20
65+	986	6.4	32	2	2	5	8	12	16	29
GRAND TOTAL	7478	4.1	14	1	2	3	5	7	10	18

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.8	14	<1	1	3	4	8	12	21
20-34	334	3.5	10	1	1	3	4	7	9	15
35-49	244	3.2	12	<1	1	2	3	5	11	20
50-64	154	3.5	15	<1	1	2	4	7	11	22
65+	61	4.3	15	<1	<1	3	5	11	13	18
2. MULTIPLE DX										
0-19 YRS	435	5.3	33	1	2	4	6	9	16	34
20-34	344	7.6	77	1	1	5	9	19	23	56
35-49	308	7.0	59	1	2	4	8	17	19	41
50-64	298	7.6	80	1	1	5	10	18	23	39
65+	244	11.6	161	1	2	7	15	26	32	75
TOT. SINGLE DX	1203	3.6	13	<1	1	3	4	7	11	20
" MULTIPLE DX	1629	7.5	79	1	2	4	9	18	24	45
TOTAL 0-19 YRS	845	4.6	25	1	1	3	5	9	14	28
20-34	678	5.6	49	1	1	3	6	12	19	39
35-49	552	5.4	42	1	1	3	6	13	18	32
50-64	452	6.2	62	1	1	3	7	14	21	31
65+	305	10.1	140	1	2	6	13	23	29	65
GRAND TOTAL	2832	5.8	55	1	1	3	6	13	19	36

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	494	2.2	4	<1	<1	2	2	4	6	12
20-34	634	2.4	5	<1	<1	2	3	4	6	12
35-49	498	2.8	10	<1	<1	2	3	5	7	16
50-64	421	3.2	11	<1	1	2	4	6	9	17
65+	183	4.1	20	1	1	3	4	8	14	25
2. MULTIPLE DX										
0-19 YRS	127	5.6	64	1	1	3	6	12	22	51
20-34	315	6.0	76	<1	1	3	6	13	21	46
35-49	432	6.4	54	1	1	3	9	15	21	39
50-64	575	7.8	71	1	1	5	10	19	25	41
65+	533	9.8	104	1	2	7	12	22	30	53
TOT. SINGLE DX	2230	2.7	9	<1	<1	2	3	5	8	16
" MULTIPLE DX	1982	7.6	79	1	1	4	10	18	25	49
TOTAL 0-19 YRS	621	2.9	19	<1	<1	2	3	5	8	22
20-34	949	3.6	31	<1	<1	2	3	7	11	30
35-49	930	4.4	34	<1	1	2	4	10	16	28
50-64	996	5.9	51	1	1	3	7	13	21	36
65+	716	8.3	89	1	1	5	11	20	28	50
GRAND TOTAL	4212	5.0	48	<1	1	3	5	12	18	35

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.1	2	<1	<1	2	2	4	7	8
20-34	41	3.4	13	1	1	2	3	8	12	17
35-49	86	2.3	2	<1	1	2	3	4	5	11
50-64	309	2.1	1	<1	1	2	3	3	4	7
65+	189	2.1	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	29	5.3	80	1	1	3	4	15	23	44
20-34	55	5.1	37	1	1	3	6	13	20	28
35-49	88	4.3	51	1	1	2	4	8	16	45
50-64	244	3.4	10	1	1	2	4	6	10	17
65+	237	3.6	14	1	1	2	4	7	12	22
TOT. SINGLE DX	647	2.2	3	<1	1	2	3	3	4	10
" MULTIPLE DX	653	3.8	23	1	1	2	4	7	13	24
TOTAL 0-19 YRS	51	3.9	49	<1	1	2	3	6	20	44
20-34	96	4.4	28	1	1	2	5	11	16	27
35-49	174	3.3	28	<1	1	2	3	5	9	22
50-64	553	2.7	6	1	1	2	3	4	6	16
65+	426	3.0	9	1	1	2	3	5	7	18
GRAND TOTAL	1300	3.0	13	1	1	2	3	5	8	20

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	434	1.9	1	<1	<1	1	2	3	4	7
20-34	703	2.0	2	<1	<1	2	2	4	5	9
35-49	290	2.3	5	<1	1	2	2	4	6	13
50-64	176	2.2	2	<1	1	2	3	4	5	11
65+	50	2.5	6	<1	<1	2	3	4	5	15
2. MULTIPLE DX										
0-19 YRS	405	2.1	2	<1	1	2	3	4	5	7
20-34	747	2.7	14	1	1	2	3	5	7	14
35-49	335	3.1	31	1	1	2	3	5	8	26
50-64	175	3.5	22	1	1	2	4	6	10	21
65+	99	4.8	41	1	1	3	5	10	18	37
TOT. SINGLE DX	1653	2.1	3	<1	1	2	2	4	5	10
" MULTIPLE DX	1761	2.9	17	1	1	2	3	5	7	21
TOTAL 0-19 YRS	839	2.0	2	<1	1	2	2	4	5	7
20-34	1450	2.4	9	<1	1	2	3	4	6	11
35-49	625	2.7	19	1	1	2	3	5	7	17
50-64	351	2.8	13	1	1	2	3	5	7	20
65+	149	4.0	30	<1	1	2	4	8	14	31
GRAND TOTAL	3414	2.5	11	<1	1	2	3	4	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	2.3	3	<1	1	2	3	4	5	9
20-34	557	2.6	3	<1	1	2	3	4	6	12
35-49	514	3.0	5	1	1	3	4	5	7	10
50-64	596	3.7	3	1	1	3	5	6	7	10
65+	183	4.3	5	1	2	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	193	4.1	37	<1	1	2	4	7	11	37
20-34	428	4.7	64	1	1	3	5	9	15	55
35-49	407	4.9	30	1	1	4	5	9	14	23
50-64	595	5.7	41	1	2	4	6	11	16	33
65+	399	7.7	73	1	2	5	8	17	23	44
TOT. SINGLE DX	2115	3.1	5	1	1	3	4	5	7	11
" MULTIPLE DX	2022	5.6	51	1	1	4	6	11	17	41
TOTAL 0-19 YRS	458	3.0	19	<1	1	2	3	6	7	25
20-34	985	3.5	31	<1	1	2	4	6	9	25
35-49	921	3.9	17	1	1	3	4	7	10	19
50-64	1191	4.7	24	1	2	4	5	8	11	24
65+	582	6.6	55	1	2	4	7	13	19	41
GRAND TOTAL	4137	4.3	29	1	1	3	5	8	12	28

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	586	3.1	4	1	1	3	4	5	6	11
20-34	422	3.2	5	1	1	3	4	6	6	10
35-49	310	3.4	4	1	1	3	4	6	7	12
50-64	208	3.7	6	1	1	3	4	6	8	16
65+	71	5.2	19	1	1	4	6	10	11	28
2. MULTIPLE DX										
0-19 YRS	669	3.9	31	1	2	3	4	6	7	23
20-34	299	5.9	64	1	1	4	6	11	19	71
35-49	218	7.9	157	1	2	4	7	21	47	99+
50-64	204	6.4	64	1	2	4	7	10	20	76
65+	154	9.2	157	1	2	6	11	17	22	92
TOT. SINGLE DX	1597	3.3	6	1	1	3	4	6	7	11
" MULTIPLE DX	1544	5.7	75	1	2	4	6	10	18	82
TOTAL 0-19 YRS	1255	3.5	19	1	1	3	4	5	7	15
20-34	721	4.3	32	1	1	3	5	7	10	32
35-49	528	5.3	72	1	1	3	5	9	17	88
50-64	412	5.0	37	1	2	4	6	9	12	52
65+	225	8.0	117	1	2	5	9	14	20	82
GRAND TOTAL	3141	4.5	41	1	1	3	5	7	11	46

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	2.1	3	<1	1	2	2	4	5	11
20-34	234	2.7	9	<1	1	2	3	6	8	19
35-49	130	2.9	20	<1	1	2	3	5	7	23
50-64	105	3.4	35	<1	1	2	3	7	8	37
65+	58	3.4	22	1	1	2	3	9	14	27
2. MULTIPLE DX										
0-19 YRS	67	3.5	12	1	1	2	5	10	11	15
20-34	208	6.5	128	1	1	3	6	13	29	66
35-49	153	6.0	128	1	1	2	5	12	27	69
50-64	159	6.0	81	1	1	3	6	14	27	46
65+	132	8.7	122	1	1	4	10	25	32	55
TOT. SINGLE DX	622	2.8	17	<1	1	2	3	5	8	22
" MULTIPLE DX	719	6.4	108	1	1	3	7	14	28	56
TOTAL 0-19 YRS	162	2.7	8	1	1	2	3	7	11	14
20-34	442	4.5	69	<1	1	2	4	9	15	44
35-49	283	4.6	81	1	1	2	4	9	16	51
50-64	264	5.0	65	1	1	2	4	11	23	45
65+	190	7.1	98	1	1	3	9	18	31	51
GRAND TOTAL	1341	4.7	69	1	1	2	4	10	18	46

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.1	9	1	1	2	4	8	11	11
20-34	20	5.8	32	1	1	4	8	12	18	24
35-49	11	9.5	96	1	1	5	12	27	31	31
50-64	7	3.0	1	1	1	3	4	4	4	4
65+	6	6.2	14	2	2	5	7	12	13	13
2. MULTIPLE DX										
0-19 YRS	4	24.3	1982	<1	<1	2	47	91	91	91
20-34	17	12.0	172	1	1	8	20	26	42	51
35-49	15	19.0	332	2	2	14	30	48	54	56
50-64	24	15.5	169	3	3	10	24	37	40	41
65+	31	16.6	124	5	5	16	24	33	37	45
TOT. SINGLE DX	54	5.7	38	1	1	4	6	12	22	31
" MULTIPLE DX	91	16.2	241	2	2	10	24	37	47	77
TOTAL 0-19 YRS	14	9.1	562	<1	1	2	4	19	75	91
20-34	37	8.6	104	1	1	5	11	23	26	51
35-49	26	15.0	248	1	2	9	18	46	50	56
50-64	31	12.7	159	2	2	7	21	36	40	41
65+	37	14.9	121	3	5	10	22	32	36	45
GRAND TOTAL	145	12.3	191	1	1	7	18	31	40	58

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	3.6	11	1	1	3	4	8	10	19
20-34	35	4.7	14	1	1	3	6	10	14	16
35-49	40	6.0	86	1	1	3	5	15	19	55
50-64	52	6.3	42	1	1	4	7	15	17	32
65+	54	7.4	106	1	2	4	8	14	22	62
2. MULTIPLE DX										
0-19 YRS	41	6.9	94	1	1	4	7	15	24	56
20-34	122	13.4	192	1	2	9	18	29	42	69
35-49	201	15.1	122	2	4	12	21	31	37	50
50-64	614	15.9	191	2	3	13	21	33	46	85
65+	1041	16.4	167	3	4	13	22	34	42	63
TOT. SINGLE DX	231	5.7	55	1	1	3	6	12	17	46
" MULTIPLE DX	2019	15.8	172	2	3	13	21	33	42	69
TOTAL 0-19 YRS	91	5.1	51	1	1	3	5	10	17	46
20-34	157	11.4	165	1	2	7	15	28	38	63
35-49	241	13.6	128	1	2	10	19	29	36	54
50-64	666	15.2	186	2	3	12	20	32	45	84
65+	1095	16.0	168	2	3	13	21	34	42	63
GRAND TOTAL	2250	14.7	170	2	3	11	19	31	41	65

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.3	152	10	10	17	30	34	34	34
20-34	11	19.7	205	4	7	15	26	43	52	53
35-49	9	8.3	13	3	3	8	11	13	14	14
50-64	11	17.2	132	7	7	15	18	37	43	44
65+	26	15.4	60	5	6	14	21	25	29	38
2. MULTIPLE DX										
0-19 YRS	10	21.8	282	4	6	17	31	47	61	61
20-34	48	25.9	415	6	7	20	41	64	73	99+
35-49	133	21.8	186	7	8	18	29	42	53	77
50-64	483	25.7	280	8	10	21	33	49	60	96
65+	1309	23.6	219	8	10	19	29	44	56	86
TOT. SINGLE DX	60	15.7	103	4	6	13	19	30	37	52
" MULTIPLE DX	1983	24.0	238	8	9	20	30	46	57	92
TOTAL 0-19 YRS	13	21.5	238	5	7	17	31	39	57	61
20-34	59	24.8	378	5	7	17	36	59	71	98
35-49	142	21.0	186	6	8	17	26	39	52	75
50-64	494	25.5	278	8	9	21	33	49	60	96
65+	1335	23.4	218	8	10	19	29	43	56	86
GRAND TOTAL	2043	23.8	236	7	9	19	30	46	57	91

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.8	31	4	4	7	12	18	18	18
20-34	4	7.8	21	3	3	7	11	14	14	14
35-49	3	11.0	3	9	9	12	12	12	12	12
50-64	13	15.1	94	6	7	10	21	31	34	35
65+	41	13.8	91	5	6	11	15	22	39	49
2. MULTIPLE DX										
0-19 YRS	8	14.3	138	4	4	13	17	34	40	40
20-34	21	27.2	439	9	11	21	52	99+	99+	99+
35-49	49	24.2	356	6	7	19	40	60	98	99+
50-64	235	24.2	283	7	8	20	31	49	71	99+
65+	1449	20.1	189	6	8	16	25	37	48	77
TOT. SINGLE DX	66	13.2	82	5	6	11	15	23	34	49
" MULTIPLE DX	1762	20.8	212	6	8	17	26	40	53	90
TOTAL 0-19 YRS	13	12.2	99	4	4	10	16	23	37	40
20-34	[illegible]	24.1	422	6	7	19	42	95	99+	99+
35-49	52	23.4	345	6	8	17	39	59	96	99+
50-64	248	23.7	277	7	8	19	30	46	70	99+
65+	1490	19.9	188	6	8	16	25	37	48	76
GRAND TOTAL	1828	20.5	209	6	8	17	26	39	52	86

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.9	3	1	1	4	5	6	7	7
20-34	6	7.3	41	1	1	5	12	17	18	18
35-49	10	8.5	23	2	2	8	13	14	15	15
50-64	9	8.0	20	4	4	6	11	15	17	17
65+	5	11.2	13	8	8	10	14	16	16	16
2. MULTIPLE DX										
0-19 YRS	13	15.7	276	3	3	10	22	38	55	59
20-34	32	26.3	430	4	6	21	36	58	93	99+
35-49	71	21.9	309	5	6	16	30	50	64	97
50-64	164	26.0	296	6	9	22	35	49	58	96
65+	238	25.1	233	7	9	22	32	49	60	82
TOT. SINGLE DX	41	7.3	22	1	2	6	10	15	16	18
" MULTIPLE DX	518	24.8	279	5	7	21	33	49	60	99
TOTAL 0-19 YRS	24	10.3	182	2	2	5	10	32	41	59
20-34	38	23.3	415	3	4	18	34	57	81	99+
35-49	81	20.2	293	3	5	14	29	46	63	96
50-64	173	25.0	298	5	7	21	33	47	57	96
65+	243	24.8	233	7	9	22	32	48	60	81
GRAND TOTAL	559	23.5	280	4	6	19	32	48	59	99

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.7	71	<1	1	2	7	11	26	41
20-34	40	5.8	32	1	1	5	7	9	12	36
35-49	17	4.2	7	1	2	4	5	7	10	12
50-64	16	4.8	17	1	1	3	7	12	14	15
65+	3	6.7	54	1	1	4	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	16	2.9	7	<1	<1	2	4	8	9	9
20-34	38	10.4	108	2	2	8	11	22	33	52
35-49	22	6.0	15	1	1	6	9	11	13	15
50-64	14	4.9	20	1	2	4	5	10	17	19
65+	5	12.8	351	2	2	4	18	46	46	46
TOT. SINGLE DX	112	5.4	39	1	1	4	7	11	15	38
" MULTIPLE DX	95	7.4	75	1	1	5	9	18	22	49
TOTAL 0-19 YRS	52	4.8	53	<1	<1	2	7	10	19	41
20-34	78	8.1	74	1	2	6	9	18	24	48
35-49	39	5.2	12	1	1	4	7	11	12	15
50-64	30	4.9	18	1	1	4	7	10	15	19
65+	8	10.5	227	1	1	4	12	37	46	46
GRAND TOTAL	207	6.3	56	1	1	4	8	12	19	43

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.3	8	1	1	2	4	8	11	12
20-34	58	3.8	18	1	1	2	4	9	12	24
35-49	48	4.4	16	1	1	3	6	11	14	16
50-64	37	6.3	50	1	1	3	8	12	27	28
65+	43	6.9	32	1	1	5	9	15	17	28
2. MULTIPLE DX										
0-19 YRS	19	4.1	27	1	1	2	4	12	19	21
20-34	67	7.6	149	1	1	4	9	15	30	80
35-49	61	9.8	102	1	2	7	12	23	31	50
50-64	153	11.9	137	2	2	9	15	25	34	84
65+	199	15.3	180	3	4	11	21	32	42	83
TOT. SINGLE DX	214	4.9	26	1	1	3	6	11	15	28
" MULTIPLE DX	499	12.1	157	1	2	8	16	26	37	76
TOTAL 0-19 YRS	47	3.6	16	1	1	2	4	8	13	21
20-34	125	5.9	92	1	1	3	7	12	17	48
35-49	109	7.4	71	1	1	4	9	18	27	45
50-64	190	10.8	125	1	2	8	14	24	32	76
65+	242	13.8	164	2	3	10	19	29	39	69
GRAND TOTAL	713	10.0	128	1	1	6	13	23	32	64

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	2.1	1	1	1	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	6.4	48	2	2	3	8	18	22	22
65+	5	8.6	20	3	3	9	11	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	3.0	2	1	1	3	4	5	5	5
35-49	5	5.0	6	2	2	4	7	8	8	8
50-64	9	6.4	12	3	3	5	8	12	14	14
65+	17	11.5	18	4	7	11	13	19	20	20
TOT. SINGLE DX	23	5.0	27	1	1	3	7	11	17	22
" MULTIPLE DX	38	7.9	23	2	2	7	11	14	18	20
TOTAL 0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	12	2.5	2	1	1	3	3	4	5	5
35-49	6	4.7	5	2	2	4	7	8	8	8
50-64	17	6.4	27	2	2	5	8	13	19	22
65+	22	10.8	19	3	5	10	13	16	20	20
GRAND TOTAL	61	6.8	26	1	2	5	10	14	17	22

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	2.1	5	<1	<1	2	2	3	5	6
20-34	797	2.0	1	<1	<1	2	2	3	4	7
35-49	1968	2.2	2	<1	1	2	2	4	5	9
50-64	1319	2.5	3	<1	1	2	3	5	6	10
65+	653	3.1	8	1	1	2	3	6	9	18
2. MULTIPLE DX										
0-19 YRS	74	4.3	32	<1	1	3	4	8	11	37
20-34	609	4.3	34	1	1	3	5	9	12	27
35-49	1943	4.0	23	1	1	2	4	9	12	24
50-64	1881	4.8	36	1	1	3	5	11	14	31
65+	2163	6.2	42	1	2	4	8	13	18	33
TOT. SINGLE DX	4947	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	6670	5.0	35	1	1	3	6	11	15	29
TOTAL 0-19 YRS	284	2.7	13	<1	<1	2	3	5	6	20
20-34	1406	3.0	17	<1	1	2	3	6	9	17
35-49	3911	3.1	14	<1	1	2	3	6	9	18
50-64	3200	3.8	24	1	1	2	4	8	12	24
65+	2816	5.5	37	1	1	3	7	12	16	29
GRAND TOTAL	**11617**	**3.8**	**24**	**<1**	**1**	**2**	**4**	**8**	**12**	**24**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.6	2	<1	1	2	3	4	6	9
20-34	35	3.4	5	1	1	3	5	7	8	10
35-49	94	4.4	5	1	2	4	6	8	9	9
50-64	79	5.4	19	1	1	5	6	10	11	28
65+	142	5.4	10	1	2	5	7	9	10	17
2. MULTIPLE DX										
0-19 YRS	11	3.4	2	2	2	3	4	6	7	7
20-34	35	5.9	17	2	3	5	6	12	16	21
35-49	163	6.1	24	2	2	5	7	10	16	24
50-64	195	8.1	64	2	3	6	9	14	21	51
65+	524	9.5	39	3	4	8	12	18	23	33
TOT. SINGLE DX	404	4.6	11	1	1	4	6	8	9	15
" MULTIPLE DX	928	8.4	43	2	3	6	10	16	21	35
TOTAL 0-19 YRS	65	2.7	3	<1	1	2	3	5	6	9
20-34	70	4.7	13	1	1	4	6	8	12	20
35-49	257	5.5	18	1	2	5	6	9	11	24
50-64	274	7.3	53	2	2	5	8	13	20	44
65+	666	8.6	36	2	3	7	10	16	21	32
GRAND TOTAL	**1332**	**7.2**	**36**	**2**	**2**	**6**	**9**	**14**	**19**	**32**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	127	6.2	6	3	4	6	7	9	10	14
35-49	676	6.4	6	3	4	6	7	9	10	15
50-64	1055	6.8	6	3	4	6	8	10	11	15
65+	874	7.2	7	4	5	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	5	23.0	612	1	1	12	38	63	63	63
20-34	108	6.7	7	3	4	6	8	10	11	19
35-49	1062	7.3	10	3	4	7	8	11	13	20
50-64	1992	8.4	18	4	5	7	10	13	16	25
65+	2810	9.3	25	4	5	8	11	15	18	29
TOT. SINGLE DX	2735	6.8	7	4	4	6	8	10	11	16
" MULTIPLE DX	5977	8.6	21	4	5	8	10	13	17	26
TOTAL 0-19 YRS	8	16.0	444	1	2	7	21	53	63	63
20-34	235	6.4	7	3	4	6	7	9	10	18
35-49	1738	6.9	9	3	4	6	8	10	12	19
50-64	3047	7.8	15	4	4	7	9	12	14	22
65+	3684	8.8	22	4	5	8	10	14	17	26
GRAND TOTAL	**8712**	**8.0**	**17**	**4**	**5**	**7**	**9**	**12**	**15**	**23**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	366	2.8	1	1	1	3	4	4	5	8
20-34	681	3.1	3	1	1	3	4	5	6	8
35-49	630	3.5	3	1	1	3	4	6	7	9
50-64	256	3.7	4	1	2	3	5	6	7	11
65+	50	3.5	5	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	125	4.0	32	1	1	3	4	6	7	44
20-34	537	3.9	10	1	1	3	5	6	8	15
35-49	1002	4.2	7	1	1	4	5	7	9	14
50-64	614	4.7	11	1	2	4	6	8	10	17
65+	161	5.5	24	2	2	4	6	12	16	27
TOT. SINGLE DX	1983	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	2439	4.3	12	1	1	4	5	7	9	16
TOTAL 0-19 YRS	491	3.1	10	1	1	3	4	5	6	9
20-34	1218	3.5	7	1	1	3	4	6	7	12
35-49	1632	3.9	6	1	1	3	5	7	8	12
50-64	870	4.4	10	1	2	4	5	7	9	15
65+	211	5.0	21	2	2	4	6	10	15	25
GRAND TOTAL	4422	3.8	8	1	1	3	5	6	8	14

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	764	3.1	4	1	1	3	4	5	6	9
20-34	1474	3.0	2	1	1	3	4	5	6	8
35-49	216	3.1	3	1	1	3	4	6	7	10
50-64	55	3.3	5	1	1	3	4	7	9	10
65+	10	3.7	7	1	1	3	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	143	4.6	10	1	2	4	6	8	11	17
20-34	349	4.9	20	1	1	4	6	9	14	24
35-49	126	5.1	22	1	2	4	6	11	12	24
50-64	58	6.7	31	2	2	5	8	14	18	29
65+	31	10.6	129	2	2	7	11	24	42	50
TOT. SINGLE DX	2519	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	707	5.3	26	1	2	4	6	10	14	26
TOTAL 0-19 YRS	907	3.4	5	1	1	3	4	6	7	11
20-34	1823	3.4	7	1	1	3	4	6	7	14
35-49	342	3.8	12	1	1	3	5	7	9	15
50-64	113	5.0	21	1	2	4	6	9	14	27
65+	41	8.9	108	2	2	6	10	19	35	50
GRAND TOTAL	3226	3.6	9	1	1	3	4	6	8	15

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	891	2.5	8	<1	<1	2	3	5	7	14
20-34	834	3.4	19	<1	1	2	4	7	10	23
35-49	677	3.4	20	<1	1	2	4	7	10	27
50-64	636	3.6	19	1	1	2	4	7	11	22
65+	374	4.2	20	1	1	3	5	10	13	24
2. MULTIPLE DX										
0-19 YRS	579	6.5	96	<1	1	3	6	14	29	58
20-34	1124	9.4	121	1	2	5	11	25	31	55
35-49	1510	8.6	87	1	2	5	10	20	28	47
50-64	2062	8.8	94	1	2	6	10	19	27	50
65+	2799	9.9	83	2	2	8	12	20	28	48
TOT. SINGLE DX	3412	3.3	17	<1	1	2	4	7	10	22
" MULTIPLE DX	8074	9.1	94	1	2	6	11	20	29	50
TOTAL 0-19 YRS	1470	4.1	47	<1	<1	2	4	8	13	41
20-34	1958	6.8	87	1	1	3	8	17	28	47
35-49	2187	7.0	72	1	1	4	8	16	25	42
50-64	2698	7.6	82	1	1	5	9	16	24	48
65+	3173	9.3	80	1	2	7	12	19	26	47
GRAND TOTAL	11486	7.4	78	1	1	4	9	17	25	46

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1849	3.9	22	<1	1	2	5	8	12	25
20-34	1863	4.1	22	<1	1	3	5	8	12	24
35-49	981	5.0	29	1	1	3	6	11	16	31
50-64	689	6.1	46	1	1	4	8	13	19	32
65+	558	7.2	62	1	1	5	9	15	23	39
2. MULTIPLE DX										
0-19 YRS	3312	5.5	74	1	1	3	6	11	20	48
20-34	5175	6.7	89	1	1	4	8	15	24	53
35-49	3306	9.0	122	1	1	5	11	21	30	62
50-64	3689	11.3	137	1	2	8	15	26	36	65
65+	6550	13.6	169	2	2	10	17	29	41	70
TOT. SINGLE DX	5940	4.7	31	1	1	3	6	10	15	29
" MULTIPLE DX	22032	9.7	134	1	1	6	12	23	33	63
TOTAL 0-19 YRS	5161	5.0	57	1	1	3	5	10	16	43
20-34	7038	6.0	73	1	1	3	7	13	21	49
35-49	4287	8.1	104	1	1	5	10	18	28	55
50-64	4378	10.5	127	1	2	7	13	24	33	63
65+	7108	13.1	164	1	2	9	17	29	40	69
GRAND TOTAL	27972	8.6	116	1	1	5	11	21	30	57

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	5.8	51	1	1	3	8	13	18	41
20-34	283	7.3	69	1	1	5	9	16	26	47
35-49	168	7.1	77	1	1	4	8	17	21	53
50-64	167	7.1	52	1	1	5	9	17	23	35
65+	137	10.3	61	1	2	9	16	22	25	30
2. MULTIPLE DX										
0-19 YRS	361	14.8	175	1	2	12	21	31	39	69
20-34	462	15.3	229	1	2	11	20	34	49	95
35-49	370	17.5	247	1	3	14	25	38	48	86
50-64	480	16.9	222	2	2	13	25	39	52	99+
65+	966	20.8	229	3	5	17	28	44	53	86
TOT. SINGLE DX	1052	7.2	64	1	1	4	9	17	23	39
" MULTIPLE DX	2639	17.9	229	2	3	14	25	39	50	87
TOTAL 0-19 YRS	658	10.7	139	1	1	7	15	25	35	59
20-34	745	12.3	184	1	1	8	16	28	40	69
35-49	538	14.3	217	1	2	9	20	33	44	80
50-64	647	14.4	197	1	2	10	21	34	46	91
65+	1103	19.5	221	2	4	16	27	41	50	85
GRAND TOTAL	3691	14.8	205	1	2	11	21	34	46	76

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	4.3	77	<1	1	2	3	8	13	57
20-34	155	4.5	43	1	1	2	4	10	14	34
35-49	89	5.2	34	<1	1	3	6	15	17	26
50-64	62	6.0	61	<1	1	3	7	16	24	38
65+	24	5.3	36	<1	1	4	5	18	20	24
2. MULTIPLE DX										
0-19 YRS	89	8.6	194	1	1	3	10	25	29	83
20-34	141	15.8	456	1	1	5	22	50	76	99+
35-49	115	13.4	309	1	1	7	16	36	48	87
50-64	111	16.1	347	1	2	8	24	41	54	87
65+	161	17.8	265	2	2	14	26	37	53	80
TOT. SINGLE DX	424	4.9	51	<1	1	2	5	12	17	34
" MULTIPLE DX	617	14.9	329	1	1	8	22	37	55	92
TOTAL 0-19 YRS	183	6.4	138	<1	1	2	5	16	28	72
20-34	296	9.9	271	1	1	3	10	31	51	92
35-49	204	9.9	205	1	1	4	11	26	40	75
50-64	173	12.5	268	1	1	5	18	35	42	81
65+	185	16.2	253	1	2	12	24	35	49	80
GRAND TOTAL	1041	10.8	240	1	1	4	14	30	42	80

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	474	2.5	10	<1	1	2	2	4	6	15
20-34	245	2.8	9	<1	1	2	4	5	7	12
35-49	232	3.2	6	<1	1	3	4	6	7	12
50-64	244	2.7	5	1	1	2	4	5	7	11
65+	99	2.7	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	311	4.5	35	<1	1	2	5	10	14	33
20-34	399	5.5	37	1	1	4	6	10	16	35
35-49	580	5.9	41	1	1	4	7	12	17	34
50-64	709	6.1	63	1	1	4	7	14	19	42
65+	601	8.8	58	1	2	7	11	18	23	41
TOT. SINGLE DX	1294	2.7	8	<1	1	2	3	5	7	13
" MULTIPLE DX	2600	6.4	52	1	1	4	8	14	19	37
TOTAL 0-19 YRS	785	3.3	22	<1	1	2	3	6	10	26
20-34	644	4.5	28	1	1	3	5	9	12	29
35-49	812	5.2	33	1	1	4	6	10	15	31
50-64	953	5.2	51	1	1	3	6	11	17	34
65+	700	7.9	56	1	1	6	10	17	22	39
GRAND TOTAL	3894	5.2	40	1	1	3	6	11	17	33

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	5.4	25	1	1	4	6	11	16	29
20-34	46	7.2	52	2	2	5	9	13	27	34
35-49	45	5.3	37	1	1	3	6	10	20	32
50-64	29	4.8	20	1	1	3	6	11	18	18
65+	19	5.3	17	1	1	5	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	168	10.4	188	2	2	5	10	25	42	72
20-34	184	7.2	43	2	3	5	9	12	17	26
35-49	211	7.9	47	2	3	7	9	14	17	26
50-64	269	9.1	59	2	2	8	11	18	23	38
65+	432	10.9	52	3	4	9	14	20	25	38
TOT. SINGLE DX	196	5.7	33	1	1	4	7	11	17	33
" MULTIPLE DX	1264	9.4	72	2	3	7	11	18	24	46
TOTAL 0-19 YRS	225	9.1	152	1	2	5	9	22	35	66
20-34	230	7.2	45	2	2	5	9	12	18	33
35-49	256	7.4	47	1	2	6	9	14	18	27
50-64	298	8.7	58	1	2	7	11	17	23	38
65+	451	10.7	53	2	4	9	14	20	24	37
GRAND TOTAL	1460	8.9	68	2	2	7	11	17	23	43

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	3.6	17	1	1	2	4	8	12	21
20-34	3665	3.9	14	1	1	2	5	9	12	17
35-49	5037	4.0	14	1	1	2	5	9	12	18
50-64	2714	4.1	16	1	1	3	5	10	12	19
65+	666	3.8	13	1	1	2	4	9	12	18
2. MULTIPLE DX										
0-19 YRS	226	4.5	35	1	1	3	6	9	11	18
20-34	2506	6.4	35	1	1	4	9	14	17	27
35-49	4440	6.6	37	1	1	5	9	14	17	27
50-64	4088	6.7	39	1	1	5	9	15	19	30
65+	2515	8.7	64	1	2	6	12	18	24	37
TOT. SINGLE DX	12360	4.0	15	1	1	2	5	9	12	18
" MULTIPLE DX	13775	6.9	43	1	2	5	9	15	19	30
TOTAL 0-19 YRS	504	4.0	26	1	1	2	5	9	12	20
20-34	6171	4.9	24	1	1	3	7	11	15	22
35-49	9477	5.2	27	1	1	3	7	11	15	24
50-64	6802	5.7	32	1	1	3	8	12	17	27
65+	3181	7.7	58	1	1	5	10	17	22	36
GRAND TOTAL	26135	5.5	32	1	1	3	8	12	16	26

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	4.1	27	1	1	3	5	8	11	28
20-34	390	3.7	8	1	1	3	5	7	9	15
35-49	491	4.1	16	1	1	3	5	8	12	24
50-64	859	4.1	14	1	1	3	5	9	11	20
65+	897	3.8	15	1	1	2	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	173	6.7	73	1	2	4	8	13	22	40
20-34	530	7.2	55	1	2	5	9	14	21	44
35-49	1131	7.3	59	2	2	5	9	15	21	44
50-64	3766	7.2	50	2	2	5	9	14	19	37
65+	6824	7.7	48	2	2	6	10	15	20	34
TOT. SINGLE DX	2752	3.9	15	1	1	3	5	8	11	20
" MULTIPLE DX	12424	7.5	51	2	2	6	9	15	20	37
TOTAL 0-19 YRS	288	5.7	56	1	1	3	7	11	17	40
20-34	920	5.7	39	1	2	4	7	12	17	35
35-49	1622	6.3	49	1	2	4	8	13	19	37
50-64	4625	6.6	45	1	2	5	8	14	18	32
65+	7721	7.2	46	1	2	5	9	14	19	33
GRAND TOTAL	15176	6.8	46	1	2	5	9	14	19	34

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	3.9	26	1	1	2	4	11	18	19
35-49	86	3.0	6	1	1	2	3	6	10	14
50-64	151	3.2	9	1	1	2	3	7	10	14
65+	51	3.6	10	1	1	2	4	9	10	15
2. MULTIPLE DX										
0-19 YRS	4	8.0	15	3	3	8	11	12	12	12
20-34	25	5.5	22	1	1	3	9	13	15	17
35-49	274	5.2	23	1	1	4	7	11	13	27
50-64	710	5.7	24	1	1	4	8	12	15	23
65+	434	7.1	36	2	2	6	9	14	18	33
TOT. SINGLE DX	299	3.3	10	1	1	2	3	8	10	15
" MULTIPLE DX	1447	6.0	28	1	2	4	9	13	16	26
TOTAL 0-19 YRS	4	8.0	15	3	3	8	11	12	12	12
20-34	36	5.0	24	1	1	3	7	13	16	19
35-49	360	4.7	20	1	1	3	6	10	12	25
50-64	861	5.3	23	1	1	3	7	12	14	22
65+	485	6.7	35	1	2	5	9	14	17	31
GRAND TOTAL	1746	5.6	26	1	1	4	8	12	15	25

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	213	3.8	11	1	1	3	5	8	10	14
20-34	841	5.3	18	1	1	4	8	11	13	18
35-49	935	5.2	17	1	1	4	8	11	13	20
50-64	1336	4.6	16	1	1	3	7	10	12	19
65+	1070	4.8	17	1	1	3	7	11	13	19
2. MULTIPLE DX										
0-19 YRS	238	7.0	41	1	2	5	10	15	21	31
20-34	1308	7.5	45	1	2	6	10	15	19	33
35-49	2532	7.4	42	1	2	6	10	14	18	31
50-64	5830	7.3	44	1	2	6	10	15	18	35
65+	8605	8.5	55	1	2	7	11	16	22	39
TOT. SINGLE DX	4395	4.9	17	1	1	3	7	11	13	19
" MULTIPLE DX	18513	7.8	50	1	2	6	10	15	20	36
TOTAL 0-19 YRS	451	5.5	30	1	1	3	7	11	15	27
20-34	2149	6.6	36	1	1	5	9	13	17	28
35-49	3467	6.8	37	1	2	5	9	14	17	28
50-64	7166	6.8	40	1	2	5	9	14	17	31
65+	9675	8.0	52	1	2	6	11	16	21	37
GRAND TOTAL	**22908**	**7.3**	**45**	**1**	**2**	**6**	**10**	**15**	**19**	**33**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	16561	3.7	24	1	1	3	4	6	8	22
20-34	23056	4.2	22	1	1	3	5	8	11	26
35-49	15044	4.9	24	1	1	4	6	9	13	28
50-64	10832	5.5	25	1	1	4	7	10	14	27
65+	8435	6.2	26	1	2	5	8	12	15	27
2. MULTIPLE DX										
0-19 YRS	26535	5.3	46	1	1	4	6	9	14	40
20-34	38632	5.8	34	1	2	4	7	11	16	31
35-49	42980	6.5	33	1	2	5	8	12	16	30
50-64	66786	7.3	36	2	2	6	9	14	18	31
65+	140980	8.5	40	2	3	7	10	16	20	33
TOT. SINGLE DX	73928	4.6	25	1	1	3	6	9	12	26
" MULTIPLE DX	315913	7.4	40	2	2	6	9	14	18	32
TOTAL 0-19 YRS	43096	4.7	38	1	1	3	5	8	12	35
20-34	61688	5.2	31	1	1	4	6	10	14	30
35-49	58024	6.1	32	1	2	5	8	12	16	29
50-64	77618	7.1	35	2	2	6	9	13	17	30
65+	149415	8.3	40	2	3	7	10	15	20	33
GRAND TOTAL	**389841**	**6.8**	**38**	**1**	**2**	**5**	**8**	**13**	**18**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	7162	7.1	125	1	1	3	6	19	30	63
20-34	4483	8.3	73	1	2	6	10	18	26	44
35-49	4125	8.0	55	1	2	6	10	16	23	39
50-64	3017	7.4	54	1	2	5	9	15	21	37
65+	2132	7.9	60	2	2	6	10	15	21	41
2. MULTIPLE DX										
0-19 YRS	9513	7.7	124	1	2	4	7	17	30	65
20-34	7606	8.7	78	2	2	6	10	18	27	47
35-49	9354	8.6	62	2	3	7	10	16	24	41
50-64	13369	8.9	58	2	3	7	11	16	22	43
65+	28526	9.9	61	3	3	8	12	18	24	42
TOT. SINGLE DX	20919	7.7	84	1	2	5	9	17	25	46
" MULTIPLE DX	68368	9.1	72	2	3	7	11	18	25	46
TOTAL 0-19 YRS	16675	7.5	125	1	2	4	7	18	30	64
20-34	12089	8.6	77	1	2	6	10	18	27	46
35-49	13479	8.5	60	2	2	6	10	16	24	40
50-64	16386	8.6	58	2	3	7	10	16	22	41
65+	30658	9.8	62	2	3	8	12	18	24	42
GRAND TOTAL	**89287**	**8.8**	**75**	**2**	**2**	**6**	**11**	**17**	**25**	**46**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patiants with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patiants with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8231	4.0	23	1	1	3	4	6	8	27
20-34	5101	4.4	33	<1	1	3	5	8	14	31
35-49	3738	5.1	30	1	1	4	6	10	14	28
50-64	3560	5.5	30	1	1	4	7	11	14	26
65+	3198	6.6	42	1	2	5	8	13	17	35
2. MULTIPLE DX										
0-19 YRS	17034	5.7	61	1	2	4	6	10	17	48
20-34	10866	6.1	53	1	1	4	7	12	20	38
35-49	13875	6.5	42	1	2	5	8	13	18	35
50-64	26444	7.2	39	2	2	6	9	14	18	33
65+	60782	8.3	42	2	3	7	10	15	20	33
TOT. SINGLE DX	23828	4.8	31	1	1	3	5	9	13	29
" MULTIPLE DX	129001	7.4	47	2	2	5	9	14	19	35
TOTAL 0-19 YRS	25265	5.1	50	1	1	3	5	8	14	42
20-34	15967	5.6	48	1	1	4	6	11	18	36
35-49	17613	6.2	40	1	2	4	7	12	17	33
50-64	30004	7.0	39	2	2	5	9	13	18	32
65+	63980	8.2	43	2	3	7	10	15	20	34
GRAND TOTAL	**152829**	**7.0**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**35**

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number **Title**

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number **Title**

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number **Title**

Mastectomy (continued)
- 742 Subtotal
- 744 Radical
- 743 Partial

538 Mastoidectomy, except revision
- 539 Revision

745 Mastotomy

Meatotomy
- 635 Ureteral
- 639 Urethral

690 Medical induction of labor

718 Meniscectomy, knee

686 Menstrual extraction or regulation

699 Mentoplasty

764 Monitoring, circulatory (CVP) (PCW)

754 Myelography

670 Myomectomy, uterus

537 Myringotomy

631 Nephrectomy (complete)

632 Nephropexy

682 Obliteration, vagina or vaginal vault

751 Onychectomy

751 Onychoplasty

Oophorectomy
- 662 Bilateral
- 661 Unilateral

533 Ophthalmoscopy

652 Orchiectomy

653 Orchiopexy

654 Orchioplasty, except suspension
- 653 Suspension

705 Ostectomy, except facial bone
- 699 Facial bone, except partial
  - 698 Partial

706 Osteoplasty, except facial bone
- 699 Facial bone

703 Osteotomy, except facial bone
- 699 Facial bone

540 Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number Title

- Sphincterotomy (continued)
  - 638 Bladder neck
- Spinal
  - 720 Fusion
  - 512 Tap or puncture
- 586 Splenectomy
- 721 Stabilization of joint, except foot and knee
  - 725 Foot
  - 724 Knee
- 535 Stapedectomy
- 535 Stapes mobilization
- Stress incontinence repair, except by
  - 644 urethral suspension
  - 643 Urethral suspension
- Stress test
  - 764 Cardiac
  - 764 Fetal
  - 764 Uterine
- 541 Submucous nasal resection
- 690 Surgical induction of labor for delivery
- Suspension
  - 643 Urethra, except with bladder neck
    - 644 With bladder neck
  - 644 Urethrovesical
- Suture – *see also Repair, by site*
  - 730 Muscle, except of hand
    - 729 Hand
  - 748 Skin
  - 730 Tendon, except of hand
    - 729 Hand
- 510 Sympathectomy
- 719 Synovectomy

- 554 T and A
- Takedown – *see Closure*
- 730 Tenosynovectomy, except of hand
  - 728 Hand
- 726 Tenotomy, except of hand
  - 728 Hand
- Termination of pregnancy
  - 676 Aspiration curettage
  - 674 Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin